

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

S

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-24568
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: South Boyd 27
8. Well Number 1
9. OGRID Number 015742
10. Pool name or Wildcat Dagger Draw; Upper Penn, North

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	2. Name of Operator Nearburg Producing Company	3. Address of Operator 3300 N A St., Bldg 2, Ste 120, Midland, TX 79705
4. Well Location Unit Letter <u>F</u> : <u>1980</u> feet from the <u>North</u> line and <u>1980</u> feet from the <u>West</u> line Section <u>27</u> Township <u>19S</u> Range <u>25E</u> NMPM <u>Eddy</u> County		
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3455		
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

NPC plugged the subject well. See attached work performed.

Approved for plugging of well bore only.
Liability under bond is retained pending receipt
of C-103 (Subsequent Report of Well Plugging)
which may be found at OCD Web Page under
Forms, www.cmnrd.state.nm.us/oed.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE [Signature] TITLE Production Analyst DATE 3/5/08
E-mail address: sjordan@nearburg.com
Type or print name Sarah Jordan Telephone No. 432/686-8235

For State Use Only

APPROVED BY [Signature] TITLE Comptroller DATE 3/5/08
Conditions of Approval, if any:

TIGHT HOLE-PLEASE DO NOT RELEASE ANY INFORMATION ON THIS WELL

South Boyd 27 #1

1980' FNL and 1980' FWL, Section 27-19S-25E

Cisco Canyon

Eddy County, New Mexico

**** ALL COSTS ARE FIELD ESTIMATES ****

- 02/25/08 Well Repair Service: P&A well.
MI spot rig & equipment (too windy to rig up). Unload & spot tbg. SDFN.
Current Operation This AM: RU and RIH w/ tbg.
- 02/26/08 Well Repair Service: P&A well.
RU pulling unit. PU & RH w/2 7/8" plugging string to CIBP @ 7896'. Basic's pump is broke
dn, will have running tomorrow A.M. SI & SDFN.
Current Operation This AM: Dump cmt on plug.
- 02/27/08 Well Repair Service: P&A well.
Road crew to location. RU pump. Mix & circulate well w/10# mud/OCD recommendations.
Mix & spot cmt from 6896' to 6594'. POOH & std back 6200' of tbg & LD rest. SI &
SDFN.
Current Operation This AM: Cut csg.
- 02/28/08 Well Repair Service: P&A well.
Road crew to location. ND BOP & B-section. Weld on 4 1/2" pull sub. PU on csg & remove
slips, work & stretch csg. MIRU wireline truck. Free point csg, found free csg @ 5300'.
RIH w/jet cutter & cut csg off @ 5300'. RDMO wireline truck. RU 4 1/2" csg tongs. POOH
& LD 132 jts 4 1/2" N80 32# csg. RIH w/2 7/8" tbg. SI & SDFN.
Current Operation This AM: Set cmt plugs.
- 02/29/08 Well Repair Service: P&A well.
Road crew to location. Mix & spot 30 sx cmt @ 5350'. POOH & WOC. RIH & tag TOC @
5190'. PUH & spot 40 sx cmt @ 4250-4094. PUH & spot 40 sx cmt @ 2250-2094. PUH &
spot 45 sx cmt @ 1370-1199. POOH. SI & SDFW.
Current Operation This AM: Set cmt plugs on Monday.
- 03/03/08 Well Repair Service: P&A well.
Road crew to location. RIH & tag TOC @ 1215'. PUH & mix & pump 45 sx cmt @ 373'.
PUH & WOC. RIH & tag TOC @ 186'. PUH & mix & pump 20 sx cmt from 60' to surface.
ND BOP. RDMO Basic pulling unit & plugging equipment. Install P&A marker, cut off
anchors. Final Report.
Current Operation This AM: Well P&A'd