

OCD-ARTESIA

Form 3160-6
(June 1990)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

S

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

MAR 25 2008

OCD-ARTESIA

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

ExxonMobil Corporation

Attn: Meadows, RM P053 Tiffany Stebbins

3. Address and Telephone No

Po Box 4358 Houston, Texas 77210-4358 281-654-1936

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

860' FSL & 660' FEL

Sec 31, T 20S, R 28E

5. Lease Designation and Serial No.
NM-01119

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

NM/64460X

8. Well Name and No.

Avalon (Delaware) Unit 549

9. API Well No

30-015-24378

10. Field and Pool, or Exploratory Area

Avalon Delaware 3715

11. County or Parish, State

Eddy, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent☐ Subsequent Report☐ Final Abandonment Notice

TYPE OF ACTION

☒ Abandonment☐ Recompletion☐ Plugging Back☐ Casing Repair☐ Altering Casing☐ Other☐ Change of Plans☐ New Construction☐ Non-Routine Fracturing☐ Water Shut-Off☐ Conversion to Injection☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

MIRU-ND wellhead NU BOP

Tag existing CIBP @ 2,500'. Circulate well with plugging mud. Spot 25 sks of C cement 2,500'-2,400'. Tag plug.

Perforate 5 1/2" csg @ 640'. Establish circulation out annulus. Circulate 100 sks of cement down 5 1/2 up annulus to surface.

Cut off wellhead and anchors 3' BGL. Cap well. Install dry hole marker.

ACCEPTED FOR RECORD

MAR 28 2008

Gerry Guye, Deputy Field Inspector
NMOCD-District II ARTESIASEE ATTACHED FOR
CONDITIONS OF APPROVAL

APPROVED

MAR 18 2008

JAMES A. AMOS
SUPERVISOR-EPS

14. I hereby certify that the foregoing is true and correct.

Signed

Title Agent

Date 03/17/08

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

Current Well Diagram ExxonMobil


RKB @ _____
DF @ _____
GL @ 3,212.8'

Date 17-Mar-08

Subarea : _____
Lease & Well No : **Avalon Delaware Unit 549**
Legal Description : 660' FSL & 660' FEL. Sec 31, T 20S, R 28E
County : Eddy State : New Mexico
Field : _____
Date Spudded : 9/27/1983 Completed 10/1/1983
API Number : 30-015-24378
Status : T A'D 9/30/1998

Abbreviated Well History


9/83 Spudded well.
Perf 2598'-2636' Delaware
3/96 Perf 2666'-2680' Cherry Canyon
9/98 Set CIBP @ 2500' cap w/ 30' cement TA'D well



Proposed PA Well Diagram ExxonMobil

RKB @ _____
DF @ _____
GL @ 3,212.8'

Date: 17-Mar-08



Subarea _____
Lease & Well No. : **Avalon Delaware Unit 549**
Legal Description : 660' FSL & 660' FEL. Sec 31, T 20S, R 28E
County : Eddy State : New Mexico
Field : _____
Date Spudded : 9/27/1983 Completed: 10/1/1983
API Number : 30-015-24378
Status: T A'D 9/30/1998

Abbreviated Well History

9/83 Spudded well.
Perf 2598'-2636' Delaware
3/96 Perf 2666'-2680' Cherry Canyon
9/98 Set CIBP @ 2500' cap w/ 30' cement TA'D well