THE H. Provide Dr., Holles, MI 00240 ETE.	ensi Misserr	State of N us & Natur	ew Mexico ral Resourc	es Donarb	mant	Ports C-102 Revised Outstar 12, 200
Spright II 1301 T. Brand Sommer, Srinds, 201 52210				_		Appropriate District Offs
District III	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.				State Lease - 4 Capter Per Lease - 8 Capter	
1000 No Memor Sd., Aston, 124 87410 District 27	7 848	Santa Fe,	· · ·	DI-		
1880 S. St. Premole St., Sente Pt. JOK 89606		56100 1 0,				ENDED REPOR
	LL LOCATIO	N AND AC	REAGE DED	ICATION P	ZAT	
30-015-36344	9607	70	wildo	a +		
4 Property Code		S Argunda	Manus			e trate Mander
7 // 80 7 0000 #s	7/80 BUZZARD CANYON STATE				1 Storeson	
131559	PUR	VIS OPERAT		צאו		4560
The set on 5 Section 1 Tournels		"Surface	Location	Foot Jones Ma	No. 174	
L 16 20-8	21 -E	1450	SOUTH	1000	WEST	1
	ttom Hole	Location If	Different	From Sur		
M. er bet un. Junklen. Sumselig	Straight Last Sale	Prof None Sta	Marty Street, Ann	A	5-1/No.	dies Campy
12 Dedicated Aeres 13 June or Refill 14 Co	moutiduitien Code 1	No de Maria				1
320						
No allowable will be assigned to this	iteer mikelegnee	oll teleroste have	been committee	i or a non-sian	dard until h	ias been approped by the
distant.						
			1	in an		
	Ī					CERTIFICATION
					ay ang kamatadya an Mag-manana ay ayan, Kalanana kata bandha	d help, and that the management where were subject thereof to the that the line were a state to the terminal of the
	ŧ				میشین سینست میشین سینست میشین	
						
,	Ī			16/		1
					rmit	Vous 5-230
	I		ļ	Don	nic E.	Brown
320 acres	ŧ			Prince		
320 00105	•					
	Ī					
			1			
1	ŧ			18 1 mm	SURVETOL	R CERTIFICATION
	Ī					Profit confer of defend servings only comparability, and this time: put to the head of one Author
LAT N32.56807 LON W104.80450	i		}	1	r 19. 20	op
	I		1	Date of		
1000'	Ĭ			معمود أ	والبه يمير	R. RED
						ME
	Ī		1		711	
450	I				FEE STATE OF	1 / 18
7	I				TE TO	SURVEYOR WE
	Ī				P	OFFSLOWAL
		<u></u>		DAN		NE PERFS \$6412

P. 1 PAGE 02




EXHIBIT "D"
PURVIS OPERATING CO.
Deer Canyon 8 Federal, Well No. 1
Pad & Pit Layout

RIG # 1

BLOWOUT PREVENTOR ARRANGEMENT

II" SHAFFER TYPE LWS, 5000 psi WP
II" GK HYDRIL, 5000 psi WP
80 GALLON, 4 STATION PAYNE ACCUMULATOR
3000 psi WP CHOKE MANIFOLD




EXHIBIT "E"
PURVIS OPERATING CO.
Deer Canyon 8 Federal, Well No. 1
BOP Specifications

PURVIS OPERATING CO. P O BOX 51990 MIDLAND, TEXAS 79710-1990

Hydrogen Sulfide (H₂S) Contingency Plan

for

Buzzard Canyon State #1 1450 ft. FSL, 1000 ft. FWL Section 16, T-20S, R-21E Eddy County, New Mexico

PURVIS OPERATING CO. BUZZARD CANYON STATE #1 EDDY COUNTY, NM

Emergency Procedures

There are no known formations that produce H₂S in this area and no H₂S is expected to be released into the atmosphere. However, should loss of circulation be encountered below the surface string, H₂S monitors and air packs will be installed immediately. There are no known public housing within 1 ½ miles of the location. The nearest public highway is the County Road 20 (Bronco Road) about 2.25 miles to the west.

In the case of a release of gas containing II2S, the first responder(s) must isolate the area and prevent entry by other persons into the 100 ppm ROE. Additionally the first responder(s) must evacuate the any public places encompassed by the 100 ppm ROE. First responder(s) must take care not to injure themselves during this operation. Company and/or local officials must be contacted to aid in this operation. Evacuation of the public should be beyond the 100 ppm ROE.

All responders must have training in the detection of H2S, measures for protection against the gas, equipment used for 'protection and emergency response. Additionally, responders must be equipped with H2S monitors and air packs in order to control the release. Use the "buddy system" to ensure no injuries during the response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (802). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas

Characteristics of H2S and SO2

Common Name	Chemical Formula	Specific Gravity	Threshold Limit	Hazardous Limit	Lethal Concentration
Hydrogen Sulfide	H ₂ S	1.189 Air = 1	10 ppm⁴	100 ppm/hr	600 ppm
Sulfur Dioxide	SO ₂	2.21 Air = 1	2 ppm	N/A	1000 ppm

Contacting Authorities

Purvis Operating Co. personnel must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and vohl.me of release, wind direction, location of release, etc. Be prepared with all information available.

PURVIS OPERATING CO. BUZZARD CANYON STATE #1 EDDY COUNTY, NM

The following call list of essential and potential responders has been prepared for use during a release. Purvis Operating Co.'s response must be in coordination with the State of New Mexico's 'Hazardous Materials Emergency Response Plan.' (HMER)

COMPANY CALL LIST

Midland, Texas (432)	Office	Cell Phone	Home
Donnie Brown James Purvis Cecil Patterson	432-682-7346 432-682-7346	432-638-3441 432-638-6770 575-390-8314	432-699-7855 432-697-3206 575-396-5780

AGENCY CALL LIST

EDDY COUNTY (505)

CARLSBAD

State Police	885-3137
City Police	885-2111
Sheriffs Office	887-7551
Ambulance	911
Fire Department	885-2111
LEPC (Local Emergency Planning Committee)	887-3798
NMOCD.	748-1283

Other

Boots & Coots IWC	1-800-256-9688 or (281) 931-8884 (915) 699-0139 or (915) 563-3356 (505) 746-2757 (505) 746-3569
Flight For Life - 4000 24th St, Lubbock, TX	(806) 743-9911
Acrocare - RR3 Box 49f, Lubbock, TX	(806) 747-8923
Med Flight Air Amb - 2301 Yale Blvd SE #D3, Albuq, NM	(505) 842-4433
S B Air Med Svc - 2505 Clark Carr Loop SE, Albuq, NM.	(505) 582-4949