1625 N French Dr , Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505

to obtaining samples. Samples are to be obtained from pit area and analyses

submitted to OCD prior to back-filling.

State of New Mexico ► Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

June 1, 2004

Mandariling And Production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

Address 550 W. Texas, Suite 1300 M acility or well name. Harvard Federal #10 API #: 30 County EDDY Latitude 3 Surface Owner Federal State Private Indian	432-685-4332 e-mail address: kcal idland, TX 79701 U/L or Qtr/Qtr E S 32.851517° N Longitude 103.93003	Sec <u>12</u> T <u>17S</u> R <u>30E</u>
API#: 30 County EDDY Latitude Surface Owner Federal 🖾 State 🗌 Private 🗎 Indian 🗍	D-015-36077 U/L or Qtr/Qtr <u>E</u> S	
County EDDY Latitude Surface Owner Federal State Private Indian		
urface Owner Federal 🛭 State 🗌 Private 🗌 Indian 🗍	32.851517° N Longitude 103.93003	
1		5° W NAD 1927 ⊠ 1983 [
tia.		
<u>Pit</u>	Below-grade tank	
ype: Drilling ⊠ Production □ Disposal □	Volumebbl Type of fluid Construction material: Double-walled, with leak detection? Yes	
Workover		
uned 🛮 Unlined 🗍		
uner type. Synthetic ☑ Thickness <u>12</u> mil Clay ☐		
tt Volume <u>25,000</u> bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) 110'		(20 points)
	50 feet or more, but less than 100 feet 100 feet or more	(10 points) (0 points)
	100 lect of more	
Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	↓	(20 points)
	No	(0 points)
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0 points
this is a pit closure: (1) Attach a diagram of the facility showing the	pit's relationship to other equipment and tanks (2) Indi	icate disposal location: (check the onsite box if
ur are burying in place) onsite \(\sqrt{o} \) offsite \(\sqrt{o} \) If offsite, name of facili		
nediation start date and end date (4) Groundwater encountered No		
Attach soil sample results and a diagram of sample locations and exc		
Additional Comments: COG Operating LL	.C proposes to close the drilling pit as fo	ollows:
1 Remove fluids from pit.		
2 A deep trench pit will be constructed next t	o the existing reserve pit and lined with a	a 12 mil liner.
The contents will be encapsulated in this pi	t and the liner will be folded over the muc	d & cuttings.
3. Cover liner w/20 mil liner w/ excess of 3' or	n all sides as per option IV.B.3.(b) of Pit	and Below-Grade Tank Guidelines.
4. Cover w/ a minimum of 3' of native soil.		
5. Contour pit to prevent erosion & ponding of	rainwater.	
hereby certify that the information above is true and complete to the l	pest of my knowledge and belief. I further certify that	the above-described pit or below-grade tank
as been/will be constructed or closed according to NMOCD guide		
Date 05/28/08		
Printed Name/Title Kanicia Carrillo, Regulatory An	alyst Signature	
Your certification and NMOCD approval of this application/closure do		its of the pit or tank contempote ground water
otherwise endanger public health or the environment. Nor does it relie egulations		
NUN OCD 34 HOURS BRIOD to	11	
TIFY OCD 24 HOURS PRIOR to nning closure and 24 HOURS PRIOR	Signature Signed By Mile Ben	Muse Date ΜΔΥ 2 9 2008

If burial trench is to be constructed

in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.