Submit 3 Copies To Appropriate District	State o	f New Mexico	Form C-103
Office District I	Energy, Mineral	s and Natural Resources	May 27, 2004
1625 N French Dr , Hobbs, NM 88240			WELL API NO.
District II 1301 W Grand Ave, Artesia, NM 88210	OIL CONSERVATION DIVISION		30-015-36239
District III	A	th St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd , Aztec, NM 87410		Fe, NM 87505	STATE FEE 6. State Oil & Gas Lease No.
<u>District IV</u> 1220 S St Francis Dr., Santa Fe, NM	Santa	i c, 1111 07505	6. State Off & Gas Lease No.
87505			
	ES AND REPORTS (7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			
PROPOSALS)	HON FOR FERMIT (FO	·KWI C-101) FOR SUCH	G J West Coop Unit
	as Well 🗌 Other	JUN 04 2008	8. Well Number 180Y
2. Name of Operator			9. OGRID Number
COG Operating LLC OCD-ARTESIA 229137			
3. Address of Operator			10. Pool name or Wildcat 97558
550 W. Texas Ave., Suite	1300	Midland, TX 79701	GJ; 7RVS-QN-GB-GLORIETA-YESO
4. Well Location			
Unit Letter O :	1140 feet from the	South line and 1650	feet from the West line
Section 16	Township 1	7S Range 29E	NMPM County EDDY
11. Elevation (Show whether DR, RKB, RT, GR, etc.)			
3583 GR			
Pit or Below-grade Tank Application or Closure			
Pit type DRILLING Depth to Groundwater 110' Distance from nearest fresh water well 1000' Distance from nearest surface water 1000			
Pit Liner Thickness: 12 mil Below-Grade Tank: Volumebbls; Construction Material			
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
12. Check App	propriate Box to	Indicate Nature of Notic	e, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING			
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A			
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB			
FOLL ON ALTER CASING	WOLTH LL COMFL	L CASING/CLIVII	EM1 30B
OTHER.		OTHER:	Completion
	ed operations. (Clear	rly state all pertinent details,	and give pertinent dates, including estimated date
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion			
or recompletion.			
04/25/08 Perforate w/ 2 SPF	F @ 5110 - 5310	0, 48 holes.	
04/02/08 Acidize w/ 3,500 g	als acid. Frac w	/ 66,841 gals gel, 69,	618# 16/30 sand, 22,676# Siberprop.
Set comp plug @			· · ·
Perforate w/ 2 SPF @ 4852 - 5040, 36 holes.			
Acidize w/ 2,500 gals acid. Frac w/ 62,533 gals gel, 54,533# 16/30 sand, 22,220# Siberporp.			
			533# 16/30 sand 22 220# Sibernorn
Acidize w/ 2,500 g	jals acid. Frac w		533# 16/30 sand, 22,220# Siberporp.
Acidize w/ 2,500 g Set comp plug @ 4	jals acid. Frac w 4810.	62,533 gals gel, 54,	533# 16/30 sand, 22,220# Siberporp.
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF	jals acid. Frac w 4810. F @ 4570 - 4770	7/62,533 gals gel, 54, 0, 36 holes	
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g	jals acid. Frac w 4810. F @ 4570 - 4770 jals acid. Frac w	7/ 62,533 gals gel, 54, 0, 36 holes 6/ 65,472 gals gel, 69,	533# 16/30 sand, 22,220# Siberporp. 362# 16/30 sand, 22,268# Siberporp.
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g 05/01/08 Drilled out comp p	pals acid. Frac w 4810. F @ 4570 - 4770 pals acid. Frac w lugs. Wash to P	7/ 62,533 gals gel, 54, 0, 36 holes 6/ 65,472 gals gel, 69, BTD @ 5390'.	362# 16/30 sand, 22,268# Siberporp.
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g 05/01/08 Drilled out comp p	pals acid. Frac w 4810. F @ 4570 - 4770 pals acid. Frac w lugs. Wash to P	7/ 62,533 gals gel, 54, 0, 36 holes 6/ 65,472 gals gel, 69, BTD @ 5390'.	
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g 05/01/08 Drilled out comp p	pals acid. Frac w 4810. F @ 4570 - 4770 pals acid. Frac w lugs. Wash to P	7/ 62,533 gals gel, 54, 0, 36 holes 6/ 65,472 gals gel, 69, BTD @ 5390'.	362# 16/30 sand, 22,268# Siberporp.
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g 05/01/08 Drilled out comp p	pals acid. Frac w 4810. F @ 4570 - 4770 pals acid. Frac w lugs. Wash to P	7/ 62,533 gals gel, 54, 0, 36 holes 6/ 65,472 gals gel, 69, BTD @ 5390'.	362# 16/30 sand, 22,268# Siberporp.
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g 05/01/08 Drilled out comp p 05/02/08 RIH w/134jts. 2 7/8	pals acid. Frac w 4810. F @ 4570 - 4770 pals acid. Frac w lugs. Wash to P 8" J-55 tbg.,SN@	n/ 62,533 gals gel, 54, 0, 36 holes n/ 65,472 gals gel, 69, rBTD @ 5390'. r∰4307'.RIH w/ 2 ½" x	362# 16/30 sand, 22,268# Siberporp. 2" x 20' RHTC pump.Hang well on.
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g 05/01/08 Drilled out comp p 05/02/08 RIH w/134jts. 2 7/8	yals acid. Frac w 4810. F @ 4570 - 4770 yals acid. Frac w lugs. Wash to P 8" J-55 tbg.,SN@	7/ 62,533 gals gel, 54, 0, 36 holes 6/ 65,472 gals gel, 69, BTD @ 5390'. @4307'.RIH w/ 2 ½" x	362# 16/30 sand, 22,268# Siberporp.
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g 05/01/08 Drilled out comp p 05/02/08 RIH w/134jts. 2 7/8 I hereby certify that the information aborder tank has been/will be constructed or close	yals acid. Frac w 4810. F @ 4570 - 4770 yals acid. Frac w lugs. Wash to P 8" J-55 tbg.,SN@ ove is true and comp	of 62,533 gals gel, 54, of 36 holes of 65,472 gals gel, 69, of BTD @ 5390'. of 20,4307'.RIH w/ 2 ½" x of 20,4307'.RIH w/ 2 ½" x	362# 16/30 sand, 22,268# Siberporp. 2" x 20' RHTC pump.Hang well on. dge and belief. I further certify that any pit or below- □ or an (attached) alternative OCD-approved plan □.
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g 05/01/08 Drilled out comp p 05/02/08 RIH w/134jts. 2 7/8 I hereby certify that the information aborder tank has been/will be constructed or close	yals acid. Frac w 4810. F @ 4570 - 4770 yals acid. Frac w lugs. Wash to P 8" J-55 tbg.,SN@ ove is true and comp	of 62,533 gals gel, 54, of 36 holes of 65,472 gals gel, 69, of BTD @ 5390'. of 20,4307'.RIH w/ 2 ½" x of 20,4307'.RIH w/ 2 ½" x	362# 16/30 sand, 22,268# Siberporp. 2" x 20' RHTC pump.Hang well on. dge and belief. I further certify that any pit or below- □ or an (attached) alternative OCD-approved plan □.
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g 05/01/08 Drilled out comp p 05/02/08 RIH w/134jts. 2 7/8 I hereby certify that the information abore grade tank has been/will be constructed or closs SIGNATURE Type or print name Kanicia Carrillo	yals acid. Frac w 4810. F @ 4570 - 4770 yals acid. Frac w lugs. Wash to P 8" J-55 tbg.,SN@ ove is true and comp	of 62,533 gals gel, 54, of 36 holes of 65,472 gals gel, 69, of BTD @ 5390'. of 20,4307'.RIH w/ 2 ½" x of 20,4307'.RIH w/ 2 ½" x	362# 16/30 sand, 22,268# Siberporp. 2" x 20' RHTC pump.Hang well on. dge and belief. I further certify that any pit or below- □ or an (attached) alternative OCD-approved plan □.
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g 05/01/08 Drilled out comp p 05/02/08 RIH w/134jts. 2 7/8 I hereby certify that the information aborder tank has been/will be constructed or close	yals acid. Frac w 4810. F @ 4570 - 4770 yals acid. Frac w lugs. Wash to P 8" J-55 tbg.,SN@ ove is true and comp	of 62,533 gals gel, 54, of 36 holes of 65,472 gals gel, 69, of BTD @ 5390'. of 20,4307'.RIH w/ 2 ½" x of 20,4307'.RIH w/ 2 ½" x	362# 16/30 sand, 22,268# Siberporp. 2" x 20' RHTC pump.Hang well on. dge and belief. I further certify that any pit or below- □ or an (attached) alternative OCD-approved plan □.
Acidize w/ 2,500 g Set comp plug @ 4 04/29/08 Perforate w/ 2 SPF Acidize w/ 3,500 g 05/01/08 Drilled out comp p 05/02/08 RIH w/134jts. 2 7/8 I hereby certify that the information abore grade tank has been/will be constructed or closs SIGNATURE Type or print name Kanicia Carrillo	yals acid. Frac w 4810. F @ 4570 - 4770 yals acid. Frac w lugs. Wash to P 8" J-55 tbg.,SN@ ove is true and composed according to NMOC	of 62,533 gals gel, 54, of 36 holes of 65,472 gals gel, 69, of BTD @ 5390'. of 20,4307'.RIH w/ 2 ½" x of 20,4307'.RIH w/ 2 ½" x	362# 16/30 sand, 22,268# Siberporp. 2" x 20' RHTC pump.Hang well on. dge and belief. I further certify that any pit or below— or an (attached) alternative OCD-approved plan □. analyst DATE 06/02/08 es.com Telephone No. 432-685-4332