| Submit 3 Copies To Appropriate District Office  | State of New Mexico  | Form C-103  |  |  |  |  |
|---|--|---|--|--|--|--|
| <u>Diśmet I</u> Energ   | , Minerals and Natural Resources   | May 27, 2004  |  |  |  |  |
| 1625 N French Dr , Hobbs, NM 88240  |  | WELL API NO.  |  |  |  |  |
| District II 1301 W Grand Ave, Artesia, NM 88210 OIL   | CONSERVATION DIVISION  | 30-015-23751  5. Indicate Type of Lease               |  |  |  |  |
| District III  | .220 South St. Francis Dr.   | STATE FEE   |  |  |  |  |
| 1000 Rio Brazos Rd , Aztec, NM 87410<br>District IV   | Santa Fe, NM 87505   | 6. State Oil & Gas Lease No.                          |  |  |  |  |
| 1220 S St Francis Dr , Santa Fe, NM   |  |   |  |  |  |  |
| 87505   |  | L-4682  |  |  |  |  |
| SUNDRY NOTICES AND R (DO NOT USE THIS FORM FOR PROPOSALS TO DRIL  |  | 7. Lease Name or Unit Agreement Name                  |  |  |  |  |
| DIFFERENT RESERVOIR USE "APPLICATION FOR F  | Cordova SWD  |   |  |  |  |  |
| PROPOSALS)  | 8. Well Number   |   |  |  |  |  |
| 1. Type of Well: Oil Well Gas Well  | 1  |   |  |  |  |  |
| 2. Name of Operator   | 40,000   | 9. OGRID Number                                       |  |  |  |  |
| Yates Petroleum Corporation   | FFB 19 2008  | 025575  |  |  |  |  |
| 3. Address of Operator<br>105 S. 4 <sup>th</sup> Street, Artesia, NM 88210  | ocd-artesia  | 10. Pool name or Wildcat                              |  |  |  |  |
|   |  | SWD; Delaware   |  |  |  |  |
| 4. Well Location Unit Letter E: 2005 feet   | from the North line and  | 660 feet from the West line                           |  |  |  |  |
|   |  |   |  |  |  |  |
|   | nship 24S Range 27E  | NMPM Eddy County                                      |  |  |  |  |
| 11. Elevat  | on (Show whether DR, RKB, RT, GR, etc.                                   | ··)   |  |  |  |  |
| Pit or Below-grade Tank Application or Closure  | 3143'GR  |   |  |  |  |  |
| Pit type Depth to Groundwater Dis   | ance from nearest fresh water well D                                     | istance from nearest surface water                    |  |  |  |  |
|   |  | Construction Material                                 |  |  |  |  |
|   |  |   |  |  |  |  |
| 12. Check Appropriate   | Box to Indicate Nature of Notice   | , Report or Other Data                                |  |  |  |  |
| NOTICE OF INTENTION   | TO: SUF  | SSEQUENT REPORT OF:                                   |  |  |  |  |
|   | ABANDON 🛭 REMEDIAL WOR   |   |  |  |  |  |
| TEMPORARILY ABANDON   CHANGE  | <del></del>  | RILLING OPNS. PLUG AND ABANDON                        |  |  |  |  |
| PULL OR ALTER CASING   MULTIPLE   | COMPL CASING/CEMEN   | NT JOB  |  |  |  |  |
| 071150  |  | ,   |  |  |  |  |
| OTHER:  |  |   |  |  |  |  |
| 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion |  |   |  |  |  |  |
| or recompletion.  |  |   |  |  |  |  |
|   |  |   |  |  |  |  |
| Yates Petroleum Corporation plans to plug and abandon this well as follows:   |  |   |  |  |  |  |
|   |  |   |  |  |  |  |
| <ol> <li>Rig up safety equipment as needed. No casing recovery will be attempted.</li> <li>Set a CIBP at 2338' with 35' coment on top. This will seal off all Delaware perfs.</li> </ol>  |  |   |  |  |  |  |
| 2. Set a CIBP at 2338 with 35 cement on top. This will seal off all Delaware peris.  3. Load the hole with plugging mud then spot a 25 sx cement plug from 350' to 550', across the surface casing shoe. WOC and tag, reset                                     |  |   |  |  |  |  |
| if necessary.   |  |   |  |  |  |  |
| 4. Load the hole with plugging mud then spot a 15 sx cement plug from 150' to surface. WOC and tag, reset if necessary.   |  |   |  |  |  |  |
| 5. Remove all surface equipment and weld dry hole marker as per regulations.  |  |   |  |  |  |  |
| NOTE: Yates Petroleum Corporation will use steel pits and no earth pits   |  |   |  |  |  |  |
| Approval Granted providing work   |  |   |  |  |  |  |
|   | <u>ه</u> ـ   | complete by   |  |  |  |  |
|   | IS   | complete by   |  |  |  |  |
|   |  | 7-1-00  |  |  |  |  |
|   |  |   |  |  |  |  |
| I hereby certify that the information above is true   |  |   |  |  |  |  |
| grade tank has been/will be constructed or closed adcording to NMOCD guidelines [], a general permit [] or an (attached) alternative OCD-approved plan [].  |  |   |  |  |  |  |
| SIGNATURE (Signature 18, 2008) TITLE Regulatory Compliance Supervisor DATE February 18, 2008  |  |   |  |  |  |  |
| Tooldary 10, 2000   |  |   |  |  |  |  |
|   | TITLERegulatory Compliance S   | Supervisor DATE February 18, 2008                     |  |  |  |  |
| Type or print name Tina Huerta  | TITLE <u>Regulatory Compliance S</u> E-mail address: <u>tinah@ypcnm.</u> |   |  |  |  |  |
| , ,   |  |   |  |  |  |  |
| For State Use Only  | E-mail address: <u>tinah@ypcnm.</u>                                      | <u>FEB 1.9 2008</u>                                   |  |  |  |  |
| , ,   |  | Telephone No. <u>575-748-1471</u> <b>E</b> PATE  PATE |  |  |  |  |

| WELL NAME:                              |            |   |  |                |   |                 |  |  |        |
|---|------------|---|--|----------------|---|-----------------|--|--|--------|
| LOCATION:                               |            |   |  |                | <u>Sec 25-24S-2</u>                                       | 27E Edd         | y County   |  |        |
| <b>GL</b> :3,143.8                      |            | •                                       |  |                |   |                 | CASING   | PROGRAM  |        |
| SPUD DATE:                              |            |   |  |                | 07/03/81  |                 |  |  | T      |
| COMMENTS:_                              | A          | <u>PI No. 30-01</u>                     | <u>5-237</u>                           | 51             |   | 0.5/0".0        | 4.4.14.55 O.T.0  |  | 500'   |
|   | <u>(</u> F | ormerly Amo                             | oco's S                                | State IS #1y)  |   | 8 5/8 2         | 4 # K-55, ST&  |  | 500'   |
|   |            |   |  |                |   |                 |  |  |        |
|   |            |   |  |                |   | 2 3/8" 4        | .70# 1ft., N-80,   | . EUE  | 10790' |
|   |            |   | <del>\</del>                           | Cmt plug       | 0-150' w/ 15 sx   |                 | <u></u>  |  |        |
| 12-1/4" Hole                            |            | 300                                     | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |                |   |                 |  |  |        |
|   |            |   | ( / / /                                | ; (<br>; )     |   | ,               | A  | fter   |        |
|   |            |   |  |                | 0-550' w/ 25 sx<br>perfs at 575'                          |                 | Fresh Wa<br>Top of Sa<br>Base of S<br>Delaware<br>Bell Cny<br>Cherry C<br>Brushy C | alt 584' Salt 2,320' e 2,376' 2,452' ny 3,196' |        |
| TOC @ 1,920'                            | \          |   | )                                      |                |   |                 |  |  |        |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |            | iu                                      | ~~f                                    |                |   | ٠               |  |  |        |
|   | ) `        | कुः क्षांक्रम हास्त्री तहाँ, इत्तर क्रे | (                                      |                |   | <del></del>     |  |  |        |
|   | (/         |   | \ \                                    |                | 2,338' w/ 35' cmt   |                 |  |  |        |
| 7-7/8" Hole                             |            | 11                                      | /                                      |                | s: 2,348' – 2,352'<br>v/25 sx cmt                         | ' (9).  Sqz'd & | t tested to  |  |        |
|   |            | 1                                       | 7                                      |                | : 3,294' - 3,298' (<br>3,473' - 3,475' (<br>1993 BW 0 MCF | (5), 3,544' – 3 |  |  |        |
|   |            | =                                       | />                                     | —— DW Perfs    | : 3,800' - 3,850' (                                       | (86), 4,142' –  | 4,152' (21)  |  |        |
|   | \\<br>\\   |   |  |                | rfs: 4,956'– 4,978<br>O, 113 BW 0 MC                      |                 | -5,074' (13)   |  |        |
|   |            | RVEN STREET                             |  | 5-1/2" @ 5,497 | ,   |                 |  | Not to Scale<br>1/23/08<br>DC/M.Hill           |        |
|   |            | TD 5,500                                |  | w \ 2,325 sx   |   |                 |  |  |        |

|  | #1FIELD:V  |  |
|--|--|--|
|  | 005' FNL & 660' FWL Sec 25-24S   |  |
|  | KB:  | CASING PROGRAM   |
|  | COMPLETION DATE: 07/03/81  |  |
| COMMENTS: API No. 30 (Formerly   | 0-015-23751<br>Amoco's State IS #1y)   | 8 5/8" 24 # K-55, ST&C 500'  |
| [7] \ ]  | 111  | 2 3/8" 4.70# 1ft., N-80, EUE 10790'  |
| 12-1/4" Hole   |  |  |
|  |  | Before   |
|  | 8-5/8" at 500' w\ 275 sx cmt (circ)  Squeeze perfs at 575' Squeezed w\ 50 sx                                     | Tops: Fresh Water 300' Top of Salt 584' Base of Salt 2,320' Lamar 2,376' Delaware 2,430' Bell Cny 2,452' Cherry Cny 3,196' |
| 7-7/8" Hole  |  | Brushy Cny 4,412'  |
| TOC @ 1,920'   | 1000 lbs w/25 sx cmt  Nickel Plated AS-1 packe  Del. Perfs: 3,294' – 3,298 3,473' – 3,475  IP 0 BO, 1993 BW 0 MC | ' (9),<br>' (5), 3,544' – 3,546' (5)   |
| The second secon | IP 0 BO, 113 BW 0 M  | 78' (45), 5,068' – 5,074' (13) <b>CFD</b> Not to Scale 1/23/08 DC/M.Hill   |