llh

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Biazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505



For drilling and production facilities, submit to appropriate NMOCD District Office
For downstream facilities, submit to Santa Fe office

	rade Tank Registration or Closure	JUN 12 2008			
Is pit or below-grade tank covered by a "general plan"? Yes \[\sum \text{No} \sum \]					
Type of action Registration of a pit	or below-grade tank	K - OCD-ARTESIA			
Operator Yates Petroleum Corporation Telephone 505	i-748-1471 e-mail address <u>boba@ ypcnm com</u>				
Address 104 S 4th Street, Artesia, NM 88210					
Facility or well name Cleveland Fee Battery	API# 30-015-00259 U/L or Qtr/Qtr B	Sec 33 T 18S R 26E			
County Eddy Latitude 32 Surface Owner Federal □ State □ Private ☒ Indian □		100 1727 23 1700			
Pit	Below-grade tank				
Type Drilling Production Disposal	Volume 210 bbl Type of fluid Produced	Water			
Work over Demergency D	Construction material Fiberglass	water			
Lined Unlined					
Linei type Synthetic Thickness mil Clay	Double-walled, with leak detection? Yes 🛛 If not, explain	n why not			
Pit Volumebbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal high water	50 feet or more, but less than 100 feet	(10 points)			
elevation of ground water)	100 feet or more	(0 points)			
	Yes	(20 points)			
Wellhead protection area (Less than 200 feet from a private domestic water	No				
source, or less than 1000 feet from all other water sources)		(0 points)			
	Less than 200 feet	(20 points)			
Distance to surface water (horizontal distance to all wetlands, playas, irrigation	200 feet or more, but less than 1000 feet	(10 points)			
canals, ditches, and perennial and ephemeial watercourses)	1000 feet or more	(0 points)			
	Ranking Score (Total Points)	10 points			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship	ip to other equipment and tanks (2) Indicate disposal location	n (check the onsite box if you are burying in place)			
onsite offsite figure if offsite, name of facility (3) Attach a ge	eneral description of remedial action taken including remediate	ion start date and end date (4) Groundwater			
encountered No Yes If yes, show depth below ground surface f	and attach sample results				
	and attach sample results				
(5) Attach soil sample results and a diagram of sample locations and excavations					
FINAL REMOVAL ACTIVITIES COMPLETE (TANK REMOVED	AND SAMPLE RESULTS ENCLOSED). FINAL I	REPORT C-144.			
I hereby certify that the information above is true and complete to the best of my know		d pit or below-grade tank has been/will be			
constructed or closed according to NMOCD guidelines 🗵, a general permit 🔲, or an (attached) alternative OCD-approved plan 🔲.					
Date Wednesday, June 11, 2008					
Printed Name/Title Robert Asher / Environmental Regulatory Agent Signature					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public					
health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations					
ŕ					
Appioval	a (
Printed Name/Title Signa	Signed By Mily Deserving	. III FA Sono			
Signa Signa	Signed By MI/4 Exercice	AAT TA COOR			

MARTIN YATES, III 1912-1985

FRANK W. YATES



105 SOUTH FOURTH STREET

ARTESIA, NEW MEXICO 88210-2118

TELEPHONE (575) 748-1471

S P YATES CHAIRMAN EMERITUS

JOHN A YATES

FRANK YATES, JR.

PEYTON YATES

JOHN A. YATES, JR. DIRECTOR

JUN 12 2008 OCD-ARTESIA

June 11, 2008

Mr. Mike Bratcher NMOCD District II 1301 W. Grand Ave. Artesia, NM 88210

RE: Cleveland Fee Battery

30-015-00259

Section 33, T18S-R26E Eddy County, New Mexico

Dear Mr. Bratcher,

The following actions have been performed by Yates concerning Form C-144 submitted April 9, 2008, the below-grade tank has been removed, excavated soils were taken to an approved OCD facility and composite samples were taken (6/3/2008), the depth of the tank bottom is approximately six (6) feet below grade. Enclosed are analytical results, with the Total Ranking Score of ten (10), RRAL's for BTEX is 50 ppm and TPH is 1000 ppm. Yates Petroleum Corporation requests closure of the below grade tank site.

Thank you.

Robert Asher


Environmental Regulatory Agent


YATES PETROLEUM CORPORATION


Enclosure(s)

/rca











Location Pad (not to scale)

Sample ID	Sample Date	Sample Type	Depth	BTEX	GRO	DRO	TPH TOTAL	Chlorides
(08(0mp(0)))	6/3/2008	Grab/Composite	1'	2.0 0153≸	<1.0	´ <50.0	` <51:0 · .	535
GS/Comp-002	6/3/2008	Grab/Composite	2'	· 0:0126 ×	<1.0	<50.0	^ 51_0 ` ` ` .	455

Site Ranking is Ten (10). Depth to Ground Water: 50-99' (approx. 85'). Results are ppm.



Cleveland Fee Battery
Section 34, T18S-R26E
Eddy County, NM

EXHIBIT
Sample Diagram (Not to Scale)

Prepared by Robert Asher Environmental Regulatory Agent June 11, 2008 Report Date: June 10, 2008

30 - 015 - 00259

Work Order: 8060431 Cleveland Fee Battery Page Number: 1 of 1 Eddy County, NM

Summary Report

Robert Asher Yates Petroleum Corp. 105 South 4th South Artesia, NM, 88210

Report Date: June 10, 2008

Work Order: 8060431

Project Location: Eddy County, NM

Project Name:

Cleveland Fee Battery

Project Number:

30-015-00259

			Date	Time	Date
Sample	Description	Matrix	Taken	Taken	Received
161950	GS/Comp-001	soil	2008-06-03	06:47	2008-06-04
161951	GS/Comp-002	soil	2008-06-03	07:04	2008-06-04

	BTEX				TPH DRO	TPH GRO
	Benzene	Toluene	Ethylbenzene	Xylene	DRO	GRO
Sample - Field Code	(mg/Kg)	(mg/Kg)	(mg/Kg)	(mg/Kg)	(mg/Kg)	(mg/Kg)
161950 - GS/Comp-001	< 0.0100	< 0.0100	< 0.0100	0.0153	< 50.0	<1.00
161951 - GS/Comp-002	< 0.0100	< 0.0100	< 0.0100	0.0126	< 50.0	<1.00

Sample: 161950 - GS/Comp-001

Param	Flag	Result	Units	RL
Chloride		535	mg/Kg	2.00

Sample: 161951 - GS/Comp-002

Param	Flag	Result	Units	RL
Chloride		455	mg/Kg	2.00