Mh

Form C-144

June 1, 2004

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Biazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office
For downstream facilities, submit to Santa Fe

Santa Fe, NM 87505 office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \[\] No \[\] JUN 13 2008 Type of action Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🛛 OCD-ARTESIA Operator Yates Petroleum Corporation Telephone 505-748-1471 e-mail address boba@ ypcnm com Address 104 S 4th Street, Artesia, NM 88210 API # <u>30-015-26950</u> Facility or well name Mimosa Federal SWD #4 U/L or Qtr/Qtr I Sec 4 T 20S R 24E ___ Latitude _32 60791 _____ NAD 1927 🖾 1983 🔲 County Eddy Longitude 104 51304 Surface Owner Federal ⊠ State □ Private □ Indian □ Pit Below-grade tank Type Dulling Production Disposal D Volume 210 bbl Type of fluid Produced Water Work over

Emergency Construction material Fiberglass Lined Unlined [Double-walled, with leak detection? Yes If not, explain why not Liner type Synthetic Thickness Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high water 50 feet or more, but less than 100 feet (10 points) elevation of ground water) 100 feet or more (0 points) Yes Wellhead protection area (Less than 200 feet from a private domestic water (0 points) source, or less than 1000 feet from all other water sources) Less than 200 feet (20 points) Distance to surface water (horizontal distance to all wetlands, playas, irrigation 200 feet or more, but less than 1000 feet canals, ditches, and perennial and ephemeral watercourses) 1000 feet or more (0 points) Ranking Score (Total Points) 0 points If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if you are burying in place) onsite offsite If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered No 🗌 Yes 🔲 If yes, show depth below ground surface______ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations FINAL REMOVAL ACTIVITIES COMPLETE (TANK REMOVED AND SAMPLE RESULTS ENCLOSEÍ). FINAL REPORT C-14 I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ⊠, a general permit □, or an (attached) alternative OCD-approved plan □. Date Friday, June 13, 2008 Printed Name/Title Robert Asher / Environmental Regulatory Agent Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations Signed By Mily Benerica JUL 0 9 2008 Approval __ Signature Printed Name/Title

MARTIN YATES, III

FRANK W. YATES



105 SOUTH FOURTH STREET

ARTESIA, NEW MEXICO 88210-2118

TELEPHONE (575) 748-1471

S P YATES

JOHN A. YATES

FRANK YATES, JR.

PEYTON YATES

JOHN A. YATES, JR.

June 13, 2008

JUN 13 2008 OCD-ARTESIA

Mr. Mike Bratcher NMOCD District II 1301 W. Grand Ave. Artesia, NM 88210

RE: Mimosa Federal SWD #4

30-015-26950

Section 4, T20S-R24E Eddy County, New Mexico

Dear Mr. Bratcher,

The following actions have been performed by Yates concerning Form C-344 submitted March 10, 2008, below-grade tank was removed, excavated soils were taken to an approved OCD facility and composite samples were taken (6/5/2008), the depth of the tank bottom is approximately seven (7) feet below grade. Enclosed are analytical results, with the Total Ranking Score of zero (0), RRAL's for BTEX is 50 ppm and TPH is 5000 ppm. Yates Petroleum Corporation requests closure of the below grade tank site.


Thank you.


YATES PETROLEUM CORPORATION

Robert Asher
Environmental Regulatory Agent

Enclosure(s) /rca









Location Pad (not to scale)

	Sample Date	Sample Type	Depth	BTEX	GRO	DRO	TPH TOTAL	Chlorides
GS/Comp-001	6/5/2008	Grab/Composite	1'	3 <0.04 ≪	<1.0	<50.0	<51.0	<100
G5/Comp-002	6/5/2008	Grab/Composite	2'	₹0.04	<1.0	<50.0	<51.0	<100

Site Ranking is Zero (0). Depth to Ground Water: >100' (approx. 285'). Results are ppm.



Mimosa Federal SWD #4
Section 4, T20S-R24 E
Eddy County, NM

EXHIBIT Sample Diagram (Not to Scale)

Prepared by Robert Asher Environmental Regulatory Agent June 13, 2008 Report Date: June 11, 2008

30-015-26950

Work Order: 8060647 Mimosa Federal SWD #4 Page Number: 1 of 1 **Eddy County**

Summary Report

Robert Asher Yates Petroleum Corp. 105 South 4th South Artesia, NM, 88210

Report Date: June 11, 2008

Work Order: 8060647

Project Location: Eddy County

Project Name:

Mimosa Federal SWD #4

Project Number:

30-015-26950

			Date	Time	Date
\mathbf{Sample}	Description	Matrix	Taken	Taken	Received
162264	GS/Comp-001	soil	2008-06-05	08:36	2008-06-06
162265	GS/Comp-001	soil	2008-06-05	08:48	2008-06-06

	BTEX				TPH DRO	TPH GRO
	Benzene	Toluene	Ethylbenzene	Xylene	DRO	GRO
Sample - Field Code	(mg/Kg)	(mg/Kg)	(mg/Kg)	(mg/Kg)	(mg/Kg)	(mg/Kg)
162264 - GS/Comp-001	< 0.0100	< 0.0100	< 0.0100	< 0.0100	< 50.0	<1.00
162265 - GS/Comp-001	< 0.0100	< 0.0100	< 0.0100	< 0.0100	< 50.0	< 1.00

Sample: 162264 - GS/Comp-001

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 162265 - GS/Comp-001

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00