

<u>District I</u> 1625 N. French Dr , Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

.IIII 1 4 2008 Form C-144 June 24, 2008 For temporary pits, closed loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method		
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request		
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the		
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances		
Operator: Nearburg Producing Company OGRID#: 015742		
Address: 3300 N A St., Bldg 2, Sk	120, Uidland 1x 79705	
Facility or well name: Gerlaco 32 Fee #11	4	
API Number: 30.015.36428) OCD Permit Number:		
U/L or Qtr/Qtr B Section 32 Township 249 Range 296 County: Eddy		
Center of Proposed Design: Latitude	Longitude NAD: X 1927 🗌 1983	
Surface Owner: Federal State Private Tribal Trust or Indian Allotment		
Pit: Subsection F or G of 19.15.17.11 NMAC	Closed-loop System: Subsection H of 19.15.17.11 NMAC	
Temporary: Drilling Workover	Drying Pad Tanks Haul-off Bins Other	
☐ Permanent ☐ Emergency ☐ Cavitation ☐ Steel Pit	Lined Unlined	
Lined Unlined	Liner type: Thickness mil LLDPE HDPE PVC	
Liner type: Thickness mil	☐ Other	
Other String-Reinforced	Seams: Welded Factory Other	
Seams: Welded Factory Other	Volume:bblyd ³	
Volume:bbl	Dimensions: Lengthx Width	
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC	
Volumebbl	☐ Chain link, six feet in height, two strands of barbed wire at top	
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and	
Tank Construction material:	four feet	
☐ Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11 NMAC	
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other	
☐ Visible sidewalls and liner	☐ Monthly inspections	
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC	
Other	12'x24', 2' lettering, providing Operator's name, site location, and	
Liner type: Thicknessmil	emergency telephone numbers	
Other	☐ Signed in compliance with 19.15.3.103 NMAC	
Alternative Method:	Administrative Approvals and Exceptions:	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
of approval.	Please check a box if one or more of the following is requested, if not leave	
	blank:	
	Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for	
·	consideration of approval.	
	Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	

Siting Criteria (regarding permitting): 19.15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Solvania Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC NMAC		
Previously Approved Design (attach copy of design) API Number:		

Form C-141

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Climatological Factors Assessment			
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan			
☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization			
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Proposed Closure: 19.15.17.13 NMAC Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System	7 Alternative		
Proposed Closure Method: Waste Excavation and Removal	_ / Internative		
Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)			
☐ In-place Burial ☐ On-site Trench Burial			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for cor	isideration)		
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau			
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.			
Ground water is less than 50 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database scarch; USGS; Data obtained from nearby wells	Yes No		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No		
Within a 100-year floodplain.	☐ Yes ☐ No		

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins	Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility		
or facilities for the disposal of liquids, drilling fluids and drill cuttings. Disposal Facility Name:	Disposal Facility Permit Number: R-9166		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of t	he following items must be attached to the closure plan. Please indicate,		
by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
Operator Application Certification:			
I hereby certify that the information submitted with this application is true, accurately Name (Print):	ate and complete to the best of my knowledge and belief. Title: Title:		
Signature: A CROOM	Date: 7.14.08		
e-mail address: Sibranananaray, com	Telephone: 482/686-8235 X 203		
OCD Approval: Permit Application (including closure plan) Closure Pl	an (only)		
OCD Representative Signature: 15/08 Approval Date: 7/15/08			
Title:	460 Respit Number: <u>0208// 0</u>		
Closure Report (required within 60 days of closure completion): Subsection	K of 19.15.17.13 NMAC Closure Completion Date:		
Closure Method: ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alterna ☐ If different from approved plan, please explain.	tive Closure Method		
Closure Report Attachment Checklist: Instructions: Each of the following its mark in the box, that the documents are attached.	ems must be attached to the closure report. Please indicate, by a check		
□ Proof of Closure Notice □ Proof of Deed Notice (if applicable) □ Plot Plan □ Confirmation Sampling Analytical Results □ Waste Material Sampling Analytical Results □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation)			
□ Proof of Closure Notice □ Proof of Deed Notice (if applicable) □ Plot Plan □ Confirmation Sampling Analytical Results □ Waste Material Sampling Analytical Results □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) ○ On-site Closure Location: Latitude Longity	udeNAD: □1927 □ 1983		
Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longit	udeNAD: □1927 □ 1983		
□ Proof of Closure Notice □ Proof of Deed Notice (if applicable) □ Plot Plan □ Confirmation Sampling Analytical Results □ Waste Material Sampling Analytical Results □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) ○ On-site Closure Location: Latitude Longity	ude NAD: ☐ 1927 ☐ 1983 eport is true, accurate and complete to the best of my knowledge and		
Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longit Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure r	eport is true, accurate and complete to the best of my knowledge and tents and conditions specified in the approved closure plan.		
Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longit Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure requirem	eport is true, accurate and complete to the best of my knowledge and tents and conditions specified in the approved closure plan. Title:		

Nearburg Producing Company - Closed Loop System Design Plan

Equipment List

- 2 414 Swaco Centrifuges
- 2 4 screen Mongoose shale shakers
- 2 250 bbl tanks to hold fluid
- 2 CRI Bins with track system
- 2 500 bbl frac tanks for fresh water
- 2 500 bbl frac tanks for brine water

Operation and Maintenance

Closed loop equipment will be inspected ddaily by each tour and any necessary maintenance performed. Any leak in system will be repaired and/ or contained immediately OCD notified within 48 hours

Remediation process started

Closure Plan

During drilling operations all liquids, drilling fluids and cuttings Will be hauled off via: CRI (Controlled Recovery Incorporated Permit R-9166