Submit 3 Copies To Appropriate District Office	State of New Me Energy, Minerals and Natur		Form C-103 June 16, 2008		
<u>District I</u> 1625 N French Dr, Hobbs, NM 88240	Energy, witherars and water	WE	LL API NO.		
District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION	DIVISION	30-015-35707 indicate Type of Lease		
District III 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fran	icis Dr.	STATE FEE		
District IV	Santa Fe, NM 87	7505	State Oil & Gas Lease No.		
1220 S St. Francis Dr., Santa Fe, NM 87505			VO-7137		
SUNDRY NOTI (DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR USE "APPLIC	ICES AND REPORTS ON WELLS SALS TO DRILL OR TO DEEPEN OR PLU CATION FOR PERMIT" (FORM C-101) FO	JG BACK TO A	Lease Name or Unit Agreement Name Goldfinger BGV State Com		
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well Other	-7 2008	Well Number		
2. Name of Operator		9.	OGRID Number		
Yates Petroleum Corporation 3. Address of Operator	()II.ille	ARTESIA	25575 Pool name or Wildcat		
105 S. 4 th Street, Artesia, New Mex	xico 88210	10.	Penasco Draw; Morrow (GAS)		
4. Well Location					
	from the South line and 1600	0 feet from the <u>Ea</u>	st line		
Section 23		ge 24E NMPI	M Eddy County		
	11. Elevation (Show whether DR, 3708' GR	RKB, RT, GR, etc.)	the second secon		
12. Check A	Appropriate Box to Indicate N	ature of Notice, Rep	ort or Other Data		
NOTICE OF IN	ITENTION TO:	SUBSEC	UENT REPORT OF:		
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK	☐ ALTERING CASING ☐		
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLING	G OPNS. P AND A		
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT JOE	3 □		
OTHER:		OTHER:	\boxtimes		
			pertinent dates, including estimated date		
of starting any proposed we or recompletion.	ork). SEE RULE 1103. For Multiple	le Completions: Attach	wellbore diagram of proposed completion		
Yates Petroleum Corporation wishes July 16, 2010.	s to extend the captioned well's API	O expiration date for two	(2) years to		
Any pit or below-grade tank has beegeneral permit on file.	n/will be constructed or closed acco	ording to NMOCD guide	ines with an approved		
H2S Contingency Plan attached.					
I hereby certify that the information	above is true and complete to the he	est of my knowledge and	helief		
Thereby certally that the imprintation	above is true and complete to the or	est of my knowledge and	bener.		
SIGNATURE	Modern Passilatary	Agent/Land Department	DATE 1-1-2 2009		
SIGNATURE	Kegulatory A	Ageni/Land Department	DATE July 2, 2008		
Type or print name Cy Cowan		DITON	(575) 740 4070		
For State Use Only	E-mail address cy@	ypcnm.com PHON	2: <u>(575) 748-4372</u>		
Tor State Osc Omy	E-mail address cy@	<u>PHON</u>	z: <u>(5/5) /48-43/2</u>		
APPROVED BY:	E-mail addresscy@ TITLE	gypcnm.com PHON	DATE		

<u>/District 1</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210
<u>District III</u>

1000 Rio Brazos Rd., Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-102 Revised October 12, 2005 Submit to Appropriate District Office

> State Lease - 4 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ AP1 Number				² Pool Code		³ Pool Name						
				82770		Pe	ow (GAS)	v (GAS)				
4 Property	Code			⁶ Well Number								
34933	l			ļ	1							
7OGRID	No.				DFINGER BGV S Operator Na			° E	⁹ Elevation			
02557	5				3708'							
					¹⁰ Surface L	ocation						
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County			
0	23	18S 24E 660 SOUTH 1600						EAST	EDDY			
			¹¹ Bot	tom Hole	Location If	Different From	Surface					
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County			
Dedicated Acres 320 S/2	Joint o	r Infili 14 Co	onsolidation Co	ode 15 Orde	r No.		·	<u> </u>				

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16			17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling ordernerinfing entered by the flivision 7/3/07 Signature Date Cy Cowan Printed Name Regulatory Agent Title
VO-7137		NM-0558263	18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
	70%	1600	Date of Survey Signature and Scal of Professional Surveyor. REFER TO ORIGINAL PLAT Certificate Number

District II 811 South First, Artesia, NN 88210

State of New Mexico Energy, Minerals & Natural Resources

Form C-102 Submit to Ap

OIL CONSERVATION DIVISION 2007 10 2007 10 2007

Santa Fe, N M 87505

___ AMENDED REPORT

	WI	ELL	LOCA	TION	I A	ND A	ACRE	AGE	DEDICA	TION F	LAT		
API	Number	Pool Code Pool Name Wildcat Morrow											
Property Cod	ie				or n	Property		· ··· · · · · · · · · · · · · · · · ·		OTTOM	1	tumber	
OGRID No.				G	ישני		n Name	V STA	TE COM		1 Elevat		
025575	<u> </u>		Y	ATES	PI	TROLE	CUM (CORPO	RATION		37	3708	
in sa Lat Ma I	Section	T 42		9	Su	rface L			r.,				
UL or Lot No.	23	ı	wnehip 18-S	Range 24-	-E	LOT KIN.		t from the	North/South Ense SOUTH	Feek from the 1600	East/West line EAST	EDDY	
			Battom	Hole	: Lo	cation	If Dif	ferent	From Su	face			
AL or Lot No.	Section	To	wnahip	Range		Lot idn.		et from the	North/South Ine		Eost/West line	County	
ledicated Acres 320	Joint or	Infill	Consolidation	Code	Ord	ler No.				· · · · · · · · · · · · · · · · · · ·			
VO ALLOV	NABLE	WILL	BE ASS	IGNE) TO	THIS	COMP	PLETION	UNTIL A	LL INTERE	ST HAVE	BEEN	
CONZOLID	MIED (JR A	NON-5	IAND	AKU I	UNIT	MAS E	SEEN A	PPROVED	BY THE		FIGATION	
					1			1			OR CERTI	,	
		•			į					HEREIN IS	TRUE AND CORRE	CT TO THE	
								ļ					
		1			1			1				1	
1		}			;	~				}			
		!			!								
											///		
										Signatur	1	war	
		i			İ					Printed Nam	o Cy Co	wan	
					!					Title Re	gulatory	Agent	
		i						i		Dote Ju	lỳ 12, 20	05	
	2.00						\$8 ¹	NY	A	SURVEY	OR CERT	FICATION	
100-	/13/	į			i !				28563	SHOWN ON T	HIS PLAT WAS P.	WELL LOCATION LOTTED FROM WETS MADE BY ON, AND THAT RECT TO THE	
	- 1				į			US.	30000	THE SAME IN	r my supervisi 9 srue and cor 2 roomeroge and	ON, AND THAT	
		;									the same and	-	
		1		:	!					MAY 1	1,2005	_	
					į					I Dotte Africa	~ W · · · · · · · · · · · · · · · · · ·	n \	
		1			† 					Signalum on	EN ME KAN	sing Surveyor	
		•			LA	N3243	3'42.0"	,= <u> </u>			$\mathbf{X} = \mathbf{X}$	1 ~ 1	
i		1			LUI	W W/U43	o	}	1800	18/	5412	WEE	
I				,			φ-	 			400		
		ļ			!		او				SUST		
		1					088			NM	t topessile	413	
THE STATE OF THE S						e allah Mesenji di tabah				Contifica	nte Number	-	

Yates Petroleum Corporation

105 S. Fourth Street Artesia, NM 88210


Hydrogen Sulfide (H₂S) Contingency Plan


For

Goldfinger BGV State Com. #1
660' FSL, 1600' FEL
Section 23, T-18S, R-24E
Eddy County NM

Goldfinger BGV State Com. #1 Location

This is an open drilling site. H_2S monitoring equipment and emergency response equipment will be used within 500' of zones known to contain H_2S , including warning signs, wind indicators and H_2S monitor.





Assumed IVI ppm ROE = 2000; IVI ppm IVS concentration shall a freeze activation of this dema

Emergency Procedures

In the case of a release of gas containing H₂S, the first responder(s) must isolate the area and prevent entry by other persons into the 100 ppm ROE. Additionally the first responder(s) must evacuate any public places encompassed by the 100 ppm ROE. First responder(s) must take care not to injure themselves during this operation. Company and/or local officials must be contacted to aid in this operation. Evacuation of the public should be beyond the 100 ppm ROE.

All responders must have training in the detection of H₂S, measures for protection against the gas, equipment used for protection and emergency response. Additionally, responders must be equipped with H₂S monitors and air packs in order to control the release. Use the "buddy system' to ensure no injuries during the response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO₂). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas

Characteristics of H₂S and SO₂

Common Name	Chemical Formula	Specific Gravity	Threshold Limit	Hazardous Limit	Lethal Concentr- ation
Hydrogen Sulfide	H ₂ S	1.189 Air = 1	10 ppm	100 ppm/hr	600 ppm
Sulfur Dioxide	SO ₂	2.21 Air = 1	2 ppm	N/A	1000 ppm

Contacting Authorities

YPC personnel must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available. The following call list of essential and potential responders has been prepared for use during a release. YPC Company response must be in coordination with the State of New Mexico's 'Hazardous Materials Emergency Response Plan' (HMER)

Yates Petroleum Corporation Phone Numbers

YPC Office	(505) 748-1471
Pinson McWhorter/Operations Manager	
	(505) 748-4204
Ron Beasley/Prod Superintendent	
Al Springer/Drilling	
Paul Hanes/Prod. Foreman/Roswell	
Jim Krogman/Drilling Superintendent	(505) 748-4215
Artesia Answering Service	
(During non-office hours)	(000) / 10 1002
,	
Agency Call List	
Eddy County (505)	
Artesia	
State Police	746-2703
City Police.	
Sheriff's Office	
Ambulance	
Fire Department	
LEPC (Local Emergency Planning Committee)	
NMOCD	
NWOCD	/40-1203
Carlsbad	
State Police	005 2127
City Police	
Sheriff's Office	
Ambulance	
Fire Department	
LEPC (Local Emergency Planning Committee)	
US Bureau of Land Management	887-6544
New Mexico Emergency Response Commission (Santa Fe)	(505)476-9600
24 HR	(505) 827-9126
New Mexico State Emergency Operations Center	
National Emergency Response Center (Washington, DC)	
That planty response to the (11 annual sent, 2 o)	(000) .2 . 0002
Other	
Boots & Coots IWC1-800-256-9688 or (281) 931-8884	
Cudd Pressure Control(915) 699-0139 or (915) 563-3356	
Halliburton(505) 746-2757	
B. J. Services(505) 746-3569	
Flight For Life -4000 24th St, Lubbock, TX	806) 743-9911
Aerocare -Rr 3 Box 49f, Lubbock, TX	
Med Flight Air Amb 2301 Yale Blvd SE #D3, Albuq, NM	(505) 842-4433
S B Air Med Svc 2505 Clark Carr Loop SE, Albuq, NM(505) 842-4949
•	•