

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-015-23523
5. Indicate Type of Lease	STATE ☒ FEE ☐
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	State IX Gas Com
8. Well Number	1
9. OGRID Number	147179
10. Pool name or Wildcat	Baldrige Canyon; Morrow (Gas)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator Chesapeake Operating, Inc.

3. Address of Operator P. O. Box 18496
Oklahoma City, OK 73154-0496

4. Well Location
Unit Letter H : 2030' feet from the North line and 889' feet from the East line
Section 6 Township 24S Range 25E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3894

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Dear Sirs/Madams:

Please find the attached information for the intent to plug & abandon this well:
Well-Bore Schematic Actual and Proposed
Plugging Procedure
NMOCD's C-144 CLEZ pit permit

**Notify OCD 24 hrs. prior
To any work done.**

Approval Granted providing work
is complete by 12/1/08

Spud Date:

11/15/1980

Rig Release Date:

04/26/1981

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Linda Good

TITLE Sr.Reg. Compl. Sp.

DATE 08/14/2008

Type or print name Linda Good

E-mail address: linda.good@chk.com

PHONE: (405)767-4275

For State Use Only

APPROVED BY:

Ph.D. Harker

TITLE Compl. off

DATE 8/15/08

Conditions of Approval (if any):




Proposal - Workover

STATE IX GAS COM 1

Field: MOSLEY CANYON
County: EDDY
State: NEW MEXICO
Elevation: GL 3,894.00 KB 3,908.00
KB Height: 14.00

Location: SEC 6, 24S-25E, 2030 FNL & 889 FEL

Spud Date: 11/15/1980
Initial Compl. Date:
API #: 3001523523
CHK Property #: 891274
1st Prod Date: 7/30/1981
PBTD: Original Hole - 10886.0
TD: 11,046.0



State IX Gas Com 1

Eddy County, New Mexico

Plugging Procedure

Date: August 5, 2008

Location: 2030' FNL & 889' FEL Sec. 6-T24S-R25E

Production Casing: 5 1/2" 15.5# & 17# 0'-11,046'

PBTD/TD: 4,610' / 11,046'

Current Perfs: Delaware Brushy Canyon, 4,696-4,716'

Recommended Procedure:

1. MIRU PU. NDWH/NUBOP.
2. RIH w/ open ended tbg to 2,960' and set a 225' cement plug. (Covers base of salt, Delaware and casing shoe). PUH and WOC. Tag plug to verify.
3. POH w/ tbg.
4. Cut and pull 5 1/2" casing at 2,550'.
5. RIH w/ tbg to 2,600' and set a 25 sxs cement plug. *Tag*
6. Pull tbg up to 487' and set a 25 sxs cement plug. (Covers casing shoe). PUH and WOC. Tag plug to verify.
7. Fill casing back to surface with 60' of cement. POH w/ tbg. Top off casing with cement.
8. RDMO. Install dry hole marker and cut off dead men. Restore location.

Contacts

Workover Foreman

Lynard Barrera
Office: 575-391-1462
Cell: 575-631-4942

Production Foreman

Rip Clary
Office: 575-391-1462
Cell: 505-631-4864

Asset Manager

Jeff Finnell
Office: 405-767-4347
Cell: 405-919-3305

Field Engineer

Doug Rubick
Office: 575-391-1462
Cell: 575-441-7326