

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-27377
Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name GJ West Coop Unit
8. Well 107
9. OGRID Number 229137
10. Pool name or Wildcat GJ; 7Rvs-Qn-GB-Glorieta-Yeso 97558

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> AUG 26 2008	
2. Name of Operator COG Operating LLC OCD-ARTESIA	
3. Address of Operator 550 W. Texas Ave., Suite 1300 Midland, TX 79701	
Well Location Unit Letter <u>L</u> : <u>1650</u> feet from the <u>South</u> line and <u>330</u> feet from the <u>West</u> line Section <u>21</u> Township <u>17S</u> Range <u>29E</u> NMPM County <u>Eddy</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3604' GR	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>	
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____	
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Deepen And Add Yeso Perfs ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

04-25-08 MIRU.
04-28-08 POOH w/pump, rods & tbg.
04-30-08 PIH w/retainer & set @ 3856'. Cmt w/300 sxs class C. WOC. Cmt. w/150 sxs Class C.
05-01-08 RIH to cmt retainer. Drill cmt & retainer @ 2856'. Drfill cmt to 3904'.
05-03-08 Drill from 3904' to 4230'.
05-06-08 Drill from 4230' to 4752'.
05-07-08 Drill from 4752' to 5074'.
05-09-08 Drill from 5074' to 5401'.
05-10-08 Drill from 5401' to 5555'. Circ. & condition hole.
05-11-08 RIH w/125 jts 4" 11.3# L-80, set @ 5459'. Cmt w/130 sxs Class C. Plug down. Close to
05-12-08 RIH & tag DV tool @ 4257'. Drld DV tool & circ. Hole clean.
05-23-08 Perf @ 5100'-5300', 2 SPF, 48 holes.
05-27-08 Acidize w/2500 gals 15% acid. Frac w/58,000 gals SilverStem LT R-21; 75,594# BASF; 15,000# 16/30 CRC sand. Flush w/
Base gel. RIH w/BP & set @ 5050'. Perf @ 4800'-5000', 2 SPF, 56 holes. Acidize w/2500 gals 15% acid. Frac w/71,587 gals
SilverStem LT-21; 76,023# BASF 16/30; 15,000# 16/30 CRC sand. Flush w/1000 gals 15% & 1302 gals base gel.
See Attachment

ACCEPTED FOR RECORD

AUG 26 2008

Gerry Guye, Deputy Field Inspector
NMOCD-District II ARTESIA

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Carol Ann Lance TITLE Regulatory Analyst DATE 07/28/08
Type or print name Carol Ann Lance E-mail address: clance@conchoresources.com Telephone No. 432-685-4395

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

**GJ West Coop Unit #107
API#: 30-015-27377
EDDY, NM**

C-103 (13) ADDITIONAL INFORMATION

- 06-03-08 RIH w/CBP & set @ 4700'.**
- 06-20-08 Perf @ 3935'-4150', 1 SPF, 24 holes. RIH w/Pkr & set @ 3844'.**
- 06-24-08 Acidize w/2500 gals 15% acid. Frac w/113,495 gals SilverStem LT R(21) 25# X/L; 149,340# BASF 16/30 sand; 31,020# CRC 16/30 sand. Flush w/base gel. Release Pkr & POOH.**
- 06-30-08 Drill Out plug @ 4702'. Drill Out plug @ 5050' & wash to PBTD @ 5408'.**
- 07-02-08 RIH w/123 jts 2 7/8" tbg, SN @ 3788'.**
- 07-03-08 RIH w/2-1/2x1-1/2x16' RHBC pump & rods. Hang well on.**