Form 3160-5 (April 2004)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

CD-AR	TESIA	FORM APPROVED OM B No. 1004-0137 Expires: March 31, 20
-------	-------	--

	SUNDRY NOTICES	AND REPORTS	ON WELLS
- Company	Do not use this form for	proposale to drill	ar ta ra anta

5. Lease Serial No.

NMLC 069140		
6.	If Indian, Allottee or Tribe Name	

1. Type of Well

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

Other

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE,

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
BIG EDDY UNIT #218

9. API Well No.

2. Name of Operator BEPCO, L. P.

Öil Well 🗆 🗅

OCD-ARTESIA
Phone No. (include grea code)

3a Address
P. O. Box 2760 Midland, TX 79702

3b. Phone No. (include area code)
432-682-6373

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

✓ Gas Well □□

NWNW 660' FNL, 660' FWL, 32.398167, LAT N, 104.078114 LONG W 104.116375, Sec 17 T22S, R28E, MER NMP

10. Field and Pool, or Exploratory Area

Dublin Ranch (Morrow)

11. County or Parish, State

30-015-36297

Eddy County, NM
REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize  Alter Casing  Casing Repair  Change Plans  Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal	Water Shut-Off Well Integrity Other
12 December December Committee		فوم ممثلين المناه والمعال عيديناهي		words and annowimate duration thereof

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

BEPCO, L.P. respectfully requests the changes listed below be approved for the captioned well:

- 1) The well will be drilled utilizing a closed loop mud circulating system without a reserve pit being built or utilized. All water or mud used as drilling fluids will be cleaned and recycled or trucked to an approved disposal site. All drill cuttings will be collected and trucked to an approved disposal site.
- 2) A BOP equivalent to Diagram 2 will be nippled up on the surface casing head and tested to 1000 psig with the rig pump. A BOP equivalent to Diagram 1 will be nippled up on the intermediate casing and tested per the APD.

# SEE ATTACHED FOR CONDITIONS OF APPROVAL

ACCEPTED FOR RECORD

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)  Peggy Geer	Title Agent for BEPCO, 1	SEP 4 - 2008
Signature From the Company	Date 8/22/2008	Gerry Guye, Deputy Field Inspector
THIS SPACE FOR FEDERA	L OR STATE OFFIC	E USE
/s/ Don Peterson	Title AF	n Date 8/26/08
Conditions of approval, if any, are attached. Approval of this notice does not warr certify that the applicant holds legal or equitable title to those rights in the subject lawhich would entitle the applicant to conduct operations thereon.		,

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

### 5-M WP BOPE WITH 5-M WP ANNULAR

#### 5 M CHOKE MANIFOLD EQUIPMENT-CONFIGURATION MAY VARY




DIAGRAM 2

MAC 1/21/2002

EXCEL/DRILLING/DIAGRAMS/BOP#Jd#\5-M WP - 5-M WP

### Big Eddy Unit 218 BEPCO, L.P. August 26, 2008 Conditions of Approval

1. Based on the MASP that could occur prior to setting the intermediate casing (approximately 1600 psi using the heaviest mud for the surface hole) the BOP test is to be 2000 psi and a pressure test at that pressure must be done with a third party.

WWI 082608