Form 3160-5 (Noveroer 1994)

UNITED STATES

DEPARTMENT OF THE INTERIOR Oil Cons. BUREAU OF LAND MANAGEMENT M. DIV-Dist. 2

FORM APPROVED OMB No. 1004-0135 Expires July 31, 1996

SEP 1 0 2008

SUNDRY NOTICES AND REPORTS OF NWEET and Avenue NM-3232-A

Do not use this form for proposals to drill or to santal an 88210

5. Lease Serial No.

abandoned well	. Use Form 3160-3 (AP	D) for such prop	osals.	6. II Indian, A	notice of Tribe Name		
SUBMIT IN TRIPL	ICATE - Other insti	uctions on re	verse sid	7. If Unit or C.	A/Agreement, Name and/or No		
1. Type of Well	8. Well Name	8. Well Name and No.					
Oil Well Gas Wel	l Other	Five Mile Ta	Five Mile Tank Federal #5				
2. Name Of Operator				9. API Well N	0.		
MCKAY OIL CORPOR	RATION	r		30-005-62	429		
3a. Address	!	3b. Phone No. (incl	ude area cod	a code) 10. Field and Pool, or Exploratory Area			
P.O. BOX 2014 ROSWELL	., NM 88202-2014	505-623-4735		WEST P	PECOS ABO SLOPE		
4. Location of Well (Footage, Sec	., T., R., M., or Survey Descr	uption)		11. County or Parish, State			
1650' FSL & 1980' FWL, SEC	17, T6S, R23E, Unit K, N	NESW		CHAVES COUNTY, NM			
12. CHECK APP	PROPRIATE BOX(ES) T	O INDICATE NA	ATURE OF	NOTICE, REPORT, O	R OTHER DATA		
TYPE OF SUBMISSION			TYPE OF	ACTION			
	☐ Acidize	☐ Deepen		Production (Start/Resume)	☐ Water Shut-Off		
Notice of Intent ■	☐ Alter Casing	Fracture Trea	t 🗆	Reclamation	☐ Well Integrity		
Subsequent Report	☐ Casing Repair	☐ New Construc		Recomplete	Other		
□ Subsequent Report	_		_	•	Zi Other		
Final Abandonment Notice	☐ Change Plans	☐ Plug and Aba		Temporarily Abandon	,		
	Convert to Injection	☐ Plug Back		Water Disposal			
thereof. If the proposal is to dee and zones. Attach the Bond un- within 30 days following comple	pen directionally or recompleteder which the work will be petion of the involved operation on completed. Final Abandon	e horizontally, give sul erformed or provide the is. If the operation res ment Notices shall be f	bsurface locati e Bond No. or sults in a multi	ons and measured and true von file with BLM/BIA. Requiriple completion or recompletion	osed work and approximate duration ertical depths of all pertinent markers ired subsequent reports shall be filed ion in a new interval, a Form 3160-4 sclamation, have been completed, and		
Operator wishes to remediate soil erosion on well pad: 1) Haul in 15 to 20 loads of dirt to fill in washed out area of well pad. 2) Construct berms along edges where need be to prevent future runoffs. 3) Reseed with 9.75 lbs per acre, and no less than 4 species of the following approved BLM certified weed-free seed mix: Blue grama, Sideoats grama, Sand dropseed, Vine mesquite, Plains bristlegrass, Indian blanketflower, Desert or Scarlet & Globemallow or Annual sunflower. ACCEPTED FOR RECORD See Affiched Addition Region							
14. I hereby certify that the foregoing				A F-1 M	- 4 C) 0000		
Name (Printed/Typed)	ng is true and correct	SFP 10 2008					
CAROL SHANKS		PRODUCTION ANAL GETTY Guve, Deputy Field Inspector					
Signature /	M. I.		Date	NMOCD-Di	strict II ARTESIA		

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

09/02/2008

Office

Approved By

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease, which would entitle the applicant to conduct operations thereon.

SOSWELL FIELD OFFICE

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Atto Carol

PECOS DISTRICT, BLM SEED MIX FOR

The following Soils or Soil Association may represent these ecological sites: Alama silt loam, dry, 0-3% Slope, Atoka, Bigetty-Pecos, Harkey fine sandy loam, Holloman, Holloman-Gypsum Land, Hollomex loam, 1-9% slope, dry, Largo loams, Milner loam, 0-2% slope, dry, Reagan loam, Reakor, Reakor-Bigetty, Reakor-Tencee, Reeves loam, 0-2% slope, dry, Russler, Shanta, Upton-Reakor

Loamy, SD-3 Ecological Site
Loamy CP-2
Gyp Upland CP-2

April 4, 2006

Common Name and	Pounds of Pure		
Preferred Variety	Scientific Name	<u> ive Seed</u>	per Acre
Blue grama	(Bouteloua gracilis)		4.0
Sideoats grama	(Bouteloua curtipendu	la)	1.0
Sand dropseed	(Sporobolus cryptandi	นร) ่	0.5
Vine mesquite	(Panicum obtusum)	•	1.0
Plains bristlegrass	(Setaria macrostachya	1)	1.0
Indian blanketflower	(Gaillardia aristata)	•	0.5
Desert or Scarlet	(Sphaeralcea ambigua	2)	1.0
Globemallow or	(S. coccinea)	•	
Annual sunflower	(Helianthus annuus)		0.75
	•		
TOTAL POUNDS PURE	LIVE SEED (pls) PER A	CRE	9.75

Certified Weed Free Seed

If one species is not available, increase ALL others proportionately. Use No Less than 4 species, including one forb. Apply no less than 9.75 pounds pls per acre.

APPROVED: /s/ Douglas J. Burger District Manager, Pecos District

* <u>Seed mix for</u>: Five Mile Tamle #5 30-005-62429 T65 R28E Sec, 17 NESW

ADDITIONAL REQUIREMENTS FOR SOIL EROSION REMEDIATION 5 Mile Tank Federal #5 – API# 30-005-62429 – NM-32323-A Submitted under Sundry Notice September 2, 2008

NOXIOUS WEEDS

The operator shall be held responsible if noxious weeds become established within the areas of operations (access road and/or well pad). Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, pads, associated pipeline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

SOIL

The operator shall notify the Roswell Field Office (575) 627-0340 of the location in which the new soil is to be removed from. The soil shall be clean soil not be contaminated with chlorides or hydrocarbons and similar to that of the surrounding soil.

CONSTRUCTION NOTIFICATION

The operator shall notify the Roswell Field Office at (575) 627-0247 at least 3 working days prior to commencing construction for remediation of soil erosion on the well pad.

When construction operations are being conducted on this well, the operator shall have the approved Sundry Notice and attached additional requirements on the well site and they shall be made available upon request by the Authorized Officer or his/her representative.