District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St Francis Dr., Santa Fe, NM 87505

Alternative Method:

State of New Mexico **Energy Minerals and Natural Resources** Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to

the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or

Proposed Alternative Method Permit or Closure Plan Application			
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method			
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request			
Please be advised that approval of this request does not relieve theoperator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.			
Operator: Lime Rock Resources A, L.P. OGRID #: 255333			
Address: 1111 Bagby Street, Suite 4600, Houston, Texas 77002			
Facility or well name: Pure Federal #4			
API Number: <u>30-015-36097</u> OCD Permit Number:			
U/L or Qtr/Qtr: B Section: 21 Township: 17-S Range: 28-E County: Eddy			
Center of Proposed Design: Latitude: N32.82431 Longitude: W104.17968 NAD: □ 1983			
Surface Owner: Federal State Trivate Tribal Trust or Indian Allotment			
□ Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: □ Drilling □ Workover □ Permanent □ Emergency □ Cavitation □ P&A □ Lined □ Unlined Liner type: Thickness			
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other			
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other			

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	☐ Yes ☐ No ☐ NA		
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map	☐ Yes ☐ No		

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
☐ Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids,		
facilities are required.	Discoul Parity Parity 1	
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information below) ☐ No	occur on or in areas that will not be used for future serv	vice and operations?
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	te requirements of Subsection H of 19.15.17.13 NMA(n I of 19.15.17.13 NMAC	C
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may required considered an exception which must be submitted to the Santa Fe Environment demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	ire administrative approval from the appropriate dist al Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Da	ata obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Da	ata obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Yes N		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other si lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or churc - Visual inspection (certification) of the proposed site; Aerial photo; Satelli		☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that le watering purposes, or within 1000 horizontal feet of any other fresh water well or NM Office of the State Engineer - iWATERS database; Visual inspection	spring, in existence at the time of initial application.	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh wa adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written appro	•	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Viso	ual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Minim	ng and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map 	gy & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Within a 100-year floodplain FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19.1 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	quirements of 19.15.17.10 NMAC of Subsection F of 19.15.17.13 NMAC appropriate requirements of 19.15.17.11 NMAC pad) - based upon the appropriate requirements of 19. 15.17.13 NMAC quirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC drill cuttings or in case on-site closure standards cann of H of 19.15.17.13 NMAC on I of 19.15.17.13 NMAC	15.17.11 NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurately.	usts and complete to the heat of my knowledge and heliaf
Name (Print): Jerry B. Ables, Jr.	Title: Production Engineer
Signature: Sung. Ables -X-	Date: 09/22/2008
e-mail address:jables@limerockresources.com	Telephone: 713-292-9537
20. OCD Approval: ☐ Permit Application (including closure plan) ☑ Closure F	Plan (only) 💆 OCD Conditions (see attachment)
OCD Representative Signature: Signed By Mile Bennus	Approval Date: SEP 2 6 2008
Title:	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior The closure report is required to be submitted to the division within 60 days of section of the form until an approved closure plan has been obtained and the c	to implementing any closure activities and submitting the closure report. the completion of the closure activities. Please do not complete this losure activities have been completed.
	Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method Altern If different from approved plan, please explain.	ative Closure Method
23. <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems</u> <i>Instructions: Please indentify the facility or facilities for where the liquids, dri two facilities were utilized.</i>	
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on o ☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No	r in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operated Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ions:
Closure Report Attachment Checklist: Instructions: Each of the following is mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	
On-site Closure Location: LatitudeLongi	tude NAD: ∐1927 ∐ 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure requires	ments and conditions specified in the approved closure plan.
Name (Print):	
Signature:	Date:
e-mail address:	Telephone:



Bill Richardson

Governor

Joanna Prukop Cabinet Secretary Reese Fullerton Deputy Cabinet Secretary Mark Fesmire
Division Director
Oil Conservation Division



Conditions of approval for closure of a drilling pit

Notify OCD District 2 office 48 hours prior to commencement of closure activities.

Notify OCD District 2 office 48 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Sampling requirements are listed in 19.15.17.13 [NMAC] (Pit Rule)

Final closure report is to be submitted to OCD not later than 60 days after completion of closure.



Pure Federal #4 Lime Rock Resources A, L.P.

PIT CLOSURE PLAN

0

Waste Excavation and Removal Closure Plan

The proposed closure shall comply with the Rules of the Oil Conservation Division of the New Mexico Energy, Minerals and Natural Resources Department Closure Requirements - 19.15.17.13.

- 1. The permitted temporary pit shall be closed within six (6) months from the date of the drilling rig release or workover rig release.
- All liquids shall be removed from the pit prior to closure and the liquids shall be disposed of
 in a division approved facility. The Ray Westhall Operating, Inc. State CG SWD #1 is the
 primary site, however other permitted sites may be used.
- 3. The pit contents shall be excavated and transferred to a division approved site. The designated site is Controlled Recovery, Inc. (Disposal Facility Permit #R-9166).
- 4. The pit liner will be disposed of at the Controlled Recovery, Inc site or may be disposed of at the Eddy Co. Sandpoint Landfill assuming no other waste is included with the liner.
- 5. Sampling & testing of the soils shall be done beneath the pit to determine whether a release has occurred.
 - a. If a release has occurred, Lime Rock Resources shall comply with NMAC 19.15.3.116 Release Notification & Corrective Action and NMAC 19.15.1.19 Prevention & Abatement of Water Pollution.
 - b. A composite sample will be taken & analyzed by collecting five (5 point) individual grab soil samples from the pit area that may be wet, discolored or showing other evidence of a release. Ground water is more than 100 feet below the bottom of the pit.
 - c. The five point, composite sample must be analyzed & meet the following maximum criteria:
 - 1. Benzene: 0.2 mg/kg; as determined by EPA SW-846 method 8021B, or 8260B, or other EPA method the division approves.
 - 2. Total BTEX: 50 mg/kg; as determined by EPA SW-846 method, 8021B, or 8260B, or other EPA method the division approves.
 - 3. GRO & DRO combined fraction: 500 mg/kg; as determined by EPA SW-846 method 8015M.
 - 4. TPH: 2,500 mg/kg; as determined by EPA method 418.1 or other EPA method that the division approves.
 - 5. Chlorides: 1,000 mg/kg or background concentration; as determined by EPA method 300.1.
 - 6. Lime Rock Resources shall notify the division of its results on form C-141 once removal has occurred & the soil sample analysis meet the above maximum criteria.

- 6. Reclamation of pit or back filing of the pit with original location soil & non-waste soil shall occur only after the sample analysis is shown to meet the above maximum criteria.
- 7. Soil cover of the pit area shall consist of suitable material to establish vegetation at the site and shall consist of the background thickness of topsoil or one (1) foot, whichever is greater.
- 8. Recontour of the pit area, location, & associated areas to a contour that approximates the original countour and blends with the surrounding topography is required following back filling of the pit. The recontouring shall match the existing grade & prevent ponding of water & erosion of the cover material.
- 9. Re-vegetation shall be established on the reclaimed pit area by reseeding during the proper growing season with a seed mixture of native grasses as recommended by the BLM.
 - 1. The vegetative cover shall equal 70% of the native perennial vegetative cover (unimpacted by overgrazing, fire or other intrusion damaging to native vegetation).
 - 2. The vegetative cover shall consist of at least three native plant species, including at least one grass, but not including noxious weeds.
 - 3. The vegetative cover shall prove viability through two growing seasons without artificial irrigation.
 - 4. Lime Rock Resources shall notify the division when it has seeded or planted and when it successfully achieves re-vegetation.
- 10. Closure notification will be sent to the surface owner by certified mail, return receipt requested. Evidence of the mailing of the notice to the address of the surface owner shall be attached to the Form C-144.
- 11. Final Closure Report on Form C-144 shall be certified & sent to the NM OCD within 60 days of closure completion with all necessary attachments & sampling results.
- 12. Final Closure Report on Form C-105 shall be certified & sent to the NM OCD within 60 days of closure completion with appropriate information filled out & a plat of the location that includes the pit location.



September 18, 2008

Bureau of Land Management New Mexico State Office 1474 Rodeo Road Santa Fe, New Mexico 87505

Re: Notice of Pit Closures


Pure Federal #4

T17S-R28E, Sec. 21: NWNE

Williams B Federal #6

T17S-R28E, Sec. 29: SWNE

Eddy County, NM



Pursuant to New Mexico Oil Conservation Division Rule 19.15.17.13 concerning closure of reserve pits, Lime Rock is giving you, as surface owner, notice that Lime Rock Resources will be closing the pits on the locations of the Pure Federal #4 and the Williams B Federal #6 wells.

Should you have any questions or require additional information, please contact me at 713-292-9536.

Regards,

Debra D. Sandefer

Cc: Carlsbad Field Office

Bureau of Land Management

620 E. Greene St. Carlsbad, NM 88220



	_		٠.
	·- (1)		
		, F -7	
23	-		
Ċ	<i>:</i> =	ري	1
g	2		୍ର
g	ä	1	
Sba	an	Li	
Sba	eau	ij	
lsba	rean		1
rlsba	rean	6	1
ırlsba	rean	C)	1
arisba	ureau	1301	-17
arisba	urean	18:1	
Carlsba	Bureau	SIST.	1111
Carlsba	Bureau	GIOT.	C. L. L. L.
Carlsba	Bureau	629.5	
Carlsba	Bureau	623E	Section was continued
Carlsba	Bureau	623 E.C	
Carlsba	Bureau	629E	1
Carlsbad Field Office	Bureau of Land Managen	629 E. Greene St.	C. Land

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY			
Complete items 1, 2, and 3, Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits.	A. Signature X. Agent Addressee B. Received by (Printed Name) C. Date of Delivery			
Carlsbad Field Office Bureau of Land Management 620 E. Greene Street Carlsbad, NM 88220	D. Is delivery address different from item 1?			
	3. Service Type ☐ Certified Mail ☐ Registered ☐ Insured Mail ☐ C.O.D. 4. Restricted Delivery? (Extra Fee) ☐ Yes			
Article Number (Transfer from service label)				
PS Form 3811, February 2004 Domestic R	leturn Receipt 102595-02-M-1540			

7 5795 THE DIAM TED LINE	7 5795 7 5795	U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided) For delivery information visit our website at www.usps.com.s OFFICIAL USE
7008 01.50 0000 769" PUCE STICKEN TO OFFERVED FOR THE PERVENDE STORY BOTH THE	7008 0150 0000 7697 7008 0150 0000 7697	Postage \$ Certified Fee Postmark Here Post





September 18, 2008

Bureau of Land Management New Mexico State Office 1474 Rodeo Road Santa Fe, New Mexico 87505

Re:

Notice of Pit Closures

Pure Federal #4

T17S-R28E, Sec. 21: NWNE

Williams B Federal #6

T17S-R28E, Sec. 29: SWNE

Eddy County, NM

5788	EED Domi	Rosia Hilli Hema	∃ []) 1101			900 (1917)	ico	Cov	erage	Prov	a de la companya de l	
ហ	Force	ivery ime	umer.	iou a	iano	TVVC	1931	OOW	XXXXIII	ps co		3.300
~		OF				F	A I	c.»	U	S	22.0 22.0	ĺ
7697		Posta	ige :	\$								3
		Certified F	ee									
0000		n Receipt F ent Requin							F	Postma Here	rk	
50	Restricted (Endorsem	d Delivery F ent Requin	ed)									
7008 01S	Sent i Street or PO City, \$	Burea New 1474 Sante	Me Ro	xico dec e, N	Sta Ro	ate ad	Off	ice		^		
	PS Forms	800 , Augu	ei sin	19		6	==	ভ	everifer	eam	Mili	

Pursuant to New Mexico Oil Conservation Division Rule 19.15.17.13 concerning closure of reserve pits, Lime Rock is giving you, as surface owner, notice that Lime Rock Resources will be closing the pits on the locations of the Pure Federal #4 and the Williams B Federal #6 wells.

Should you have any questions or require additional information, please contact me at 713-292-9536.

Regards,

Debra D. Sandefer

Cc: Carlsbad Field Office

Bureau of Land Management

620 E. Greene St. Carlsbad, NM 88220

111 0 1 0 1 0 1 4400 Hz 45- T- -- 77000 T. 712 202 2010 F. 712 202 0560 www.limprockresources.com



		ž.	
•			
Ξ	-	. L	. }
2	4,5	` [1
=	٠	ŀΕ	. 1
5	Ψ		٠,
'n	.9	11	Ŀ
ö	=	٠,٢	'n
=	\circ	- 1	•
ď	~	- 11	
	· O	Ç	٠,
٠.	. 77	· W	
3	چږ	Q	٠,
•	တ		
3	_	٨	
J.	×	X	4
	٠,	. 2	çé
>	×	×	1
	単	×	1
ź	≥	Щ,	ŗ.
۲.	=	ંત	ĉ,
•	3	ĸ	٠.
3	O)	d	
	New Mexico State Office	1474 Rodeo Road	The state of the s
-	. 153	127	1
		1.	
•		4 14	~."

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Pint your name and address on the reverse so that we can return the card to you. Attach this card to the back of the maliplece, or, on the front if space permits.	A. Signature X. □ Agant Addresse B. Received by (Printed Name) C. Date of Delivery
1. Article Addressed to: Bureau of Land Management New Mexico State Office 1474 Rodeo Road Sante Fe, NM 87505	D. is delivery address different from item 1? Yes If YES, enter delivery address below: No No
	3. Service Type Certified Mail Registered Return Receipt for Merchandise Co.D. 4. Restricted Delivery? (Extra Fee) Yes
2. Article Number (Transfer from service label)	
PS Form 3811, February 2004 Domestic F	Return Receipt 102595-02-M-154

7647 5788 OPERATIONS	7697 5788 7697 5788	For delivery information visit our website at www.usps.com, STAR OFFICIAL USE
. 0000 0510 9002	7008 0150 0007 7008 0150 0000	Certifled Fee Return Receipt Fee (Endorsement Required) Festificad Delivery Fee (Endorsement Required) Tota Sent Bureau of Land Management New Mexico State Office

