District I District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505

OCT 06 2008



Form C-144 July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Froposed Anternative Method Fernit of Closure Flan Application						
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,						
below-grade tank, or proposed alternative method						
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or a	ternative request					
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules.						
Operator:Yates Energy CorporationOGRID #:25542						
Address: P. O. Box 2323, Roswell, New Mexico 88202						
Facility or well name:E. Travis Federal "17"						
API Number:30-015-23205 OCD Permit Number:						
U/L or Qtr/Qtr	Eddy					
Center of Proposed Design: Latitude 32.7451009098 Longitude -104.095898683	NAD: 1927 1983					
Surface Owner: Federal State Private Tribal Trust or Indian Allotment						
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Lined Workover Pit Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness 12 mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Ab Seams Volume: 600 bbl Dimensions: L_10 x						
Closed-loop System: Subsection H of 19.15.17.11 NMAC						
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of intent)	of a permit or notice of					
Drying Pad Above Ground Steel Tanks Haul-off Bins Other						
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other						
Liner Seams: Welded Factory Other						
4.						
Below-grade tank: Subsection I of 19.15.17.11 NMAC						
Volume:bbl Type of fluid:						
Tank Construction material:	ENTERED					
Secondary containment with leak detection Uisible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Closury					
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other						
Liner type: Thicknessmil						

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	поѕриаі,				
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate. Please specify					
7.					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8.					
Signs: Subsection C of 19.15.17.11 NMAC					
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
Signed in compliance with 19.15.3.103 NMAC					
9. Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau	office for				
consideration of approval.	office for				
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC FOR OW WORKDYES LINED PIT	<u> </u>				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accep					
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appro- office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a					
Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry					
above-grade tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes 💢 No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	☐ Yes 🐧 No				
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	LI NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes 🕽 No				
(Applies to permanent pits)	□ NA 八				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes 【 No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	L les L 140				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes No				
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	П 163 Д 140				
- Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	□ Yes X No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🐧 No				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes 🕅 No				
Within a 100-year floodplain.					
- FEMA map	Yes 🗖 No				

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Situng Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings	
facilities are required.	
	er:
Disposal Facility Name: Disposal Facility Permit Numb	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be Yes (If yes, please provide the information below) \(\subseteq \) No	be used for future service and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	of 19.15.17.13 NMAC
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendation provided below. Requests regarding changes to certain siting criteria may require administrative approval from considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	the appropriate district office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	sinkhole, or playa Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	al application. Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for do watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed si	f initial application.
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a mu adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval obtained from the municipality.	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the	e proposed site
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; Society; Topographic map 	NM Geological Yes No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attack by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NI Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NM Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site of Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	MAC 5.17.11 NMAC c requirements of 19.15.17.11 NMAC 15.17.13 NMAC MAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Sheryl L. Jonas Title:Agent for Yates Energy Corp
Signature:
e-mail address:Sjonas4011@aol.com
20. OCD Approval: Permit Application (including closurg/plan) \(\) Closure Plan (only) \(\) OCD Conditions (see attachment)
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Signed By Mile Branche Approval Date:
Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more that two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations:
☐ Site Reclamation (Photo Documentation) ☐ Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24. <u>Closure Report Attachment Checklist</u> : <u>Instructions</u> : Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
☐ Plot Plan (for on-site closures and temporary pits) ☐ Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (required for on-site closure)
☐ Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude Longitude NAD: \[\] 1927 \[\] 1983
25.
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Title:
Signature: Date:
e-mail address:Telephone:

New Mexico Energy, Minerals and Natural Resources Department

Bill Richardson

Governor

Joanna Prukop Cabinet Secretary Reese Fullerton Deputy Cabinet Secretary Mark Fesmire
Division Director
Oil Conservation Division



Conditions of approval for closure of a drilling pit (or other pit type)

Notify OCD District 2 office 48 hours prior to commencement of closure activities.

Notify OCD District 2 office 48 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Sampling requirements are listed in 19.15.17.13 [NMAC] (Pit Rule)

Final closure report is to be submitted to OCD not later than 60 days after completion of closure.



TEMPORARY PIT CLOSURE YATES ENERGY CORPORATION EAST TRAVIS FEDERAL "17" NO. 1 LIQUID LINED PIT EDDY COUNTY NEW MEXICO 30-015-23205

Design and Construction Specifications:

This pit was constructed prior to new Pit Rules in March 2006.

A sign is posted at well site.

The 10' X 20' X 6' lined liquid pit is fenced.

The pit is currently being monitored.

In the event there is not the required amount of topsoil to fill and cover the pit, the Remaining amount required will be trucked in.

19.15.17.13

CLOSURE REQUIREMENTS

The surface owner of this property is the State of New Mexico.

Waste Excavation and Removal

Any liquid in the lined pit will be removed prior to excavating the pit liner, and disposed of at

Controlled Recovery, Inc. P. O. Box 388 Hobbs, New Mexico 88241 (877) 505-4274

The pit liner will be excavated and disposed of at an approved facility.

Controlled Recovery, Inc. P. O. Box 388 Hobbs, New Mexico 88241 (877) 505-4274 TEMPORARY PIT CLOSURE YATES ENERGY CORPORATION EAST TEAVIS FEDERAL "17" NO. 1 LIQUID LINED PIT LEA COUNTY NEW MEXICO 30-015-23205 Page -2-

A minimum five point composite sample shall be taken of the pit after the liner has been excavated. Individual grab samples shall be collected from any area that is wet, discolored or showing other evidence of release.

There are no records showing the water table to be above 100' per New Mexico State Engineer information (see attached records from various resources). The soil will be analyzed by the following criteria.

Benzene cannot exceed 0.2 mg/kg
Total BTEX cannot exceed 50 mg/kg
The GRO and DRO combined fraction cannot exceed 500 mg/kg
TPH cannot exceed 2500 mg/kg
Chlorides cannot exceed 1000 mg/kg or the background
concentration, whichever is greater.

Sample collection, preservation, storage and transport

- 1. Fill a 100 ml pre-cleaned borosilicate jar with soil. The sample should completely fill the container (no head space).
- 2. Wipe the jar screw threads with a clean tissue to remove any sample article that adheres to the jar threads and that could affect seal.
- 3. Cap the jar with a Teflon-lined cap, placing the coated side toward the sample.
- 4. Label the sample. Place it in a cooler with ice (not dry ice), and keep in the dark.
- 5. Samples will be submitted for analysis (5 plus days for normal turn around).

If test results do not exceed the above criteria the following pit closure will take place.

The pit shall be backfilled with clean soil.

A Division-prescribed soil cover of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site to existing grade, and prevent ponding of water and erosion of cover material.

If test results do exceed the above criteria a Form C-141 will be filed with NMOCD and remediation performed per NMOCD rules and guidelines.

TEMPORARY PIT CLOSURE YATES ENERGY CORPORATION EAST TRAVIS FEDERAL "17" NO. 1 LIQUID LINED PIT LEA COUNTY NEW MEXICO 30-015-23205 Page -3-

ATTACHMENTS

- 1. Water Column and Surface Data reports.
- 2.
- Map showing different well locations including water wells.

 Topographic Map showing no continuously flowing watercourse. 3.
- Arial photo showing no permanent livable structures.

 Map showing site is not overlying a subsurface mine.

 Pictures of location.

 Picture of location and pit location. 4.
- 5.
- 6.
- 7.

New Mexico Office of the State Engineer POD Reports and Downloads

the state of the s
Township, 188 Range, 29E Sections 17
NAD27 X: Y· Zone. Search Radius
County. Basin. Number: Suffix.
Owner Name (First) (Last) C Non-Domestic C Domestic All
POD / Surface Data Report Avg Depth to Water Report Water Column Report
Clear Form NATERS Menu Help
POD / SURFACE DATA REPORT 08/26/2008
(quarters are 1=NW 2=NE 3=SW 4=SE) (acre ft per annum) (quarters are biggest to smallest X Y are in Feet UTM are
DB File Nbr Use Diversion Owner POD Number Source Two Rng Sec q q Zone X Y UTM_Zone

No Records found, try again

8/26/2008 10:21 AM

New Mexico Office of the State Engineer POD Reports and Downloads

	Tow	nship:	18S Range:	29E See	ctions: 17			·		
NA	AD27	X: [Y: [Z	one:	▼.	Search 1	Radius:		
County:		, 🔀	Basin:		Y	Numb	er:	Su	ffix:	
Owner Name	: (Fir	rst)	mmmma-kandessensyr pousofervinal kvalvendigines.	(Last)		_ CJ	Non-Don	nestic C	Domesti	c • All
	POL) / Sürfa	ce Data Report	Avg Depth	to Water R	eport	Water C	olumn Rer	oort	
			Clear F	orm IWA	TERS Menu	Hel	р			
•				-		-				
			YAW .	ER COLUMN	REPORT 08	3/26/20	800			
			are 1=NW 2=N are biggest		-		Depth	Depth	Water	(in feet)
POD Number		Tws	Rng Sec g g c	Zone	x	Y	Well	Water	Column	

No Records found, try again

No Records found, try again

New Mexico Office of the State Engineer POD Reports and Downloads

Towns	ship: 18S	Range: 29E	Sections: 17	7		,
NAD27	X: [Y:	Zone:	<u>~</u>	Search Radius:	
County:	, <u>*</u>	Basin:	Procession and American American	\$ \frac{1}{2}	Number:	Suffix:
Owner Name: (I	First)	(L	ast) • All	AND AND COMMENTAL OF THE PARTY	← Non-Domestic	C Domestic
POD	/ Surface Data	Report Av	g Depth to Water	Report	Water Column Rep	on
		Clear Form	WATERS Mei	nu He	ĺp`.	
	,	•		• -		
AVERA	GE DEPTH OF	WATER REPO	RT 08/26/2008		ater in Feet)	
Bsn Tws Rng	Sec Zone	x	Y Wells	Min	Max Avg	













Water Samples for Sect 17 Township 18 South Range 29 East

Instructions:

The number represents the number of water samples of certain well. Click the number if you want to download the data.

No Record Is Found!

☐ SELECT/DESELECT ALL

Submit





ArcIMS HTML Viewer Map							
	5	5	A				
12	7	3	Ð				
13							
7165/R26E		17 DY TIRS/R29E	15				
24	19 0 0	ි 20 ය	21				
25 PITCINW WARDS	ස දු ස : 30	29 0	28				
		Legend Counties Ground Water ices than 40743.0 40743.0 - 81483.0 51483.0 - 122223.0 122223.0 - 162963.0 162953.0 - 203703.01 Produced Water Less than 60399.8 65369.0 - 136139.6 139139.6 - 204299.4 204299.4 - 272279.2 272279.2 - 340349.01 Surface Water Township Section					

Image courtesy of the U.S. Geological Survey
© 2004 Microsoft Corporation. **Terms of Use Privacy Statement**





