Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

				- }
Or	D-A	RT	ESL	4

FORM APPROVED OMB NO. 1004-0135

Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

5. Lease Serial No. NM91500

JAMES A. AMOS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side					If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or N			
12. CHECK APPROPRIATE	BOX(ES) TO INC	DICATE NATURE OF I	NOTICE, REP	ORT, OR OT	THER DATA			
TYPE OF SUBMISSION	PE OF ACTION							
X Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction X Plug and Abandon Plug Back	Reclamati Recomple	ete ily Abandon	Water Shut-Off Well Integrity Other			
13-3/8" 48# csg @ 400' w/ 585sx, 8-5/8" 32# csg @ 2035' w/ 705sx, 5-1/2" 17# csg @ 9370' w/ 1200sx, 1. RIH & Tag CIBP & Cmt @ 8010'	lete horizontally, give siformed or provide the formed or provide the fithe operation results in lotices shall be filed on ction.) 4-8918' 8075-85 17-1/2" hole, T(11" hole, T0C-Site 7-7/8" hole, T(14)	ubsurface locations and mea 3 and No. on file with BLM/ 1 a multiple completion or re- ly after all requirements, incompletion 77' CIBP-8800' 80 0C-Surf-Circ urf-Circ	sured and true ve BIA. Required s ecompletion in a cluding reclamati	rtical depths of a subsequent report new interval, a l	all pertinent markers its shall be filed with Form 3160-4 shall be	and zones. in 30 days filed once		
2. M&P 40sx cmt @ 6475-6275' 3. M&P 40sx @ 5280-5080' 4. Cut & Pull 5-1/2" csg @ +/-420' 5. M&P 40sx cmt @ 4250-4100' WOC 5. M&P 50sx cmt @ 2100-1970' WOC 6. M&P 40sx cmt @ 450-350' 7. M&P 40sx cmt @ surface 10# MLF between plugs	00' -Tag -Tag Gerry	OCT 28 2008 Guye, Deputy Field Ins CD-District II ART	SEE A	ATTACHE DITIONS	D FOR OF APPROV	'AL		
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)		Title						
David Stewart			gulatory An		70			
for Stat		Date	ماري (و	3 APP	ROVED			
THIS	SPACE FOR FED	ERAL OR STATE OF						
Approved by		Title		OCT	^{vate} 2 6 2008			

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office


Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

OXY USA WTP LP - Proposed OXY Penny Loafer Federal #1 API No. 30-015-31453

40sx @ Surface

40sx @ 450-350'

50sx @ 2100-1970' WOC-Tag



17-1/2" hole @ 400' 13-3/8" csg @ 400' w/585sx-TOC-Surf-Circ

11" hole @ 2035' 8-5/8" csg @ 2035' w/705sx-TOC-Surf-Circ


40sx @ 4250-4100' WOC-Tag

40sx @ 5280-5080'

40sx @ 6475-6275'

1/06-CIBP @ 8050' w/ 5sx cmt

3/05-CIBP @ 8800' w/ 5sx cmt



Cut & Pull 5-1/2" csg @ +/- 4200'

Perfs @ 8075-8577'

Perfs @ 8874-8918'

7-7/8" hole @ 9370' 5-1/2" csg @ 9370' w/1200sx-TOC-4256'-CBL OXY USA WTP LP - Current OXY Penny Loafer Federal #1 API No. 30-015-31453

1/06-CIBP @ 8050' w/ 5sx cmt

3/05-CIBP @ 8800' w/ 5sx cmt

TD-9370'

17-1/2" hole @ 400' 13-3/8" csg @ 400' w/585sx-TOC-Surf-Circ 11" hole @ 2035' 8-5/8" csg @ 2035' w/705sx-TOC-Surf-Circ Perfs @ 8075-8577' Perfs @ 8874-8918' 7-7/8" hole @ 9370' 5-1/2" csg @ 9370' w/1200sx-TOC-4256'-CBL