District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

MAY 29 2008

Form C-141 Revised October 10 2003

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 OCDARTES About 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

nseaos i							rrective A	OCIOIX		
	763924	2		✓	OPERATOR Initial Report					
Name of Company: Jalapeno Corporation						Contact: Harvey E. Yates, Jr. or Jun Barrack				
						Telephone No.: 505-242-2050				
Facility Na	me Louis	e Yates Sta	te #4 Wel	<u> </u>		Facility Typ	e Water Disp	osal Well		
Surface Owner: State Land Office Mineral Owner:						: State Land Office Lease No : VA 2401				
30 00563			· · · · · · · · · · · · · · · · · · ·			OF REI				
Unit Letter F	Section 7	Township 9-S	Range 28-E	Feet from the 2310	l .	South Line North	Feet from the 2310	East/Wes		County Chaves
			Lat	itude		_ Longitud	e			
				NAT	URE	OF RELI				
Type of Release: Oil & Water							Release 20 bbls 0s bbl of water			
Source of Release. Gun Barrel & water tank						Date and H		Date & Hour of Discovery		
						Occurrence: Unknown Afternoon of 5/14/08				
Was Immediate Notice Given? ☐ Yes ☐ No ☐ Not Required							Whom? OCD Ain field was given		ce by ur	gent fax a short time after
By Whom? Jun Barrack							our: 5/16/08 4			
Was a Watercourse Reached?							lume Impacting t		urse	**************************************
			Yes 🛭] No						
location. T	nd tore ap This releas	art the wate	er leg on	the gun barrel	at the	Louise Yate	es State #4 wa	ter dispo	sal wel	I.C. otrony it about the
		ind Cleanup /		en.*	····		mated oil: 20b	bls. Esti	mated	water: 140bbls
Area affect up soil whe	<u>ed</u> : Primar ere affecte	ily within th d & tore do	e firewal wn the fi	_{en.*} I. Some escap rewall in the pi	ed to lo	ocation. He	mated oil: 20b eavy rain sprea wall. Covered	d the escarea with	mated aped f	water: 140bbls luid. <u>Clean up Action</u> : Dug wall with plastic & then put
Area affect up soil whe gravel on to I hereby certi- regulations all public health should their co- or the environ federal, state,	ed: Primarere affecte op of that. If y that the in Il operators is or the envir operations ha ment. In ac or Jocal law	ily within the document of the document. The averfailed to a ddition, NMC and/or regular document.	wn the fine to Gand ven above to report an acceptance adequately DCD accept	en.* I. Some escap rewall in the pr dy-Marley Was is true and comp d/or file certain re of a C-141 repo investigate and re	ed to le rocess. te Disp lete to the elease no ort by the	Rebuilt fire osal Site. If the best of my outfications and NMOCD mate contamination	eavy rain sprea wall. Covered kebuilt water le knowledge and und perform correct ricked as "Final Re on that pose a thre	d the esc area with g. nderstand trive actions eport" does at to groun	mated aped fin fireventhat purs for release not relied water	water: 140bbls luid. <u>Clean up Action</u> : Dug
Area affect up soil whe gravel on to I hereby certi- regulations al- public health should their co- or the environ federal, state,	ed: Primarere affecte op of that. If y that the in ill operators is or the envir operations had	ily within the document of the document. The averfailed to a ddition, NMC and/or regular document.	wn the fine to Gand ven above to report an acceptance adequately DCD accept	en.* I. Some escap rewall in the pr dy-Marley Was is true and comp d/or file certain re of a C-141 repo investigate and re	rocess. te Displete to the elease nort by the emediate report do	coation. He Rebuilt fire osal Site. If the best of my ottfications and NMOCD mater contamination of the contamination of the second relieved	eavy rain sprea wall. Covered Rebuilt water le knowledge and und d perform correct ricked as "Final Re on that pose a thre the operator of r	d the escarea with g. destand to the escart of the escart of the escart of the escart of ground esponsibility of the escart of	mated faped fin fireventhat purs a for released mot reliad water ty for co	luid. Clean up Action: Dug vall with plastic & then put uant to NMOCD rules and cases which may endanger eve the operator of Irability , surface water, human health ompliance with any other
Area affect up soil whe gravel on to I hereby certi- regulations al- public health should their co- or the environ federal, state, Jalap	ed: Primarere affecte op of that. If y that the in a or the enviroperations had or local law be to Corpo	ily within the description of th	wn the fine to Gand ven above to report an acceptance adequately DCD accept	en.* I. Some escap rewall in the pr dy-Marley Was is true and comp d/or file certain re of a C-141 repo investigate and re	rocess. te Displete to the elease nort by the emediate report do	coation. He Rebuilt fire osal Site. If the best of my ottfications and NMOCD mater contamination of the contamination of the second relieved	eavy rain sprea wall. Covered Rebuilt water le knowledge and und d perform correct inked as "Final Re on that pose a three the operator of re	d the escarea with g. nderstand to ground to ground to ground to ground the seponsibility of the separate of the seponsibility of the seponsibility of the separate of the seponsibility of the separate of the sepa	mated faped fin fireventhat purs a for released mot reliad water ty for co	luid. Clean up Action: Dug wall with plastic & then put uant to NMOCD rules and cases which may endanger eve the operator of Irability, surface water, human health ompliance with any other DIVISION
Area affect up soil whe gravel on to I hereby certi- regulations al- public health should their co- or the environ federal, state, Jalap Signature:by	ed: Primarere affecte op of that. If y that the in a corrections had not local law before Corpo	ily within the description of th	wn the fine to Gand ven above to report an acceptance adequately DCD accept	en.* I. Some escap rewall in the pr dy-Marley Was is true and comp d/or file certain re of a C-141 repo investigate and re	rocess. te Disp lete to the elease no rt by the emediate report do	coation. He Rebuilt fire osal Site. If the best of my ottfications and NMOCD mater contamination of the contamination of the second relieved	eavy rain sprea wall. Covered Rebuilt water le knowledge and ur d perform correct ricked as "Final Report that pose a three the operator of reconstruction of the control o	d the escarea with g. destand to ground to ground the ground to ground the g	nated apped fin fireventation in the pursuant relief and water ty for economic files.	luid. Clean up Action: Dug wall with plastic & then put uant to NMOCD rules and cases which may endanger eve the operator of Irability, surface water, human health ompliance with any other DIVISION