District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources,
Department
Oil Conservation Division
1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144 July 21, 2008

July 21, 20
For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank, or proposed alternative method Profile (Total Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: YAtes Petroleum OGRID#:
Address: 105 S. Fourth St. Artesia NM 88210
Facility or well name: Blow Worm ALX Fed #15#
API Number: 30-015-36368 OCD Permit Number:
U/L or Qtr/Qtr Section 4 Township 235 Range 3/E County: Eddy
Center of Proposed Design: Latitude <u>N 32°20′24.76″</u> Longitude <u>N 103°46′48.66″</u> NAD: □1927 ▼ 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
2. 32.340211 - 103.780183
☐ Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: ☑ Drilling ☐ Workover
Permanent Emergency Cavitation P&A
Lined Unlined Liner type: Thickness 20 mil LLDPE HDPE PVC Other
String-Reinforced
Liner Seams: Welded
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other
Liner Seams: Welded Factory Other
4.
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: hbl. Type of flyid:
Volume:bbl Type of fluid: Tank Construction material:
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thickness mil

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, and the strange of the permanent residence of the p	hospital
institution or church)	позриш,
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.3.103 NMAC	
9.	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.	office for
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Treviously approved besign (actuent copy of design) and trainiber.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Cilosure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC. Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC. Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC. Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC.

16. Waste Removal Closure For Closed-loop Systems That Utilize Above Groun Instructions: Please indentify the facility or facilities for the disposal of liquids facilities are required.	d Steel Tanks or Haul-off Bins Only: (19.15.17.13.D. drilling fluids and drill cuttings. Use attachment if r	NMAC) nore than two
Disposal Facility Name: Lea Land	Disposal Facility Permit Number:	035
Disposal Facility Name: CRI	Disposal Facility Permit Number: R - 9168)
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information below) No	occur on or in areas that will not be used for future serv	vice and operations?
Required for impacted areas which will not be used for future service and operat Soil Backfill and Cover Design Specifications based upon the appropriat Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	ate requirements of Subsection H of 19.15.17.13 NMAC on I of 19.15.17.13 NMAC	C
17. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requested to the Santa Fe Environment demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	ne closure plan. Recommendations of acceptable sour uire administrative approval from the appropriate distr tal Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	Yes 📈 No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	☐ Yes ☐ No ☑ NA
Ground water is more than 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	☐ Yes ☐ No ☑ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other slake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	ignificant watercourse or lakebed, sinkhole, or playa	☐ Yes 🗖 No
Within 300 feet from a permanent residence, school, hospital, institution, or chur - Visual inspection (certification) of the proposed site; Aerial photo; Satell		☐ Yes 🗷 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that I watering purposes, or within 1000 horizontal feet of any other fresh water well or NM Office of the State Engineer - iWATERS database; Visual inspection	r spring, in existence at the time of initial application.	☐ Yes ☑ No
Within incorporated municipal boundaries or within a defined municipal fresh wadopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written appre	-	☐ Yes 🗖 No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Vis	sual inspection (certification) of the proposed site	☐ Yes 🗖 No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mini	ng and Mineral Division	☐ Yes 🗖 No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geold Society; Topographic map	ogy & Mineral Resources; USGS; NM Geological	☐ Yes 🗖 No
Within a 100-year floodplain FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of	the following items must be attached to the closure pl	an. Please indicate,
by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements Construction/Design Plan of Burial Trench (if applicable) based upon the Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements Waste Material Sampling Plan - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	of Subsection F of 19.15.17.13 NMAC appropriate requirements of 19.15.17.11 NMAC g pad) - based upon the appropriate requirements of 19.15.17.13 NMAC equirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC d drill cuttings or in case on-site closure standards cann in H of 19.15.17.13 NMAC on I of 19.15.17.13 NMAC	

Page 4 of 5

-	
Operator Application Certification: I hereby certify that the information submitted with this application is true, accur	rate and complete to the best of my knowledge and belief.
Name (Print): Scott Pitts	Title: Construction Supervisor
Signature: CID Files	Date: 1-16-2009
e-mail address: Scott PQ Votespetroleum.	Title: Construction Supervisor Date: 1-16-2009 "Om Telephone: 575-513-4716
OCD Approval: Permit Application (including closure plan) Closure P Signed By M/4 Drawing OCD Representative Signature:	lan (only) OCD Conditions (see attachment) AN 2 6 2009 Approval Date:
	Approvar Date.
Title: BW. Spec	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior The closure report is required to be submitted to the division within 60 days of section of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the division within the content of the division within the content of the division within the division within the content of the division within the divis	to implementing any closure activities and submitting the closure report. the completion of the closure activities. Please do not complete this losure activities have been completed.
	☐ Closure Completion Date:
22. Closure Method: Waste Excavation and Removal On-Site Closure Method Altern If different from approved plan, please explain.	ative Closure Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, dri two facilities were utilized.	lling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	
Disposal Facility Name:	
Were the closed-loop system operations and associated activities performed on one of Yes (If yes, please demonstrate compliance to the items below) No	r in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operat Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ions:
24. Closure Report Attachment Checklist: Instructions: Each of the following in mark in the box, that the documents are attached.	tems must be attached to the closure report. Please indicate, by a check
☐ Proof of Closure Notice (surface owner and division) ☐ Proof of Deed Notice (required for on-site closure) ☐ Plot Plan (for on-site closures and temporary pits) ☐ Confirmation Sampling Analytical Results (if applicable) ☐ Waste Material Sampling Analytical Results (required for on-site closure) ☐ Disposal Facility Name and Permit Number ☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique ☐ Site Reclamation (Photo Documentation)	·
	tude NAD:
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure requirer	ments and conditions specified in the approved closure plan.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:

Bill Richardson

Governor

Joanna Prukop Cabinet Secretary Reese Fullerton Deputy Cabinet Secretary Mark Fesmire
Division Director
Oil Conservation Division



Conditions of approval for closure of a drilling pit

Notify OCD District 2 office 48 hours prior to commencement of closure activities.

Notify OCD District 2 office 48 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Sampling requirements are listed in 19.15.17.13 [NMAC] (Pit Rule)

Final closure report is to be submitted to OCD not later than 60 days after completion of closure.



Closure Procedure For Temporary Drilling Pits

- 1. De-water pit within 30 days of rig release.
- 2. Weekly inspection of fluid level in drilling pit after rig release date until fluids are removed. Weekly levels will be recorded in a log to be submitted to the appropriate OCD district office at time of pit closure.
- 3. All removed pit fluids will be disposed of in an OCD approved manner at one of the listed OCD approved disposal facilities.

Disposal Facility:

Gandy Marley	NM-01-0019
Lea Land Farm	WM-1-035
CRI	R-9166

- 4. If fluids are reclaimed the appropriate OCD district office will be contacted beforehand for approval to do so.
- 5. Within 6 months of the rig release date and after the removal of all free liquids from the temporary drilling pit, the surface owner will be notified by certified mail, return receipt requested that the operator will close the pit. OCD division office will be notified verbally that waste excavation and removal will begin.
- 6. All impacted contents of the temporary drilling pit will be stabilized by mixing of dry non-waste containing earthen material so that such material will pass a paint filter test.
- 7. All stabilized pit contents, including the synthetic pit liner will be loaded into trucks and transferred to the division-approved facility listed below for proper disposal.

Disposal Facility:		<u>-</u>
	7	-

8. Once all visually impacted materials have been removed from the temporary drilling pit, testing and analyzing of the soils beneath the pit will be conducted in accordance with 19.15.17.13, B., 1(b) (i) or (ii) whichever is appropriate to determine if a release has occurred during utilization of the pit.

- 9. When analysis indicates that the soils within the pit area are within the recommended actions levels backfilling will begin.
- 10. Backfill material will consist of non-waste containing earthen material. The cleaned out drilling pit will be filled with such material to a level which shall allow space for the addition of topsoil which will be equal to the thickness of the background topsoil or one foot whichever is greater as directed in 19.15.17.13, H (1) NMAC.
- 11. The topsoil cover will be placed on to the drilling pit area in a manner of existing grade and will prevent ponding of water and erosion of the cover material.
- 12. Within 60 days of closure completion a closure report on form C-144 will be submitted to the appropriate district office. The report will contain detailed information on the backfilling, capping. The closure report will also include a plat of the closed pit location on a form C-105.
- 13. Within the first growing season after the approved pit closure seeding of the pit area shall occur. The seeding will be performed in accordance with 19.15.17.13, I, (2) (3) (4) (5).

nch Dr., Hobbs, NM 88240 Grand Avenue, Artesia, NM 88210 fict III 1 Rio Brazos Road, Aztec, NM 87410 istrict IV 220 S. St. Francis Dr., Santa Fe, NM 87505

AS A CONDITION OF APPROVAL, A DETAILED CLOSURE PLAN MUST BE APPROVED BEFORE CLOSURE MAY COMMENCE.

State of New Mexico Energy Minerals and Natural Resources

Form C-144 March 12, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office)

Pit or	Below	-Grade	Tank	Registratio	n or	Closure


MAY 2 3 2008 Is pit or below-grade tank covered by a "general plan"? Yes No [] Type of action Registration of a pit or below-grade tank 🛮 Closure of a pit or below-grade tank 🗌 Operator. YATES PETROLEUM CORPORATION Telephone: (505) 748-1471 e-mail address: Address: 105 South Fourth Street, Artesia, NM 88210 Facility or well name. Glow Worm ALX Federal #15H API # 30 - 0/5 : 363 97 L or Qtr/Qtr B Sec 4 T 23S R 31E Latitude N32..20'24 76" Longitude W103 46'48 2" NAD 1927 1983 X Surface Owner Federal X State Private Indian Pit Below-grade tank Type Drilling M Production Disposal D Volume: ____bbl Type of fluid: ____ Construction material. Lined X Unlined Double-walled, with leak detection? Yes If not, explain why not. Liner type Synthetic X Thickness 12 mil Clay Volume 20,000 bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high 50 feet or more, but less than 100 feet (10 points) water elevation of ground water.) 0 Points 100 feet or more (0 points) Yes (20 points) Wellhead protection area (Less than 200 feet from a private domestic No (0 points) 0 Points water source, or less than 1000 feet from all other water sources) Less than 200 feet (20 points) Distance to surface water (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses) 0 Points (0 points) 1000 feet or more Ranking Score (Total Points) 0 Points If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location onsite offsite If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered. No 🗌 Yes 🗍 If yes, show depth below ground surface__ _ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines [], a general permit X or an (attached) algernative OCD-approved plan []. Date 3/17/08 Printed Name/Title_Cy Cowan, Regulatory Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of hability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval Printed Name/Title

Closure of this pit may be subject to requirements per NMAC 19.15.17

I-Waters 1-15-08 N Und B 4-235-31E	15H
330 660 1320 1320 330 660 660	
330	
C	
990	
1320 NW NE NW NE 1320	
SE SW SE 1650	
E	
2310 2 2 3 1	
2640	E.
2310	_
1980 <u>T</u> 1980	
1650 NW NE NW NE 1320 NW 1320 NW NE 1320	
SW SE SW SE 990	
Geo M	
330	
85 354 168S	
7 8 9 10 11 12	
18 17 16 15 14 13	
19 20 21 22 23 24	
30 29 28 27 26 25 31 32 33 34 35 36	

Township Section No's

This Map Is For Advisory Purposes Only



Legend

