

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTOCD-ARTESIA FORM APPROVED
OMB NO. 1004-0137
Expires: March 31, 2007

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a Type of Well ☐ Oil Well ☒ Gas Well ☐ Dry ☐ Other
b Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.,
Other _____

2. Name of Operator
BEPCO, L.P.

3 Address
P.O. BOX 2760 MIDLAND TX 79702-2760

3 a Phone No. (Include area code)
(432)683-2277

4 Location of Well (Report location clearly and in accordance with Federal requirements)*

At Surface UL E, 1980' FNL, 660' FWL, LAT. N 32.467583, LONG W 104.0716503

At top prod interval reported below SAME

At total depth SAME

14 Date Spudded
06/20/2008

15 Date T D Reached
08/02/2008

16 Date Completed
☐ D & A ☒ Ready to Prod
10/28/2008

17 Elevations (DF, RKB, RT, GL)*
3256'

18 Total Depth: MD 12486'
TVD

19 Plug Back T D.. MD 12385'
TVD

20 Depth Bridge Plug Set: MD
TVD

21 Type of Electric & Other Mechanical Logs Run (Submit copy of each)
LDT-CNL-GR; HLA-CFL-GR

22 Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit analysis)
Directional Survey? ☒ No ☐ Yes (Submit copy)

23 Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17-1/2"	13-3/8"	48#	0'	425'		440 SXS		0' CIRC.	
12-1/4"	9-5/8"	36#	0'	2835'		955 SXS		0' CIRC	
8-3/4"	5-1/2"	17 & 20#	0"	12486'	7031'	1350 STG 1		7030' CIRC	
						950 STG 2		2760' TS	

24 Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
NA								

25 Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No Holes	Perf Status
A) Morrow	11720'	12584'	12102'-12114'	0.380"	24	PRODUCING
B)			12142'-12148'	0.038"	12	PRODUCING
C)			12298'-12304'	0.038"	12	PRODUCING
D)			12321'-12331'	0.038"	20	PRODUCINT

27 Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
12102-12331'	NO STIMULATION

28 Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr API	Gas Gravity	Production Method
10/28/08	11/06/2008	24	→	0	1901	0			Flowing
Choke Size	Tbg Press Flwg SI	Csg Press	24 Hr Rate	Oil BBL	Gas MCF	Water BBL	Gas Oil Ratio	Well Status	
16/64"	SI 1450	0	→				NA	Producing	

Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr API	Gas Gravity	Production Method
			→						
Choke Size	Tbg Press Flwg SI	Csg Press	24 Hr Rate	Oil BBL	Gas MCF	Water BBL	Gas Oil Ratio	Well Status	
			→						

(See Instructions and spaces for additional data on page 2)

Accepted for record - NMOCD

28b Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr API	Gas Gravity	Production Method
Choke Size	Tbg Press Flwg. SI	Csg. Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr API	Gas Gravity	Production Method
Choke Size	Tbg Press Flwg. SI	Csg. Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas Oil Ratio	Well Status	

29 Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

30 Summary of Porous Zones (Include Aquifers).

Show all important zones or porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc	Name	Top
					Meas Depth
				T/RUSTLER	NA
				T/SALT	490'
				T/CASTILE	2345'
				T/DELAWARE MTN. GROUP	2750'
				T/BELL CANYON	2910'
				T/BONE SPRING	6384'
				T/WOLFCAMP	9700'
				T/STRAWN	10824'
				T/ATOKA	11196'
				T/MORROW	11720'

32 Additional remarks (include plugging procedure)

33 Indicate which items have been attached by placing a check in the appropriate boxes

- ☒ Electrical/Mechanical Logs (1 full set req'd)
 ☐ Geological Report
 ☐ DST Report
 ☐ Directional Survey
☐ Sundry Notice for plugging and cement verification
 ☐ Core Analysis
☒ Other Inclination Report

34 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) ANN MOORETitle SENIOR PRODUCTION CLERK

Signature

Ann MooreDate 11/07/2008

Title 18 U.S.C. Section 101 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States and false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code 79080	Pool Name Indian Flats (Morrow) Field
Property Code	Property Name BIG EDDY UNIT	Well Number 202
OGRID No. 001801	Operator Name BEPCO, L.P.	Elevation 3256'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	24	21 S	28 E		1980	NORTH	660	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres 320	Joint or Infill N	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: Date: 2/18/08 Printed Name: Stephen Martinez SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. FEBRUARY 4, 2008 Date Surveyed: Signature: Professional Surveyor No. 7977 Certificate No. Gary L. Jones 7977 BASIN SURVEYS
--	--



BIG EDDY UNIT #202

1980' FNL and 660' FWL

Section 24, Township 21 South, Range 28 East,
N.M.P.M., Eddy County, New Mexico.



focused on excellence
in the oilfield

P.O. Box 1786
1120 N. West County Rd.
Hobbs, New Mexico 88241
(505) 393-7316 - Office
(505) 392-3074 - Fax
basinsurveys.com

W.O. Number: KJG - 19082T DWG


Survey Date: 02-04-2008

Scale 1" = 2000'

Date 02-05-2008

BEPCO, L.P.

SECTION 24, TOWNSHIP 21 SOUTH, RANGE 28 EAST, N.M.P.M.,
EDDY COUNTY, NEW MEXICO.



DIRECTIONS TO LOCATION:

FROM MILE MARKER 43 ON US HWY 62/180, GO WEST FOR 0.4 MILE TO A LEASE ROAD SOUTH AND BEPCO SIGN; THENCE GO SOUTH 4.3 MILES TO A LEASE ROAD; THENCE SOUTHEAST FOR 2.0 MILES TO A ROAD NORTH; THENCE NORTH FOR 2.6 MILES TO A "Y", TAKE THE LEFT FORK AND GO NORTHWEST FOR 0.6 MILE TO A PROPOSED LEASE ROAD.

BASIN SURVEYS P.O. BOX 1786-HOBBS, NEW MEXICO

W.O. Number: 19082

Drawn By: K. GOAD

Date: 02-05-2008

Disk: KJG - 19082W.DWG


BEPCO, L.P.

REF: BIG EDDY UNIT #202 / WELL PAD AND TOPO

THE BIG EDDY UNIT #202 LOCATED 1980' FROM
THE NORTH LINE AND 660' FROM THE WEST LINE OF
SECTION 24, TOWNSHIP 21 SOUTH, RANGE 28 EAST,
N.M.P.M., EDDY COUNTY, NEW MEXICO.

Survey Date: 02-04-2008

Sheet 1 of 1 Sheets



BIG EDDY UNIT #202
 1980' FNL and 660' FWL
 Section 24, Township 21 South, Range 28 East,
 N.M.P.M., Eddy County, New Mexico.

basin
surveys
 focused on excellence
 in the oilfield

P.O. Box 1786
 1120 N. West County Rd.
 Hobbs, New Mexico 88241
 (505) 393-7316 - Office
 (505) 392-3074 - Fax
 basinsurveys.com

W.O. Number: KJG - 19082TR.DWG

Survey Date: 02-04-2008

Scale: 1" = 2 MILES


Date: 02-05-2008

BEPCO, L.P.

OPERATOR BEPCO, LP
WELL/LEASE BIG EDDY UNIT 202
COUNTY EDDY RIG 046

STATE OF NEW MEXICO
DEVIATION REPORT

242	1.00	7,005	1.40
430	0.50	7,290	1.70
695	0.60	7,417	1.80
920	1.50	7,547	0.60
1,078	2.00	7,741	0.90
1,235	2.40	7,926	0.60
1,395	2.70	8,342	2.00
1,554	2.70	8,528	2.30
1,710	2.40	8,627	2.30
1,840	2.10	8,716	1.50
1,904	2.10	8,805	0.80
1,965	2.50	9,001	1.00
2,001	2.40	9,192	1.10
2,031	1.90	9,287	1.50
2,061	2.00	9,383	0.90
2,093	2.60	9,478	1.00
2,125	2.00	9,622	1.00
2,157	2.10	9,716	0.50
2,188	1.50	10,159	0.50
2,220	1.30	10,528	5.00
2,348	2.00	10,627	6.00
2,505	1.20	10,722	6.00
2,664	0.60	10,818	5.00
3,193	0.30	10,903	4.00
3,610	0.70	10,999	3.50
4,018	0.80	11,075	3.50
4,491	0.40	11,475	1.20
4,876	0.20	11,683	5.00
5,286	1.20	12,096	1.00
5,743	1.80	12,476	0.75
6,190	2.40		
6,365	2.00		
6,496	2.30		
6,688	2.20		
6,797	1.70		

BY: 

STATE OF TEXAS

COUNTY OF MIDLAND

The foregoing instrument was acknowledged before me on
Moore on behalf of Patterson-UTI Drilling Company LLC.

AUGUST 20, 2008, by Steve


Notary Public for Midland County, Texas
My Commission Expires: 4/11/11

