Texaco B E #4District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

FFR 18 2009

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure) Type of action: Permit Closure Originally Permitted under Rule 50 Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144. Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator: COG Operating LLC Address: 550 West Texas Ave, Suite 1300, Midland, TX 79701 Facility or well name: **Texaco B E #4** OCD Permit Number: Originally Permitted under Rule 50 API Number: <u>30-015-26233</u> U/L or Qtr/Qtr ULA Section 16 Township 17S Range 30E County: EDDY Center of Proposed Design: Latitude _____Longitude _______ NAD: 🔲 1927 🔲 1983 Surface Owner: Federal State Private Tribal Trust or Indian Allotment 2. **Closed-loop System:** Subsection H of 19.15.17.11 NMAC Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) ☐ Above Ground Steel Tanks or ☐ Haul-off Bins Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ⊠ Signed in compliance with 19.15.3.103 NMAC Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: ____ Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Permit Number:

Disposal Facility Permit Number: Disposal Facility Name: Disposal Facility Name: Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications - - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Operator Application Certification:

Signature:

e-mail address:

| OCD Approval: Permit Application (including closure plan) Closure Plan | n (only) | | | | | | | |
|--|---|--|--|--|--|--|--|--|
| OCD Representative Signature: Approval Date: | | | | | | | | |
| Title: | OCD Permit Number: | | | | | | | |
| 8. Closure Report (required within 60 days of closure completion): Subsection K Instructions: Operators are required to obtain an approved closure plan prior to The closure report is required to be submitted to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure | implementing any closure activities and submitting the closure report. completion of the closure activities. Please do not complete this | | | | | | | |
| Closure Report Regarding Waste Removal Closure For Closed-loop Systems T Instructions: Please indentify the facility or facilities for where the liquids, drilling two facilities were utilized. | | | | | | | | |
| Disposal Facility Name: | Disposal Facility Permit Number: R 1966 | | | | | | | |
| Disposal Facility Name: GM INC | Disposal Facility Permit Number: 711-019-001 | | | | | | | |
| Were the closed-loop system operations and associated activities performed on or in ☐ Yes (If yes, please demonstrate compliance to the items below) ☒ No | n areas that will not be used for future service and operations? | | | | | | | |
| Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique | ns: | | | | | | | |
| Operator Closure Certification: | | | | | | | | |
| I hereby certify that the information and attachments submitted with this closure repbelief. I also certify that the closure complies with all applicable closure requirements. | | | | | | | | |
| Name (Print): Robyn Odom | Title: Regulatory Analyst | | | | | | | |
| Signature: 2000 don | Date: <u>02/13/09</u> | | | | | | | |
| e-mail address: rodom@conchoresources.com | Telephone: 432-685-4385 | | | | | | | |



COG RESOURCES

Field: Grayburg Jackson Site: Eddy County, NM

Well: Texaco BE #4

Wellpath: VH - Job #32K1208987

Survey: 12/11/08


Need as Drill Plat

This survey is correct to the best of my knowledge and is supported by actual field data.

Company Representative

Notorized this date <u>3/st</u> of <u>becember</u>, 2008.

Notary Signature County of Midland State of Texas





Scientific Drilling International

Survey Report

Date:

Company: COG RESOURCES

Field: Grayburg Jackson Eddy County, NM Site: Texaco BE #4 Well: Wellpath:

12/11/08

KSRG 0'-5800'

Vertical (TVD) Reference: Section (VS) Reference:

Survey Calculation Method: VH - Job #32K1208987 ...

Scientific Drilling Internatio Company: Tool: Keeper; Keeper Gyro

12/11/2008 Start Date:

01/11/2009

Co-ordinate(NE) Reference:

Madrid w/Halliburton Engineer: Tied-to: From Surface

Time: 19:48:00

Page:

Db: Sybase

Site: Eddy County, NM, Grid North SITE 0.0

Well (0.00N,0.00E,245.79Azi)

Minimum Curvature

Survey:

| ₹ ″/ MD | , | Incl | Azim | TVD | | - N/S | E/W | DLS | | ClsA |
|-----------------------|----------------|--------------|------------------|------------------|--------------|--------------------|---------------|--------------|--------------|------------------|
| ft | * * * | deg | deg | ft | ft | ft | ' ˌft | deg/100ft . | ft - | deg |
| | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 10 | 00.00 | 0.22 | 95.20 | 100.00 | -0.17 | -0.02 | 0.19 | 0.22 | 0.19 | 95.20 |
| 20 | 00.00 | 0.55 | 142.60 | 200.00 | -0.44 | -0.42 | 0.67 | 0.43 | 0.79 | 121.69 |
| | 00.00 | 1.01 | 176.35 | 299.99 | -0.24 | -1.68 | 1.02 | 0.63 | 1.96 | 148.65 |
| | 00.00 | 1.08 | 188.80 | 399.97 | 0.58 | -3.49 | 0.93 | 0.24 | 3.61 | 165.02 |
| | | • | | | | | | | | |
| | 00.00 00.00 | 1.52 1.44 | 215.18 220.24 | 499.95 599.91 | 2.23 4.51 | -5.50 -7.55 | 0.03 -1.55 | 0.73 0.15 | 5.50 7.70 | 179.74 191.61 |
| | | | | | | | | | | |
| | 00.00 | 1.50 | 217.09 | 699.88 | 6.79 | -9.55 | -3.15 | 0.10 | 10.06 | 198.26 |
| | 00.00 | 1.44 | 214.24 | 799.85 | 9.01 | -11.63 | -4.65 | 0.09 | 12.53 | 201.78 |
| 90 | 00.00 | 1.11 | 190.16 | 899.82 | 10.63 | -13.62 | -5.53 | 0.62 | 14.70 | 202.08 |
| 100 | 00.00 | 1.11 | 187.92 | 999.80 | 11.69 | -15.54 | -5.83 | 0.04 | 16.60 | 200.57 |
| | 00.00 | 1.06 | 178.10 | 1099.79 | 12.56 | -17.42 | -5.93 | 0.19 | 18.40 | 198.81 |
| | 00.00 | 0.87 | 163.31 | 1199.77 | 13.01 | -19.07 | -5.68 | 0.31 | 19.90 | 196.60 |
| | 00 00 | | 159.01 | 1299.76 | 13.15 | -20.47 | -5.21 | 0.08 | 21.12 | 194.28 |
| | | 0.82 | | | | | | | | |
| 140 | 00.00 | 0.83 | 163.74 | 1399.75 | 13.29 | -21.83 | -4.75 | 0.07 | 22.34 | 192.28 |
| 150 | 00.00 | 0.66 | 176.66 | 1499.74 | 13.59 | -23.10 | -4.51 | 0.24 | 23.54 | 191.06 |
| 160 | 00.00 | 0.72 | 194.38 | 1599.74 | 14.19 | -24.29 | -4.64 | 0.22 | 24.72 | 190.81 |
| | 00.00 | 0.77 | 214.45 | 1699.73 | 15.15 | -25.45 | -5.17 | 0.26 | 25.97 | 191.49 |
| | 00.00 | 0.83 | 228.13 | 1799.72 | 16.42 | -26.49 | -6.09 | 0.20 | 27.18 | 192.95 |
| | 00.00 | 0.72 | 236.27 | 1899.71 | 17.73 | -27.32 | -7.15 | 0.16 | 28.24 | 194.68 |
| 130 | 0.00 | 0.72 | 230.27 | 1055.71 | 17.73 | -Z1.JZ | -7.13 | 0.10 | 20.24 | 134.00 |
| 200 | 00.00 | 0.80 | 227.66 | 1999.70 | 19.01 | -28.14 | -8.19 | 0.14 | 29.31 | 196.23 |
| 210 | 00.00 | 0.68 | 230.45 | 2099.69 | 20.25 | -28.9 9 | -9.17 | 0.13 | 30.40 | 197.55 |
| 220 | 00.00 | 0.72 | 230.69 | 2199.68 | 21.43 | -29.76 | -10.11 | 0.04 | 31.43 | 198.76 |
| | 00.00 | 0.65 | 246.29 | 2299.68 | 22.60 | -30.39 | -11.12 | 0.20 | 32.36 | 200.09 |
| | 00.00 | 0.73 | 244.21 | 2399.67 | 23.80 | -30.89 | -12.21 | 0.08 | 33.22 | 201.56 |
| 250 | 00.00 | 0.74 | 250 40 | 2400.66 | 25.05 | -31.31 | 42.20 | 0.16 | 34.05 | 203.14 |
| | 00.00 | 0.71 | 256.48 | 2499.66 | 25.05 | | -13.38 | | | |
| | 00.00 | 0.64 | 258.16 | 2599.66 | 26.20 | -31.57 | -14.53 | 0.07 | 34.76 | 204.72 |
| | 00.00 | 0.63 | 256.21 | 2699.65 | 27.29 | -31.82 | -15.61 | 0.02 | 35.44 | 206.14 |
| | 00.00 | 0.58 | 252.41 | 2799.64 | 28.33 | -32.10 | -16.63 | 0.06 | 36.16 | 207.39 |
| 290 | 00.00 | 0.49 | 258.92 | 2899.64 | 29.25 | -32.34 | -17.53 | 0.11 | 36.79 | 208.46 |
| 300 | 00.00 | 0.71 | 242.19 | 2999.63 | 30.29 | -32.71 | -18.50 | 0.28 | 37.58 | 209.49 |
| | 00.00 | 0.80 | 263.18 | 3099.63 | 31.57 | -33.08 | -19.74 | 0.29 | 38.52 | 210.83 |
| | 00.00 | 0.66 | 278.24 | 3199.62 | 32.72 | -33.08 | -21.00 | 0.24 | 39.19 | 212.41 |
| | 00.00 | | 318.39 | 3299.61 | 33.39 | -32.55 | -21.97 | 0.46 | 39.27 | |
| | 00.00 | 0.69 0.85 | 344.78 | 3399.60 | 33.45 | -32.33 | -21.97 | 0.46 | 38.66 | 214.02 215.72 |
| 340 | 0.00 | 0.05 | 344.70 | 3399.00 | 33.45 | -31.30 | -22.31 | 0.36 | 30.00 | 213.72 |
| | 00.00 | 1.32 | 2.57 | 3499.58 | 32.82 | -29.52 | -22.71 | 0.57 | 37.24 | 217.58 |
| 360 | 00.00 | 0.99 | 3.67 | 3599.56 | 31.90 | -27.50 | -22.61 | 0.33 | 35.60 | 219.42 |
| 370 | 00.00 | 0.94 | 358.43 | 3699.55 | 31.18 | -25.82 | -22.57 | 0.10 | 34.30 | 221.16 |
| 380 | 00.00 | 0.85 | 345.12 | 3799.54 | 30.74 | -24.29 | -22.79 | 0.23 | 33.30 | 223.17 |
| | 00.00 | 0.64 | 353.27 | 3899.53 | 30.45 | -23.01 | -23.04 | 0.23 | 32.57 | 225.03 |
| 404 | 20.00 | | 054.00 | 2000 50 | 00.40 | 04.00 | 00.40 | 0.00 | 24.00 | 000.05 |
| | 00.00 | 0.66 | 351.63 | 3999.52 | 30.13 | -21.89 | -23.19 | 0.03 | 31.89 | 226.65 |
| | 00.00 | 0.62 | 352.42 | 4099.52 | 29.82 | -20.78 | -23.35 | 0.04 | 31.26 | 228.32 |
| | 00.00 | 0.57 | 344.11 | 4199.51 | 29.59 | -19.77 | -23.55 | 0.10 | 30.75 | 229.99 |
| | 00.00 | 0.86 | 343.96 | 4299.50 | 29.41 | -18.57 | -23.90 | 0.29 | 30.26 | 232.15 |
| 440 | 00.00 | 0.82 | 333.58 | 4399.49 | 29.33 | -17.21 | -24.42 | 0.16 | 29.88 | 234.83 |
| AFI | 00.00 | 0.73 | 317.23 | 4499.48 | 29.56 | -16.10 | -25.17 | 0.24 | 29.88 | 237.40 |
| | | | | | | | | | | |
| | 00.00 | 0.79 | 292.17 | 4599.47 | 30.24 | -15.37 | -26.24 | 0.33 | 30.41 | 239.64 |
| | 00.00 | 0.70 | 272.32 | 4699.47 | 31.26 | -15.09 | -27.49 | 0.27 | 31.36 | 241.25 |
| 480 | 00.00 | 0.65 | 264.84 | 4799.46 | 32.34 | -15.11 | -28.67 | 0.10 | 32.41 | 242.21 |



Scientific Drilling International

Survey Report

Company: COG RESOURCES

Field: Grayburg Jackson Eddy County, NM Texaco BE #4 Site: Well: Wellpath: VH - Job #32K1208987 Date: 01/11/2009 Co-ordinate(NE) Reference:

Vertical (TVD) Reference:

Survey Calculation Method:

Section (VS) Reference:

Time: 19:48:00

Page:

Site: Eddy County, NM, Grid North SITE 0.0 Well (0.00N,0.00E,245.79Azi)

Minimum Curvature

Db: Sybase

Survey

| · MD ft | Incl deg | Azim deg | TVD t | VS , ft | N/S | E/W ft | DLS deg/100ft | ClsD ft | ClsA deg |
|------------|-------------|-------------|---------|------------|--------|-----------|------------------|------------|-------------|
| 4900,00 | 0.61 | 266.46 | 4899.45 | 33.38 | -15.20 | -29.76 | 0.04 | 33.42 | 242.95 |
| 5000.00 | 0.41 | 279.10 | 4999.45 | 34.18 | -15.17 | -30.65 | 0.23 | 34.20 | 243.66 |
| 5100.00 | 0.32 | 244.80 | 5099.45 | 34.75 | -15.23 | -31.26 | 0.23 | 34.77 | 244.0 |
| 5200.00 | 0.87 | 226.64 | 5199.44 | 35.75 | -15.87 | -32.06 | 0.57 | 35.77 | 243.6 |
| 5300,00 | 0.76 | 230.41 | 5299.43 | 37.11 | -16.82 | -33.12 | 0.12 | 37.15 | 243.0 |
| 5400.00 | 0.69 | 233.68 | 5399.42 | 38.34 | -17.60 | -34.12 | 0.08 | 38.39 | 242.7 |
| 5500,00 | 0.45 | 273.12 | 5499.42 | 39.27 | -17.93 | -35.00 | 0.45 | 39.32 | 242.8 |
| 5600.00 | 0.65 | 278.24 | 5599.41 | 40.10 | -17.83 | -35.95 | 0.21 | 40.13 | 243.6 |
| 5700.00 | 0.74 | 286.36 | 5699.41 | 41.07 | -17.57 | -37.13 | 0.13 | 41.08 | 244.6 |
| 5800,00 | 0.59 | 292.42 | 5799.40 | 41.91 | -17.19 | -38.23 | 0.17 | 41.91 | 245.7 |



South(-)/North(+) [Sft/in]

Field: Grayburg Jackson
Site: Eddy County, NM
Well: Texaco BE #4
Wellpath: VH - Job #32K1208987
Survey: 12/11/08

