

Submit 3 Copies To Appropriate District Office
 District I
 1625 N. French Dr., Hobbs, NM 88240
 District II
 1301 W. Grand Ave., Artesia, NM 88210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 March 4, 2004

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐		WELL API NO. <u>30-015-21974</u> 5. Indicate Type of Lease STATE ☒ FEE ☐ 6. State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name <u>R.V. STATE</u> 8. Well Number <u>3</u>
2. Name of Operator <u>C.O.G. OPERATING LLC</u>		9. OGRID Number <u>229137</u>
3. Address of Operator <u>550 W. TEXAS SUITE 1300 29701</u>		10. Pool name or Wildcat
4. Well Location Unit Letter <u>G</u> : <u>1980</u> feet from the <u>NORTH</u> line and <u>1980</u> feet from the <u>EAST</u> line Section <u>32</u> Township <u>18-S</u> Range <u>29-E</u> NMPM County <u>Edwy</u> 11. Elevation (Show whether DR, RKB, RT, GR, etc.)		

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL _____ Sect _____ Twp _____ Rng _____ Pit type Steel Depth to Groundwater _____ Distance from nearest fresh water well _____
 Distance from nearest surface water _____ Below-grade Tank Location UL _____ Sect _____ Twp _____ Rng _____
 _____ feet from the _____ line and _____ feet from the _____ line

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
 CASING TEST AND CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1- MIRRO P.A. EQUIPT. REH. WL TAG EXT. B.P. AT 2910'
 CAP - 50' OF CNT TAG AT 2860' +
 2- SET B.P. AT 1800' CAP WITH 25 SAKS. EXT. T.O.C. CALCUL. AT 1500'
 3- PERF. 392.1360' TO 1100' W.D.C. TAG 50 SAKS CNT
 4- PERF. 392.1000' TO 800' TAG 50 SAKS CNT
 5- PERF. 392.440' TO SURFACE 45 X 8 1/2" - 180' SAKS. CNT

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCDC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Randal Miner TITLE AGENT DATE 3-17-09


Type or print name RANDAL MINER Email address: _____ Telephone No. _____

(This space for State use)

APPROVED BY [Signature] TITLE _____ DATE 3/18/09

Conditions of approval, if any:

Approval Granted providing work
 is complete by 6/18/09



AFTER
COG Operating LLC


Lease & Well #

RV State # 3

Spud - 9/26/76

Elevation - 3519'

KB -



Port 440' Circulate 180 sx/s CMT 4 1/2\" 8 3/8 To Surface

8 5/8" 24# @ 379', C/w 175 sx CI H 2/5 CC, circ 25 sx.
Cement fell back, filled w/4 yds ready mix.

Port 50\" 50 sx/s CMT 1000' To 800'

TOC Est @ 1250'

Port 50\" 50 sx/s CMT 1360' To 1100'

1830', Squeezed w/50 sx 50/50 poz, 50 sx CI C.

25 sx/s CMT 1800 To 1500
CIR 1800'

1880 - 2850', 101 holes

Faced w/150,000 gal 120,000 # sd, 4500 gal HCL.

20 sx/s CMT 2910 - 2910

G.I. B. P. 2910 WITH 50' OF CMT.

2939 - 46, swab test, 100% water.

4 1/2" 9.5# J-55 STC @ 3,130'

C/w 300 sx CI C, no report on TOC.

7/31/2008

O:\Well_Histories_COG_Longhorn_Prop\Wellbore diagrams_COG_Longhorn_Prop\RV State # 3 Wellbore diagram


Before
COG Operating LLC

Lease & Well # RV State # 3

Spud - 9/26/76

Elevation - 3519'

KB -



8 5/8" 24# @ 379', C/w 175 sx CI H 2/5 CC, circ 25 sx.
Cement fell back, filled w/4 yds ready mix.

TOC est @ 1250'

1830', Squeezed w/50 sx 50/50 poz, 50 sx CI C.

1880 - 2850', 101 holes
Fraced w/150,000 gal 120,000 # sd, 4500 gal HCL.

G.E.B.P. 2910 WITH 50' OF CMT.

2939 - 46, swab test, 100% water.

4 1/2" 9.5# J-55 STC @ 3,130'
C/w300 sx CI C, no report on TOC.

7/31/2008

O:\Well_Histories_COG_Longhorn_Prop\Wellbore diagrams_COG_Longhorn_Prop\RV State # 3 Wellbore diagram

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION

MAR 30 1977

O. C. C.
ARTESIA, OFFICE

Form C-103
Supersedes Old
C-102 and C-104
Effective 12-85

State	☒ NM	Fee	
Title of Notice or Report No.			
1-6523			

SUNDRY NOTICES AND REPORTS ON WELLS		Type of Notice	
DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO RE-DRILL OR TO PLUG DATA TO A DIFFERENT RESERVOIR. (SEE APPLICATION FOR PERMIT, FORM C-103 FOR SUCH PROPOSALS.)		Type of Notice	
1. ☒ OIL WELL ☐ GAS WELL ☐ OTHER		7. Unit Agreement Name	
2. Name of person		8. State of person	
Gene A. Snow		Aztec State	
3. Address of person		9. Well No.	
606 S. 13th St., Lovington, New Mexico 88260		3	
4. Location of Well		10. Well No. of adjacent	
UNIT LETTER <u>G</u> 1980 FEET FROM THE <u>North</u> LINE AND 1930 FEET FROM <u>S</u>		Loco Hills D.G.S.A., Se	
TOWNSHIP <u>East</u> LINE, SECTION <u>32</u> RANGE <u>29E</u>			
11. Elevation (Show whether DT, RT, GR, etc.)		12. County	
3419 GR.		Eddy	

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REPERFORATE WELL ☐	ALTER WELL AKA ☐
TEMPORARILY ABANDON ☐	CHANGE PLANT ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	Additional information on Completion	

13. Describe Proposals or Completion Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Perforate 8 holes 2959-46 Swab test, Well makes 100' water
Set C.I. Bridge plug : 2910 and covered it w/50' of cement

- | | |
|------------------------|-------------------|
| 2. 1880 - 82 - 3 holes | 2343 - 56 9 holes |
| 1885-87 - 3 holes | 2378-32 5 holes |
| 1897-1904 - 3 holes | 2515-25 11 holes |
| 2036-41- 6 holes | 2547-50 4 holes |
| 2176-32 7 holes | 2605-14 10 holes |
| 2183-94 7 holes | 2660-73 14 holes |
| | 2845-50 6 holes |

I, Thereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED W.A. Gressett TITLE Operator DATE 3-30-1977

APPROVED BY W.A. Gressett TITLE SUPERVISOR, DISTRICT II DATE MAR 31 1977

CONDITIONS OF APPROVAL, IF ANY: