Recd 4/6/09

Form C-144 July 21, 2008

District I 1 1301 W Grand Avenue, Artesia, NM 88240 District III 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request  Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1. Operator: BEPCO, L.P. Address: P.O. Box 2760 Midland, TX 79702
Facility or well name: Poker Lake Unit #220  API Number: 30-015-35628  OCD Permit Number: 208257  U/L or Qtr/Qtr NWSW Section 19 Township 24S Range 30E County: EDDY
Center of Proposed Design: Latitude N 32.200611 Longitude W 103.926333 NAD: ☐1927 ☑ 1983 Surface Owner: ☑ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment
2.
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation:   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad   Above Ground Steel Tanks   Haul-off Bins   Other   Lined   Unlined Liner type: Thickness   mil   LLDPE   HDPE   PVC   Other   Liner Seams:   Welded   Factory   Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner type: Thickness mil HDPE PVC Other
s.  Alternative Method:  Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Final Closure 11/14/08

Oil Conservation Division

Page 1 of 5

	Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify	hospital,
	Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)	
	8.  Signs: Subsection C of 19.15.17.11 NMAC   ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  ☐ Signed in compliance with 19.15.3.103 NMAC	
	Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
	Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acce, material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.
,	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
l	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Acrial photo; Satellite image	☐ Yes ☐ No ☐ NA
	Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
l	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
•	Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
	Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
}	Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Ŗ	Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Page 2 of 5

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NM Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents of the standard of	
attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	iMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 and 19.15.17.13 NMAC	.17.9 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the document of the subsection is a check mark in the box, that the document of the subsection is a check mark in the box.	ments are
attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.1 and 19.15.17.13 NMAC	C
Previously Approved Design (attach copy of design)  API Number:  Previously Approved Operating and Maintenance Plan  API Number:  (Applies only to closed-log	on systam that
use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)	rp system that
13.   Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC   Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docu attached.   Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	ments are
Proposed Closure: 19.15.17.13 NMAC   Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop Syst Alternative  Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for considerations)	
Is.  Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attack closure plan. Please indicate, by a check mark in the box, that the documents are attached.  □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	hed to the

Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if r facilities are required.	nore than two							
Disposal Facility Name: Disposal Facility Permit Number:								
Disposal Facility Name: Disposal Facility Permit Number:								
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future server of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future server of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future server of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future server of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future server of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future server of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future server of the proposed closed-loop system operations are also become a constant of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed-loop system operations are also become of the proposed closed clos	vice and operations?							
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	C							
17.  Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC  Instructions: Each siting criteria requires a deceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist. considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justife demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be							
Ground water is less than 50 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA							
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA							
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA							
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No							
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No							
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No							
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	☐ Yes ☐ No							
Within a 100-year floodplain FEMA map	☐ Yes ☐ No							
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.    Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC   Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC   Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC   Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC   Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)   Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC								
	Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Permit Number: Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Permit Number: West (If yes, please provide the information below)   No Resured for impacted areas which will not be used for future service and operations.   Solid Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection of 19.15.17.13 NNAC (Sir Reclamation Plan - based upon the appropriate requirements of Subsection of 19.15.17.13 NNAC (Sir Reclamation Plan - based upon the appropriate requirements of Subsection of 19.15.17.13 NNAC (Sir Reclamation Plan - based upon the appropriate requirements of Subsection of 19.15.17.13 NNAC (Sir Reclamation Plan - based upon the appropriate requirements of Subsection of 19.15.17.13 NNAC (Sir Reclamation Plan - based upon the appropriate requirements of Subsection of 19.15.17.13 NNAC (Sir Reclamation Plan - based upon the appropriate of committed and the closure plan. Recommendations of acceptable sour middle blam. Requirements of subsection of compliance in the closure plan. Recommendations of acceptable sour middle blam. Requirements of subsection of compliance in the closure plan. Recommendations of acceptable sour middle blam. Requirements of explainments of participation of the subsection of the appropriate distribution of compliance in the closure plan. Recommendations of acceptable sour middle blam. Requirements of equivalence, are equired. Please refer to 19.15.17.10 NNAC for guidance.  Finding Criteria (regarding and subsection of the buried waste) of the State Engineer - IWA TERS database search; USGS; Data obtained from nearby wells.  Finding Criteria (regarding and plane) of the buried waste.  NM Office of the State Engineer - IWA TERS database search; USGS; Data obtained from nearby wells within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa acceptable and plane and plane and pla							

٠.	
	19.  Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
•	Name (Print): Title:
	Signature: Date:
	e-mail address: Telephone:
	20.  OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) ☐ OCD Conditions (see attachment)
t	OCD Representative Signature: Approval Date:
	Title: OCD Permit Number:
	Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
į	☑ Closure Completion Date: 11/14/08
	22.  Closure Method:  Waste Excavation and Removal □ On-Site Closure Method □ Alternative Closure Method □ Waste Removal (Closed-loop systems only)  □ If different from approved plan, please explain.
	23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
	Disposal Facility Name: Disposal Facility Permit Number:
	Disposal Facility Name:  Disposal Facility Permit Number:
	Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) No
	Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)
	☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique
	Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number
	Soil Backfilling and Cover Installation     Re-vegetation Application Rates and Secding Technique     Site Reclamation (Photo Documentation)     On-site Closure Location: Latitude
	Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
	Name (Print): Annette Childers Title: Administrative Assitant
	Signature: Date: 2 Le DG
	e-mail address: machilders@bassnet.com Telephone: (432) 683-2277

Accepted for record NMOCD

MAY 29 2009

# Waste Excavation and Removal Closure Plan

BEPCO, L.P.
dba Bass Enterprises Production Co.
Poker Lake Unit #220
Section 19, T-24-S, R-30-E
Eddy County, New Mexico



#### SPORT ENVIRONMENTAL SERVICES, PLLC

502 N. Big Spring Street, Midland, Texas 79701 Business: 432.683.1100 Fax: 888.500.0622

April 1, 2009

Mr. Mike Bratcher State of New Mexico Oil Conservation Division 1301 W. Grand Artesia, NM 88210

Re: Waste Excavation and Removal Closure Report BOPCO, L.P., Poker Lake Unit #220 Section 19, T-24-S, R-30-E Eddy County, New Mexico

Dear Mr. Bratcher,

On behalf of BOPCO, L.P., Sport Environmental Services is providing the enclosed "Waste Excavation and Removal Closure" report and C-144 closure form for BOPCO, L.P.'s Poker Lake Unit #220 pit location. The company has undergone a name change since the time of pit closure, explaining the previous use of BEPCO, L.P. throughout previously filed and attached documents.

In an effort to fully delineate the pit location both horizontally and vertically, extensive soil investigation was conducted. Attached please find a site plan denoting sample locations along with the associated analytical results. Each soil sample was analyzed for **Total Petroleum Hydrocarbons** (C<sub>6</sub>-C<sub>12</sub> Gasoline Range Hydrocarbons or GRO; C<sub>12</sub>-C<sub>18</sub> Diesel Range Hydrocarbons or DRO; C<sub>28</sub>-C<sub>35</sub> Oil Range Hydrocarbons; and Total TPH) using Methods 418.1 and 8015M, **Chlorides (CI)** EPA Method 300/300.1, and **Total BTEX** (Benzene; Toluene; Ethylbenzene; m,p-Xylene; o-Xylene, Total Xylenes, and total BTEX) using the Method 8021B/5030. This pit was sampled per the requirements set forth in NMAC 19.15.17.13 B(1)(b).

In summary, the TPH and Combined DRO and GRO fraction levels within all soil samples analyzed were below the regulatory limit. According to the New Mexico Oil Conservation Division and the New Mexico Office of the State Engineer iWATERS, groundwater is greater than 100 feet below ground surface (100' bgs) resulting in a soil chloride limitation of 1000 mg/kg. Analytical results demonstrate chloride levels are below the regulatory limitation.

There were a total of two rounds of delineation and confirmation sampling events, conducted on September 22 and October 3, 2008. Analytical results for each soil sample and the date the sample was determined clean are provided below and also condensed for your convenience within the attached **Sample Data Summary**. As required, email transmissions demonstrating 48-hour notification of sampling events and equipment mobilization are available upon request.

Sample location	Sample ID	Chloride Level	"Clean" Date
North Pit Wall	NEW-001	ND	September 22, 2008
East Pit Wall	EEW-001	184 mg/kg	September 22, 2008
,			
South Pit Wall	SEW-001	34.2 mg/kg	September 22, 2008
			•
West Pit Wall	WEW-001	ND	September 22, 2008
Pit Floor	NEF1-001	23 mg/kg	September 22, 2008
	NEF2-001	ND	September 22, 2008
	NEF3-001	ND	September 22, 2008
	SEF1-001	23 mg/kg	September 22, 2008
	SEF2-001	7.61 mg/kg	September 22, 2008
	SEF3-002	ND	October 3, 2008

Big D Environmental performed excavation and removal activities associated with the pit waste material. All excavated waste was disposed of off-site at a NMOCD permitted and approved facility, Controlled Recovery Inc. (Permit #R-9166). Waste manifesting documentation is maintained by Big D Environmental. The area was subsequently backfilled with unimpacted caliche and a two foot layer of topsoil.

During the reclamation phase of the pit closure, the site was reclaimed to a natural condition that blends with the surrounding topography; involving restoring the original landform or creating a landform that approximates and blends in with the surrounding landform. Disturbed areas will be re-vegetated to native species, controlling erosion, controlling invasive non-native plants and noxious weeds. A soil cover design consisting of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater has been provided. The soil cover was constructed to mimic the existing grade and prevent ponding of water and erosion of the cover material.

James Amos of the BLM has requested that reseeding take place in late June 2009, during the monsoonal season, for optimal vegetative growth. BLM Seed Mixture 2, for Sandy Sites, will be applied using the broadcast method. When broadcasting the seed, the pounds per acre will be doubled. As required by NMAC 19.15.17.13(I)(2), successful reclamation is considered to be 70% re-growth of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two growing seasons, that prove viability, there will be no artificial irrigation of the vegetation. Repeat seeding or planting will occur, until required vegetation coverage is successfully achieved. Evaluation of growth will not be made before completion of at least one full growing season after seeding.

Photographs of existing vegetation were taken prior to constructing the drilling pit location, as a tool to confirm re-growth of 70% native vegetative coverage.

Species to be planted in pounds of pure live seed\* per acre:

<u>Species</u>	<u>lb/acre</u>
Sand dropseed (Sporobolus cryptandrus)	1.0
Sand love grass (Eragrostis trichodes)	1.0
Plains bristlegrass (Setaria macrostachya)	2.0

<sup>\*</sup>Pounds of pure live seed:

Pounds of seed X percent purity X percent germination = pounds pure life seed

Enclosed please find documentation demonstrating that the checklist requirements set forth with the Waste Excavation and Removal Closure Plan Form C-144, Box 15, have been met. The closure report consists of protocols and procedures, delineation and confirmation sampling plans, disposal facility name and permit number, soil backfill and cover design specifications, re-vegetation plan, and site reclamation plan.

If you have any questions or comments with regard to this matter, please contact me at my office (432.683.1100) or on my cell (432.553.8555). I would be more than happy to review this closure report with you.

Sincerely,

TREAS. MOORLE

Debi Sport Moore, M.E., R.E.P.A. President

Enclosures: Waste Excavation and Removal Closure Report

Cc: Mr. William R. Dannels
C.K. "Buddy" Jenkins
BOPCO, L.P.
dba Bass Enterprises Production Co.
P.O. Box 2760
Midland, TX 79702

BEPCO. L.P. dba Bass Enterprises Production Co. Poker Lake Unit #220 Section 19, T-24-S. R-30-E Eddy County, New Mexico

### Form C-144 Pit Closure and Form 3160-5 BLM Sundry Notice

Poker Lake Unit #220



The Oilfield Waste Disposal Experts.<sup>5M</sup>

### The Smarter, Safer Solution to Your Oil and Gas Related Waste Management Needs.



**Disposal Facility Name** 

**Controlled Recovery, Inc** 

**Permit Number** 

R-9166

Form 3160-5 (April 2004)

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OM B No 1004-0137
Expires: March 31, 2007


SUNDRY NOTICE	CEC AND DE	ODTE ON M	/ELLC	5. Lease Se	erial No. C <b>02860</b>
Do not use this form abandoned well. Use		an, Allottee or Tribe Name			
abandoned wen. Osc			proposais.		
SUBMIT IN TRIPLICA	7. If Unit	or CA/Agreement, Name and/or No.			
1. Type of Well Oil Well 🗆 🔲 Gas We	ell 🗆 Other			8. Well N	Jame and No.
2. Name of Operator BEPCO, L.P.					r Lake Unit #220
3a Address		3b. Phone No. (inc	luda araa cada)	9. API V 30-01	Vell No. <b>5-35628</b>
P.O. BOX 2760 Midland, TX 79702		432-683-2277	mue urea coae,	10. Field	and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M.,					Draw (DEL/BS/Avalon) y or Parish, State
NWSW, SEC 19 T24S R30E , LAT N32	2.200611 DEG, LONG	G W103.92633			Y COUNTY, NM
·					
12. CHECK APPROPRI	IATE BOX(ES) TO	INDICATE NAT	URE OF NOTICE	E, REPORT, C	OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTIO	N	
	cidize	Deepen		n (Start/Resume)	Water Shut-Off
	Iter Casing	Fracture Treat	Reclamati		Well Integrity  ✓ Other Pit Closure
	asing Repair nange Plans	New Construction Plug and Abando		ite ily Abandon	V JOther The Closure
Einel Alexadenness Medica	onvert to Injection	Plug Back	Water Dis	-	
following completion of the involved oper testing has been completed. Final Abando determined that the site is ready for final in Pit was closed to meet requlatory re See attached NMOCD Form C-144.	onment Notices shall be inspection.) equirements written t	filed only after all requ	nirements, including r	eclamation, have be	een completed, and the operator has
14. I hereby certify that the foregoing is to Name (Printed/Typed)	ue and correct				
Annette Childres	Administ	vative Assis	stant		
Signature motte	Suldere	Date	2-le-l	<u>β</u>	
THIS	SPACE FOR F	EDERAL OR	STATE OFF	ICE USE	
Approved by			Title		Date
Conditions of approval, if any, are attached. A	Approval of this notice d	loes not warrant or	THE		
certify that the applicant holds legal or equitable which would entitle the applicant to conduct o	ole title to those rights in perations thereon.	the subject lease	Office		
Title 18 USC. Section 1001 and Title 43 USC. States any false, fictitious or fraudulent statem	Section 1212, make it a ents or representations a	crime for any person is to any matter within	knowingly and will its jurisdiction.	fully to make to an	ny department or agency of the United


(Instructions on page 2)

BEPCO, L.P. dba Bass Enterprises Production Co. Poker Lake Unit #220 Section 19, T-24-S, R-30-E Eddy County, New Mexico

# SITE PLAN DENOTING PIT CLOSURE SAMPLING LOCATIONS

Poker Lake Unit #220





BEPCO, L.P. dba Bass Enterprises Production Co. Poker Lake Unit #220 Section 19, T-24-S, R-30-E Eddy County, New Mexico

### SAMPLE DATA SUMMARY

Poker Lake Unit #220



### **Sample Data Summary**

p. 1of 1

Project Name: Project Location:

BEPCO, LP - Poker Lake Unit #220 Eddy County, New Mexico

												10 CP 7 DE - 10	tical Re	Mark. 15-3 to 1 - (*3 to.		4.40			
Charles Tatoles	Also Prop. Ph. Santill. St	ALLESSES & THE	Terretaria de de arresta de se	Leadenson Library sages, mass	Lassacciós de contributados describiros			M	ethods	EPA 8	8015M (T	PH); EPA	8021B (	BTEX), EI	PA Metho	d:300/300	):1(CI):		
									915	, Y									
						G6-C12	C28	<b>C35</b>	3W8(	y EF								wet)	
						0-93	C12-	C28	Sus S	ons t								mg/kg	
						iges	sebi	səbi	carb	carb			je.	(a)		Se		<b>南野山</b>	
						dry Rar	ו Rar	Rar	lydro	lydro 1418	92	Ð	enzei	ie (p/m)	(0)	Xýlenes	втех	(ij) ej	sture
Sample						Carbon Range (mg/kg dry)	Carbon Range	Carbon Ranges	Total Hydrocarbons SW8015 Mod	Total Hydrocarbons by EPA Method 418:1	Benzene	luene	Ethylbenzene	/lene	/lene	Total X	otal E	hloride	% Moisture
X 2 - 10 20 LHE / HE	e Lab ID ng Round 1 ≨	Matrix	Sample Depth	Date Sampled	Date Received	70°E	ొత్త	<u></u>	ĽΣ	¥.	- ă	Tol	<u>ш</u>	×	×	- μ - μ - μ - μ - μ - μ - μ - μ - μ - μ		당	%
SEE1 001	313004-005	Soil	10'		9/23/2008 10:50am	ND	ND					ND		ND	ND		ND	23.0	
SEF2-001	313004-006	Soil	10'	9/22/2008 0:00	9/23/2008 10:50am	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.61	3.29
SEF3-001	313004-007	Soil	10'	9/22/2008 0:00	9/23/2008 10:50am	122	1680	102	1904	2790	ND	ND	0.0035	0.0082	0.0040	0.0122	0.0157	1660	6.53
NEF1-001	313002-001	Soil	6'	9/22/2008 0:00	9/23/2008 10:50am	ND	18.6	15.6	34.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.32
NEF2-001	313002-002	Soil	6'	9/22/2008 0:00	9/23/2008 10:50am	ND	16.1	ND	16.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.66
NEF3-001	313002-003	Soil	6'	9/22/2008 0:00	9/23/2008 10:50am	ND	82 2	ND	82.2	127	ND	ND	ND	ND	ND	ND	ND	ND	5.53
WEW-001	313004-004	Soil	4'	9/22/2008 0:00	9/23/2008 10:50am	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.38
NEW-001	313004-001	Soil	4'	9/22/2008 0:00	9/23/2008 10:50am	ND	15.8	ND	15.8	28.7	ND	ND	ND	ND	ND	ND	ND	ND	0.358
EEW-001	313004-003	Soil	4'	9/22/2008 0:00	9/23/2008 <sup>°</sup> 10:50am	ND	20 3	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	184	62
SEW-001	313004-002	Soil	6'	9/22/2008 0:00	9/23/2008 10:50am	ND	15.8	ND	15.8	ND	ND	ND	ND	ND	ND	ND	ND	34.2	0.522
Back-001	313002-004	Soil	0'	9/22/2008 0:00	9/23/2008 10:50am	ND	15.4	ND	15 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.12



### **Sample Data Summary**

p. 1of 1

Project Name: Project Location:

BEPCO, LP - Poker Lake Unit #220

**Eddy County, New Mexico** 

						1		•		-		alytical						
								Met	hods:	EPA 8015	M (TPH),	EPA 8021	B (BTEX)	EPA Met	hod 300/3	00.1 (CI)		
	e.		,		,	2	.28	35		,		i ,					et)	
	:			4		es C6-C1	es C12-C	es C28-C	rbons ·	*	*					*	mg/kg w	-
	*	, ,				Carbon Ranges C6-C12 (mg/kg dry)	Carbon Ranges C12-C28	Carbon Ranges C28-C35	Total Hydrocarbons	Benzene	ane.	Ethylbenzene	Xylene (p/m)	Xylene (o)	Total Xylenes	Total BTEX	Chloride (Cl) (mg/kg wet)	% Moisture
Sample ID	Lab ID	Matrix	Sample Depth	Date Sampled	Date Received	Carb mg/	Carb	Carb	Fotal	3enz	Toluene	Ethy.	, ylei	Kylei	Fota	Fota	아	Σ %
Samplii	ng Round 2					J			'		'				, , , , , , , , , , , , , , , , , , ,	· · · · · · · · · · · · · · · · · · ·		
SEF3-002	313981-001	soil	9'-12'	10/3/08 9 00am	10/6/2008 0.00			_									ND	
							am.											
			Green															
								_								,		

BEPCO, L.P.
dba Bass Enterprises Production Co.
Poker Lake Unit #220
Section 19, T-24-S, R-30-E
Eddy County, New Mexico

## ANALYTICAL RESULTS XENCO LABORATORIES

Poker Lake Unit #220

### **Analytical Reports 313002 &313004**

for

### Sport Environmental Services, PLLC

Project Manager: Debi Smith

BEPCO, L.P.

Poker Lake Unit # 220

25-SEP-08





12600 West I-20 East Odessa, Texas 79765

Texas certification numbers:
Houston, TX T104704215 - Odessa/Midland, TX T104704215-08-TX

Florida certification numbers:
Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675
Norcross(Atlanta), GA E87429

South Carolina certification numbers: Norcross(Atlanta), GA 98015

North Carolina certification numbers: Norcross(Atlanta), GA 483

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America Midland - Corpus Christi - Atlanta





25-SEP-08

Project Manager: Debi Smith

Sport Environmental Services, PLLC

502 North Big Spring Street

Midland, TX 79701

Reference: XENCO Report No: 313002 & 313004

**BEPCO, L.P.**Project Address:

#### **Debi Smith:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 313002. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 313002 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Brent Barron, II

Odessa Laboratory Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America



### **Sample Cross Reference 313002**



### Sport Environmental Services, PLLC, Midland, TX BEPCO, L.P.

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
NEF1-001	S	Sep-22-08 00.00	6 ft	313002-001
NEF2-001	S	Sep-22-08 00·00	6 ft	313002-002
NEF3-001	S	Sep-22-08 00:00	6 ft	313002-003
Back-001	S	Sep-22-08 00:00	0 ft	313002-004



### **Sample Cross Reference 313004**



### Sport Environmental Services, PLLC, Midland, TX BEPCO, L.P.

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
NEW-001	S	Sep-22-08 00:00	4 ft	313004-001
SEW-001	S	Sep-22-08 00 00	6 ft	313004-002
EEW-001	S	Sep-22-08 00:00	4 ft	313004-003
WEW-001	S	Sep-22-08 00:00	4 ft	313004-004
SEF1-001	S	Sep-22-08 00:00	10 ft	313004-005
SEF2-001	S	Sep-22-08 00:00	10 ft	313004-006
SEF3-001	S	Sep-22-08 00:00	10 ft	313004-007

roject Id: Poker Lake oim # 220

Contact: Debi Smith

**Project Location:** 

Date Received in Lab: Tue Sep-23-08 10 50 am

Report Date: 25-SEP-08

Project Manager: Brent Barron, II

f	,				r roject wranager.	Dicite Burron, 11
	Lab Id:	313002-001	313002-002	313002-003	313002-004	
Analysis Requested	Field Id:	NEF1-001	NEF2-001	NEF3-001	Back-001	
Anaiysis Kequesiea	Depth:	6 ft	6 ft	6 ft	0 ft	
	Matrix:	SOIL	SOIL	SOIL	SOIL	
	Sampled:	Sep-22-08 00 00	Sep-22-08 00 00	Sep-22-08 00 00	Sep-22-08 00 00	
Anions by EPA 300/300.1	Extracted:					
runous by El 11 500/500.1	Analyzed:	Sep-23-08 16 22	Sep-23-08 16 22	Sep-23-08 16 22	Sep-23-08 16 22	
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Chloride		ND 5 00	ND 5 00	ND 5 00	ND 500	
BTEX by EPA 8021B	Extracted:	Sep-23-08 16 20	Sep-23-08 16 20	Sep-23-08 16 20	Sep-23-08 16 20	
D112X by 111 X 0021B	Analyzed:	Sep-23-08 22 07	Sep-23-08 22 30	Sep-23-08 22 52	Sep-23-08 23 15	
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Benzene		ND 0 0010	ND 0 0010	ND 0 0011	ND 0 0010	
Toluene		ND 0 0021	ND 0 0021	ND 0 0021	ND 0 0020	
Ethylbenzene		ND 0 0010	ND 0 0010	ND 0 0011	ND 0 0010	
m,p-Xylenes		ND 0 0021	ND 0 0021	ND 0 0021	ND 0 0020	
o-Xylene		ND 0 0010	ND 0 0010	ND 0 0011	ND 0 0010	
Total Xylenes		ND	ND	ND	ND	
Total BTEX		ND	ND	ND ND	ND	
Percent Moisture	Extracted:					
2 0 0 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Analyzed:	Sep-23-08 17 00	Sep-23-08 17 00	Sep-23-08 17 00	Sep-23-08 17 00	
	Units/RL:	% RL	% RL	% RL	% RL	
Percent Moisture		3 32	3 66	5 53	1 12	
TPH By SW8015 Mod	Extracted:	Sep-23-08 15 30	Sep-23-08 15 30	Sep-23-08 15 30	Sep-23-08 15 30	
ř	Analyzed:	Sep-24-08 04 19	Sep-24-08 04 46	Sep-24-08 05 13	Sep-24-08 05 41	
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
C6-C12 Gasoline Range Hydrocarbons		ND 15.5	ND 156	ND 159	ND 152	
C12-C28 Diesel Range Hydrocarbons		18 6 15 5	161 156	82 2 15 9	15 4 15 2	
C28-C35 Oil Range Hydrocarbons		15 6 15 5	ND 156	ND 159	ND 152	
Total TPH		34 2	161	82 2	15 4	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

Brent Barron Odessa Laboratory Director roject Id: Toker Lake om # 220

Contact: Debi Smith

Project Location:

ect ect co

Date Received in Lab: Tue Sep-23-08 10 50 am

Report Date: 25-SEP-08

Project Manager: Brent Barron, II

	Lab Id:	313002-001	313002-002	313002-003	313002-004	
	Field Id:	NEF1-001	NEF2-001	NEF3-001	Back-001	
Analysis Requested	Depth:	6 ft	6 ft	6 ft	0 ft	
	Matrix:	SOIL	SOIL	SOIL	SOIL	
<b>\</b>	Sampled:	Sep-22-08 00 00	Sep-22-08 00 00	Sep-22-08 00 00	Sep-22-08 00 00	
	Extracted:			34p == 00 00 00		
TPH by EPA 418.1	Analyzed:	Sep-24-08 14 08	Sep-24-08 14 08	Sep-24-08 14 08	Sep-24-08 14 08	
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
TPH, Total Petroleum Hydrocarbons		ND 103	ND 104	127 10 6	ND 101	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

Brent Barron

Odessa Laboratory Director

roject Id: Poker Lake onn # 220

Contact: Debi Smith

Project Location:

Date Received in Lab: Tue Sep-23-08 10 50 am

Report Date: 25-SEP-08

Project Manager: Brent Barron, II

								1 Toject Ma	mager.	Bicht Ballon,			
	Lab Id:	313004-0	001	313004-0	002	313004-0	103	313004-0	004	313004-0	005	313004-	006
Analysis Paguastad	Field Id:	NEW-0	01	SEW-06	)1	EEW-00	)1	WEW-0	01	SEF1-00	)1	SEF2-0	001
Analysis Requested	Depth:	4 ft		6 ft		4 ft		4 ft		10 ft		10 ft	
	Matrix:	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	_
	Sampled:	Sep-22-08	00 00	Sep-22-08	00 00	Sep-22-08 (	00 00	Sep-22-08	00 00	Sep-22-08	00 00	Sep-22-08	00 00
Anions by EPA 300/300.1	Extracted:												
	Analyzed:	Sep-23-08	16 22	Sep-23-08	16 22	Sep-23-08	16 22	Sep-23-08	16 22	Sep-23-08	16 22	Sep-23-08	16 22
	Units/RL:	mg/kg	RL :	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		ND	5 00	34 2	5 00	184	5 00	ND	5 00	23 0	5 00	7 61	5 00
BTEX by EPA 8021B	Extracted:	Sep-23-08	16 20	Sep-23-08	16 20	Sep-23-08	16 20	Sep-23-08	16 20	Sep-23-08	16 20	Sep-23-08	16 20
D12/1 by 21/1 00212	Analyzed:	Sep-23-08	23 38	Sep-24-08	00 00	Sep-24-08 (	00 23	Sep-24-08	00 46	Sep-24-08	01 09	Sep-23-08 16     RL   mg/kg     6 00   7 61     00   Sep-23-08 16     09   Sep-24-08 01     RL   mg/kg     011   ND     021   ND     011   ND     011   ND     ND     ND     ND     ND     ND     ND     Sep-23-08 17     RL   %     3 29     00   Sep-23-08 15     22   Sep-24-08 08     RL   mg/kg     6 1   ND     6 1   ND     ND	01 32
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Benzene		ND	0 0010	ND	0 0010	ND	0 0011	ND	0 0010	ND	0 0011	ND	0 0010
Toluene		ND	0 0020	ND	0 0020	ND	0 0021	ND	0 0021	ND	0 0021	ND	0 0021
Ethylbenzene		ND	0 0010	ND	0 0010	ND	0 0011	ND	0 0010	ND	0 0011	ND	0 0010
m,p-Xylenes		ND	0 0020	ND	0 0020	ND	0 0021	ND	0 0021	ND	0 0021	ND	0 0021
o-Xylene		ND	0 0010	ND	0 0010	ND	0 0011	ND	0 0010	ND	0 0011	ND	0 0010
Total Xylenes		ND		ND		ND		ND		ND		ND	
Total BTEX		ND		ND		ND		ND		ND		ND	
Percent Moisture	Extracted:												
	Analyzed:	Sep-23-08	17 00	Sep-23-08	17 00	Sep-23-08	17 00	Sep-23-08	17 00	Sep-23-08	17 00	Sep-23-08	17 00
	Units/RL:	%	RL	%	RL	%	RL	%	RL	%	RL	%	RL
Percent Moisture		0 358		0 522		6 2		4 38		6 7		3 29	
TPH By SW8015 Mod	Extracted:	Sep-23-08	15 30	Sep-23-08	15 30	Sep-23-08	15 30	Sep-23-08	15 30	Sep-23-08	15 30	Sep-23-08	15 30
	Analyzed:	Sep-24-08	06 09	Sep-24-08	06 36	Sep-24-08 (	07 29	Sep-24-08	07 55	Sep-24-08	08 22	Sep-24-08	08 49
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
C6-C12 Gasoline Range Hydrocarbons		ND	15 1	ND	15 1	ND	160	ND	15 7	ND	16 1	ND	15 5
C12-C28 Diesel Range Hydrocarbons		15 8	15 1	15 8	15 1	20 3	160	ND	15 7	ND	16 1	ND	15 5
C28-C35 Oil Range Hydrocarbons		ND	15 1	ND	15 1	ND	160	ND	15 7	ND	16 1	ND	15 5
Total TPH		15 8		15 8		20 3		ND		ND		ND	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

Brent Barron Odessa Laboratory Director

Contact: Debi Smith

**Project Location:** 

Date Received in Lab: Tue Sep-23-08 10 50 am

Report Date: 25-SEP-08

Project Manager: Brent Barron, II

								1 10 1000					
	Lab Id:	313004-0	01	313004-0	02	313004-0	03	313004-0	04	313004-0	05	313004-0	06
Analysis Requested	Field Id:	NEW-001		SEW-00	1	EEW-00	)1	WEW-0	01	SEF1-00	)1	SEF2-00	)1
Anuiysis Kequesieu	Depth:	4 ft		6 ft		4 ft		4 ft		10 ft		10 ft	
	Matrix:	SOIL		SOIL		SOIL SOIL			SOIL		SOIL		
	Sampled:	Sep-22-08 0	0 00	Sep-22-08 (	00 00	Sep-22-08 0	00 00	Sep-22-08 (	00 00	Sep-22-08 (	00 00	Sep-22-08 0	00 00
TPH by EPA 418.1	Extracted:												
	Analyzed:	Sep-24-08 1	4 08	Sep-24-08	4 08	Sep-24-08 1	4 08	Sep-24-08	14 08	Sep-24-08 1	14 08	Sep-24-08 1	14 08
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
TPH. Total Petroleum Hydrocarbons		28 7	100	ND	101	ND	10 7	ND	10 5	ND	10 7	ND	10 3

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratones. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

Brent Barron

Odessa Laboratory Director

Contact: Debi Smith

**Project Location:** 

Date Received in Lab: Tue Sep-23-08 10 50 am

Report Date: 25-SEP-08

Project Manager: Brent Barron, II

	Lab Id:	313004-007			
Analysis Paguastad	Field Id:	SEF3-001			
Analysis Requested	Depth:	10 ft			
	Matrix:	SOIL			
	Sampled:	Sep-22-08 00 00			
Anions by EPA 300/300.1	Extracted:				
	Analyzed:	Sep-23-08 16 22			
	Units/RL:	mg/kg RL			
Chloride		1660 500			
BTEX by EPA 8021B	Extracted:	Sep-23-08 16 20			
DIEN by EIN 00215	Analyzed:	Sep-24-08 02 17	-		
	Units/RL:	mg/kg RL			
Benzene		ND 0 0011			
Toluene		ND 0 0021	 <u> </u>		
Ethylbenzene		0 0035 0 0011			
m,p-Xylenes		0 0082 0 0021			
o-Xylene		0 0040 0 0011			
Total Xylenes		0 0122			
Total BTEX		0 0157			
Percent Moisture	Extracted:				
	Analyzed:	Sep-23-08 17 00			
	Units/RL:	% RL			
Percent Moisture		6 53			
TPH By SW8015 Mod	Extracted:	Sep-23-08 15 30			
TITE By SWOOTS WILL	Analyzed:	Sep-24-08 09 17			
	Units/RL:	mg/kg RL			
C6-C12 Gasoline Range Hydrocarbons		122 160			
C12-C28 Diesel Range Hydrocarbons		1680 160			
C28-C35 Oil Range Hydrocarbons		102 16 0			
Total TPH		1904			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

Brent Barron

Odessa Laboratory Director

Contact: Debi Smith

Date Received in Lab: Tue Sep-23-08 10 50 am

Report Date: 25-SEP-08

**Project Location:** 

Project Manager: Brent Barron, II

	Lab Id:	313004-007	
Analysis Requested	Field Id:	SEF3-001	
mulysis Requesieu	Depth:	10 ft	
	Matrix:	SOIL	
	Sampled:	Sep-22-08 00 00	
TPH by EPA 418.1	Extracted:		
1111 5, 2111 11011	Analyzed:	Sep-24-08 14 08	
`	Units/RL:	mg/kg RL_	L L
TPH, Total Petroleum Hydrocarbons		2790 10 7	7

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use This arraytear root, and me fame data packed in Personality and make to you exclusive and exclusive and exclusive and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

Brent Barron Odessa Laboratory Director

### XENCO Laboratories

#### **Flagging Criteria**

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the MQL(PQL) and above the SQL(MDL).
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K Sample analyzed outside of recommended hold time.
- \* Outside XENCO'S scope of NELAC Accreditation

#### Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies
A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America

	Phone	Fax
11381 Meadowglen Lane Suite L Houston, Tx 77082-2647	(281) 589-0692	(281) 589-0695
9701 Harry Hines Blvd , Dallas, TX 75220	(214) 902 0300	(214) 351-9139
5332 Blackberry Drive, Suite 104, San Antonio, TX 78238	(210) 509-3334	(210) 509-3335
2505 N Falkenburg Rd, Tampa, FL 33619	(813) 620-2000	(813) 620-2033
5757 NW 158th St, Miami Lakes, FL 33014	(305) 823-8500	(305) 823-8555
6017 Financial Dr., Norcross, GA 30071	(770) 449-8800	(770) 449-5477



### Form 2 - Surrogate Recoveries

Project Name: BEPCO, L.P.

Work Orders: 313002,

Project ID: Poker Lake Unit # 220

Lab Batch #: 735027

Sample: 313002-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg	SURROGATE RECOVERY STUDY							
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags			
Analytes	11-1		[D]	7011				
1,4-Dıfluorobenzene	0 0354	0 0300	118	80-120				
4-Bromofluorobenzene	0 0264	0 0300	88	80-120				

Lab Batch #: 735027

**Sample:** 313002-001 S / MS

Batch: 1

Matrix: Soil

Units: mg/kg	SURROGATE RECOVERY STUDY							
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags			
Analytes			[D]					
1,4-Dıfluorobenzene	0 0290	0 0300	97	80-120				
4-Bromofluorobenzene	0 0266	0 0300	89	80-120				

Lab Batch #: 735027

35027

Sample: 313002-001 SD / MSD

Batch: 1

Matrix: Soil

Units: mg/kg	SURROGATE RECOVERY STUDY						
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags		
Analytes			{D}				
1,4-Dıfluorobenzene	0 0290	0 0300	97	80-120			
4-Bromofluorobenzene	0 0268	0 0300	89	80-120			

Lab Batch #: 735027

**Sample:** 313002-002 / SMP

Batch: 1

Matrix: Soil

Units: mg/kg	SURROGATE RECOVERY STUDY							
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags			
Analytes			[D]					
1,4-Dıfluorobenzene	0 0358	0 0300	119	80-120				
4-Bromofluorobenzene	0 0260	0 0300	87	80-120				

Lab Batch #: 735027

Sample: 313002-003 / SMP

Batch: 1

Matrix: Soil

Units: mg/kg	SU	SURROGATE RECOVERY STUDY							
BTEX by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags				
1,4-Dıfluorobenzene	0 0366	0 0300	122	80-120	**				
4-Bromofluorobenzene	0 0294	0 0300	98	80-120					

<sup>\*\*</sup> Surrogates outside limits, data and surrogates confirmed by reanalysis

Surrogate Recovery [D] = 100 \* A / B

All results are based on MDL and validated for QC purposes

<sup>\*\*\*</sup> Poor recoveries due to dilution



### Form 2 - Surrogate Recoveries

Project Name: BEPCO, L.P.

Work Orders: 313002,

Project ID: Poker Lake Unit # 220

Lab Batch #: 735027

Sample: 313002-004 / SMP

Matrix: Soil Batch:

Units: mg/kg	SURROGATE RECOVERY STUDY								
BTEX by EPA 8021B	Amount Found [A]	True Amount  B	Recovery %R	Control Limits %R	Flags				
Analytes			[D]						
1,4-Dıfluorobenzene	0 0363	0 0300	121	80-120	**				
4-Bromofluorobenzene	0 0255	0 0300	85	80-120					

Lab Batch #: 735027

**Sample:** 516184-1-BKS / BKS

Batch:

Matrix: Solid

Units: mg/kg	SURROGATE RECOVERY STUDY								
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags				
Analytes			[D]						
1,4-Dıfluorobenzene	0 0295	0 0300	98	80-120					
4-Bromofluorobenzene	0 0252	0 0300	84	80-120					

Lab Batch #: 735027

Sample: 516184-1-BLK / BLK

Batch:

Matrix: Solid

Units: mg/kg	SURROGATE RECOVERY STUDY								
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags				
Analytes			[D]						
1,4-Dıfluorobenzene	0 0366	0 0300	122	80-120	**				
4-Bromofluorobenzene	0 0257	0 0300	86	80-120					

Lab Batch #: 735027

**Sample:** 516184-1-BSD / BSD

Batch: 1

Matrix: Solid

Units: mg/kg	SURROGATE RECOVERY STUDY								
BTEX by EPA 8021B	Amount Found [A]	True Amount  B	Recovery %R	Control Limits %R	Flags				
Analytes			[D]						
1,4-Dıfluorobenzene	0 0290	0 0300	97	80-120					
4-Bromofluorobenzene	0 0262	0 0300	87	80-120					

Lab Batch #: 734997

Sample: 313002-001 / SMP

Batch: 1

Matrix: Soil

Units: mg/kg	SU	SURROGATE RECOVERY STUDY							
TPH By SW8015 Mod	Amount Found [A]	True Amount  B	Recovery %R	Control Limits %R	Flags				
Analytes			[D]						
1-Chlorooctane	95 7	100	96	70-135					
o-Terphenyl	48 5	50 0	97	70-135					

<sup>\*\*</sup> Surrogates outside limits, data and surrogates confirmed by reanalysis

Surrogate Recovery [D] = 100 \* A / B

All results are based on MDL and validated for QC purposes

<sup>\*\*\*</sup> Poor recoveries due to dilution



### Form 2 - Surrogate Recoveries

Project Name: BEPCO, L.P.

Work Orders: 313002,

Project ID: Poker Lake Unit # 220

Lab Batch #: 734997

Sample: 516165-1-BKS/BKS

Batch: 1 Matrix: Solid

Units: mg/kg	SURROGATE RECOVERY STUDY								
TPH By SW8015 Mod	Amount Found [A]	True Amount  B	Recovery %R	Control Limits %R	Flags				
Analytes			[D]						
1-Chlorooctane	106	100	106	70-135					
o-Terphenyl	483	50 0	97	70-135					

Lab Batch #: 734997

**Sample:** 516165-1-BLK / BLK

Batch: 1

Matrix: Solid

Units: mg/kg	SURROGATE RECOVERY STUDY							
TPH By SW8015 Mod	Amount Found  A	True Amount  B	Recovery %R	Control Limits %R	Flags			
Analytes			[D]					
1-Chlorooctane	97 9	100	98	70-135				
o-Terphenyl	50 0	50 0	100	70-135				

Lab Batch #: 734997

**Sample:** 516165-1-BSD / BSD

Batch: 1

Matrix: Solid

Units: mg/kg	SURROGATE RECOVERY STUDY								
TPH By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags				
1-Chlorooctane	106	100	106	70-135					
o-Terphenyl	49 1	50 0	98	70-135					

Surrogate Recovery [D] = 100 \* A / B

All results are based on MDL and validated for QC purposes

<sup>\*\*</sup> Surrogates outside limits, data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



### **Blank Spike Recovery**



Project Name: BEPCO, L.P.

Work Order #: 313002

Project ID:

Poker Lake Unit # 220

Lab Batch #: 734999

Sample: 734999-1-BKS

Matrix: Solid

Date Analyzed: 09/23/2008

**Date Prepared:** 09/23/2008

Analyst: LATCOR

Reporting Units: mg/kg	Batch #: 1	Batch #: 1 BLANK/BLANK SPIKE RECOVERY STUI				
Anions by EPA 300/300.1	Blank Result [A]	Spike Added [B]	Blank Spike Result	Blank Spike %R	Control Limits %R	Flags
Analytes	10-21	1-,	[C]	[D]		
Chloride	ND	100	9 14	91	75-125	

Blank Spike Recovery [D] = 100\*[C]/[B]
All results are based on MDL and validated for QC purposes



#### **BS/BSD Recoveries**



Project Name: BEPCO, L.P.

Work Order #: 313002

Analyst: ASA

**Date Prepared:** 09/23/2008

Project ID: Poker Lake Unit # 220

**Date Analyzed:** 09/23/2008

Matrix: Solid

Lab Batch ID: 735027

Sample: 516184-1-BKS

Batch #: 1

Units: mg/kg

#### BLANK/BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B	Blank Sample Result	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate	Blk. Spk Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes	[A]	[B]	[C]	76 K [D]	[E]	Result [F]		70	701	76KPD	
Benzene	ND	0 1000	0 1009	101	0.1	0 1026	103	2	70-130	35	
Toluene	ND	0 1000	0 0964	96	01	0 0978	98	1	70-130	35	
Ethylbenzene	ND	0 1000	0 0951	95	0.1	0 0985	99	4	71-129	35	
m,p-Xylenes	ND	0 2000	0 2005	100	0 2	0 2043	102	2	70-135	35	
o-Xylene	ND	0 1000	0 0929	93	0.1	0 0944	94	2	71-133	35	

Analyst: LATCOR

**Date Prepared:** 09/24/2008

**Date Analyzed:** 09/24/2008

Lab Batch ID: 735085

Sample: 735085-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg	BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY										
TPH by EPA 418.1	Blank Sample Result [A]	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate	Blk. Spk Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes		[B] ·	[C]	[D]	[E]	Result [F]	[G]				
TPH, Total Petroleum Hydrocarbons	ND	2500	2520	101	2500	2510	100	0	65-135	35	

Relative Percent Difference RPD = 200\*|(C-F)/(C+F)|Blank Spike Recovery [D] = 100\*(C)/[B]
Blank Spike Duplicate Recovery [G] = 100\*(F)/[E]
All results are based on MDL and Validated for QC Purposes



### **BS/BSD Recoveries**



Project Name: BEPCO, L.P.

Work Order #: 313002

Analyst: IRO

**Date Prepared:** 09/23/2008

Project ID: Poker Lake Unit # 220

**Date Analyzed:** 09/24/2008

Lab Batch ID: 734997

Sample: 516165-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg	BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY										
TPH By SW8015 Mod	Blank Sample Result [A]	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate	Blk. Spk Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes		[B]	[C]	[D]	[E]	Result [F]	[G]				
C6-C12 Gasoline Range Hydrocarbons	ND	1000	876	88	1000	868	87	1	70-135	35	
C12-C28 Diesel Range Hydrocarbons	ND	1000	959	96	1000	949	95	1	70-135	35	

Relative Percent Difference RPD = 200\*|(C-F)/(C+F)|Blank Spike Recovery [D] = 100\*(C)/[B]Blank Spike Duplicate Recovery [G] = 100\*(F)/[E]All results are based on MDL and Validated for QC Purposes



# Form 3 - MS Recoveries

Project Name: BEPCO, L.P.



Vork Order #: 313002 Lab Batch #: 734999

09/23/2008 Date Prepared:

Project ID: Poker Lake Unit # 220

**Date Analyzed:** 09/23/2008 QC- Sample ID: 312993-001 S

Analyst: LATCOR

Batch #:

Soil Matrix:

Reportin	g Units: mg/kg	MATRIX / MATRIX SPIKE RECOVERY STUDY									
	Inorganic Anions by EPA 300	Parent Sample Result	Spike Added	Spiked Sample Result [C]	%R  D	Control Limits %R	Flag				
	Analytes	[A]	[B]								
Chloride		4270	1000	5160	89	75-125					

trix Spike Percent Recovery [D] = 100\*(C-A)/B ative Percent Difference [E] = 200\*(C-A)/(C+B) All Results are based on MDL and Validated for QC Purposes



## Form 5 MS7 MSD Recoveries

Project Name: BEPCO, L.P.

Work Order #: 313002

Project ID: Poker Lake Unit # 220

Lab Batch ID: 735027

**QC-Sample ID:** 313002-001 S

Batch #:

Matrix: Soil

**Date Analyzed:** 09/24/2008

**Date Prepared:** 09/23/2008

Analyst: ASA

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

mg ng	i i	I.A.	IATKIA SEIK	L/WIAL	KIA SFI	KE DUFLICA	IE KEC	OVERT	31001		
BTEX by EPA 8021B  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	ND	0 1034	0 0917	89	0 1034	0 0931	90	1	70-130	35	
Toluene	ND	0 1034	0 0871	84	0 1034	0 0880	85	1	70-130	35	
Ethylbenzene	ND	0 1034	0 0867	84	0 1034	0 0874	85	1	71-129	35	
m,p-Xylenes	ND	0 2069	0 1789	86	0 2069	0 1800	87	1	70-135	35	
o-Xylene	ND	0 1034	0 0831	80	0 1034	0 0843	82	2	71-133	35	

Lab Batch ID: 735085

**QC-Sample ID:** 312649-001 S

Batch #:

Matrix: Soil

**Date Analyzed: 09/24/2008** 

Date Prepared: 09/24/2008

Analyst: LATCOR

Reporting Units: mg/kg		M	IATRIX SPIK	E / MAT	RIX SPI	KE DUPLICA	TE REC	OVERY S	STUDY		
TPH by EPA 418.1	Parent Sample	Spike	Spiked Sample Result	Sample		Duplicate Spiked Sample	Spiked Dup.	RPD	Control Limits	Control Limits	Flag
Analytes	Result [A]	Added [B]	[C]	%R [D]	Added [E]	Result [F]	%R [G]	%	%R	%RPD	
TPH, Total Petroleum Hydrocarbons	3300	2760	6620	120	2760	6740	125	4	65-135	35	

Lab Batch ID: 734997

QC- Sample ID: 313002-001 S

Matrix: Soil

Date Analyzed: 09/24/2008

Date Prepared: 09/23/2008

Batch #: Analyst: IRO

Reporting Units: mg/kg		N	IATRIX SPIK	E / MAT	RIX SPI	KE DUPLICA	TE REC	OVERY S	STUDY	<u>-</u>	
TPH By SW8015 Mod	Parent Sample	Spike	Spiked Sample Result	Sample		Duplicate Spiked Sample	Spiked Dup.	RPD	Control Limits	Control Limits	Flag
Analytes	Result  A	Added [B]	[C]	%R [D]	Added [E]	Result [F]	%R  G	%	%R	%RPD	
C6-C12 Gasoline Range Hydrocarbons	ND	1030	902	88	1030	878	85	3	70-135	35	
C12-C28 Diesel Range Hydrocarbons	18 6	1030	993	95	1030	970	92	3	70-135	35	



# **Sample Duplicate Recovery**

Project Name: BEPCO, L.P.



Work Order #: 313002

Lab Batch #: 734999

**QC-Sample ID:** 312993-001 D

**Date Analyzed:** 09/23/2008

**Date Prepared:** 09/23/2008

Project ID: Poker Lake Unit # 220

Analyst: LATCOR

Batch #:

Matrix: Soil

Reporting Units: mg/kg	SAMPLE /	SAMPLE	DUPLIC	ATE REC	OVERY
Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result	RPD	Control Limits %RPD	Flag
Analyte		[B]			
Chloride	4270	4270	0	20	

A Xenco Laboratories Company

#### CHAIN OF CUSTODY RECU

12600 West I-20 East Odessa, Texas 79765

Project I	Manager	Debi Sport S	3mith																	Pr	roject
Compar	ny Name	Sport Enviro	nmenta S	ervice	es			·····				_									Pr
Compan	ny Address	502 N Big S	pring Strei	et															-		Proje
City/Stat	te/Zıp	Midland Tex	xas 79701																-		
Telepho	ne <b>No</b>	432-683-110	00					Fax No		88	3-50	0-06	22						. F	lepo	rt Foi
Sampler	r Signature <sup>.</sup>							e-mail		<u>de</u>	bı@	)spc	rte	nvir	onr	ner	ital	con	ų		
(lab use only)								-		•										_	F
ORDER #:	31300	1									Г	Prese	rvat	on &	# af	Cant	arrer	s	М	atrix	
ON ME ON ME ON ME ON BAC	FIEL F1-00 F3-00 K3-00	) <u> </u> 			Beginning Depth	Ending Depth	9-22-d	Time Sampled	Field Filtered	- Total # of Containers	<u>\$</u>	HNO,	HCI	H <sub>2</sub> SO <sub>2</sub>	NaOH	Na-S;O,	None	Other (Specify)	Dw-Drrking Agter	NP=Nor Possible Specific Office	
Special Instruction Relinquished by		hlopera L	9-2			me	Received by											Da			Time
Relinquished by			Date Date			me	Received by ELL		 'N	_ v							9.	Da Da		בים إرق	Time

# 1	remperature or container/ cooler/	1(69)	INU	1-7 0
<b>‡</b> 2	Shipping container in good condition?	(es	No	
<b>#</b> 3	Custody Seals intact on shipping container/ cooler?	Yes	No	Mot Present
#4	Custody Seals intact on sample bottles/ container?	Yes	No	Not Present
<b>#</b> 5	Chain of Custody present?	Kes	No	
<b>#</b> 6	Sample instructions complete of Chain of Custody?	Yes	No	
#7	Chain of Custody signed when relinquished/ received?	Ves	No	
#8	Chain of Custody agrees with sample label(s)?	Yes	No	TO written on Cont7 Lid
#9	Container label(s) legible and intact?	Yes	No	Net Applicable
#10	Sample matrix/ properties agree with Chain of Custody?	Yes	No	
#11	Containers supplied by ELOT?	(es	No	
#12	Samples in proper container/ bottle?	Yes	No	See Below
#13	Samples properly preserved?	Yes	No	See Below
#14	Sample bottles intact?	Yes	No	
#15	Preservations documented on Chain of Custody?	Yes	No	
#16	Containers documented on Chain of Custody?	Yes	No	
#17	Sufficient sample amount for indicated test(s)?	Yes	No	See Below
#18	All samples received within sufficient hold time?	Yes	No	See Below
#19	Subcontract of sample(s)?	Yes	No	Not Applicable
#20	VOC samples have zero headspace?	∕¥es)	No	Not Applicable

### **Variance Documentation**

Contact		Contacted by	Date/ Time.
Regarding			
Corrective Action Taker	1		
			·
Check all that Apply		See attached e-mail/ fax Client understands and would like to pr Cooling process had begun shortly afte	•

A Xenco Laboratories Company

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST 6000 West I-20 East

12600 West I-20 East Odessa, Texas 79765

432-563-1713

Fax

TAT brabnet2 NPDES RUSH TAT (Pre-Schedule) 24, 48, 72 hrs TRRP MBON 뒴 ВСІ Labels on container(s)  $\partial n \,\, 4 ($ Custody seals on container(s) Custody seals on cooler(s) Temperature Úpon Receipt × × Sample Containers Intact? VOCs Free of Headspace? BTEX 8021B/5030 or BTLX 8260 × Laboratory Comments Sample Hand Delivered seppejo/ Standard Metals As Ag Ba Cd Cr Pb Hg Se 77. 77774S378∀S Aniona (C) SO4 Alkalinity) × × Project # Project Name # 0 (N eM gM eQ) enous Project Loc Report Format: 10:50 900 t XT 2001 XT Ηd Time шe Ē H5108 (NS 108) 1814 Hd. X × メ Sperify Othe 80.52 Date Date debi@sportenvironmental com Other (Specify) 9 'O S'eN HOPN 'os'H DH 888-500-0622 'ONH メヌ × Total # of Containers ield Filtered Fax No e-mail. Time Sampled Sate Sampled Received by Received by Eugiuð Debth S 2 ے > Time Beginning Depth Sport Environmenta Services 502 N Big Spring Street Date Midland Texas 79701 Debi Sport Smith 432-683-1100 FIELD CODE 31200A 001 100-27 Company Address Sampler Signature 1EW-001 Ew-001 500-00 SEK.3-00 Project Manager Company Name Telephone No. City/State/Zip Special Instructions: Reincuished by (lab use only) ORDER #: 8 Ş ς • (Nuo seu del) # 8AJ 5

Variance/ Corrective Action Report- Sample Log-In

then $5p$	ort Env.				
Date/ Time	9 23 03 10.50				
ab ID#	313004				
In <sub>i</sub> t <sub>i</sub> ais	aı				
	Sample Receipt	Chacklist			
	Sample Receipt	- Cileckiist		Client	Initials
#1 Temperature of conta	iner/ cooler?	Yes	No	4.5 °C	
#2 Shipping container in		(es	No		
	on shipping container/ cooler?	Yes	No	Mut Present	
	on sample bottles/ container?	Yes	No	Not Present	
#5 Chain of Custody pre		<b>∀e</b> s	No		
	omplete of Chain of Custody?	Yes	No		
	ned when relinquished/ received?	Ves	No		
	ees with sample label(s)?	Yes	No	D written on Gont? Lid	
#9 Container label(s) leg		Yes	No	Net Applicable	
#10 Sample matrix/ prop	erties agree with Chain of Custody?	Yes	No	1984 / Applications	
#11 Containers supplied		(es	No	<del> </del>	<del></del>
		Ves	No	See Below	
		Ves	No	<del> </del>	
#13 Samples properly pr		Ves	<del></del>	See Below	<del></del>
#14 Sample bottles intac	()		No		
	nented on Chain of Custody?	(e)s	No		
	nted on Chain of Custody?	yes .	No		
	nount for indicated test(s)?	Yes	No	See Below	
#18 All samples received	within sufficient hold time?	(es	No	See Below	
#19 Subcontract of same	ole(s)?	Yes	No	Not Applicable >	
#20 VOC samples have	zero headspace?		No	Not Applicable	
, I	Variance Docu	ımentation			
Contact	Contacted by	<del></del>	_	Date/ Time.	
Regarding		·	<del></del>		
O					
Corrective Action Taken:					
l		<del> </del>			
Check all that Apply	See attached e-mail/ fax Client understands and wo Cooling process had begun	-		-	

# **Analytical Report 313981**

for

# **Sport Environmental Services, PLLC**

Project Manager: Debi Smith

BEPCO, L.P.

Poker Lake Unit # 220

06-OCT-08





12600 West I-20 East Odessa, Texas 79765

Texas certification numbers: Houston, TX T104704215 - Odessa/Midland, TX T104704215-08-TX

Florida certification numbers:
Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675
Norcross(Atlanta), GA E87429

South Carolina certification numbers: Norcross(Atlanta), GA 98015

North Carolina certification numbers: Norcross(Atlanta), GA 483

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America Midland - Corpus Christi - Atlanta





nelad

06-OCT-08

Project Manager: **Debi Smith Sport Environmental Services, PLLC**502 North Big Spring Street
Midland, TX 79701

Reference: XENCO Report No: 313981

**BEPCO, L.P.**Project Address:

#### **Debi Smith:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 313981. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 313981 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Brent Barron, II

Odessa Laboratory Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies
A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America



# **Sample Cross Reference 313981**



# Sport Environmental Services, PLLC, Midland, TX BEPCO, L.P.

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
SEF3-002	S	Oct-03-08 09:00	9 - 12 ft	313981-001

roject Id: Poker Lake Umi # 220

Contact: Debi Smith

Project Location:

e: I Letto,

Date Received in Lab: Mon Oct-06-08 07 35 am

Report Date: 06-OCT-08

Project Manager: Brent Barron, II

	Lab Id:	313981-001		· <del></del>	
Analysis Requested	Field Id:	SEF3-002			
Analysis Requesieu	Depth:	9-12 ft			
	Matrix:	SOIL			
	Sampled:	Oct-03-08 09 00			
Anions by EPA 300/300.1	Extracted:				
221120002001	Analyzed:	Oct-06-08 13 32			
	Units/RL:	mg/kg RL			
Chloride		ND 5 00			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

Brent Barron

Odessa Laboratory Director

# XENCO Laboratorics

## Flagging Criteria

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the MQL(PQL) and above the SQL(MDL).
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- \* Outside XENCO'S scope of NELAC Accreditation

#### Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies
A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America

	Phone	Fax
11381 Meadowglen Lane Suite L Houston, Tx 77082-2647	(281) 589-0692	(281) 589-0695
9701 Harry Hines Blvd , Dallas, TX 75220	(214) 902 0300	(214) 351-9139
5332 Blackberry Drive, Suite 104, San Antonio, TX 78238	(210) 509-3334	(210) 509-3335
2505 N Falkenburg Rd, Tampa, FL 33619	(813) 620-2000	(813) 620-2033
5757 NW 158th St, Miami Lakes, FL 33014	(305) 823-8500	(305) 823-8555
6017 Financial Dr., Norcross, GA 30071	(770) 449-8800	(770) 449-5477



# **Blank Spike Recovery**



Project Name: BEPCO, L.P.

Work Order #: 313981

Project ID:

Poker Lake Unit # 220

Lab Batch #: 736231

Sample: 736231-1-BKS

Matrix: Solid

**Date Analyzed:** 10/06/2008

**Date Prepared:** 10/06/2008

Analyst: LATCOR

Reporting Units: mg/kg	Batch #: 1	BLANK /	BLANK SPI	KE REC	OVERY S	RY STUDY						
Anions by EPA 300/300.1	Blank Result [A]	Spike Added [B]	Blank Spike Result	Blank Spike %R	Control Limits %R	Flags						
Analytes	(1-1)	1~1	[C]	[D]	,,,,,							
Chloride	ND	10 0	9 49	95	75-125							



## Form 3 - MS Recoveries

Project Name: BEPCO, L.P.



Vork Order #: 313981

Lab Batch #: 736231 **Date Analyzed:** 10/06/2008

**QC- Sample ID:** 313979-001 S

Project ID: Poker Lake Unit # 220

**Date Prepared:** 10/06/2008

1

Analyst: LATCOR

Batch #:

Matrix: Soil

Reporting Units: mg/kg	Units: mg/kg MATRIX SPIKE RECOVERY STUI						
Inorganic Anions by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag	
Analytes							
Chloride	647	413	1160	124	75-125	-	

trix Spike Percent Recovery [D] = 100\*(C-A)/Bative Percent Difference [E] = 200\*(C-A)/(C+B)All Results are based on MDL and Validated for QC Purposes





Project Name: BEPCO, L.P.

nelad:

Work Order #: 313981

Lab Batch #: 736231

\_ \_ \_

Pro

Project ID: Poker Lake Unit # 220

**Date Analyzed:** 10/06/2008

Date Prepared:

10/06/2008

Analyst: LATCOR

**QC- Sample ID:** 313979-001 D

Batch #:

Matrix: Soil

Reporting Units: mg/kg	SAMPLE / SAMPLE DUPLICATE RECOVERY									
Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag					
Analyte		191								
Chloride	647	678	5	20						

Spike Relative Difference RPD 200 \* | (B-A)/(B+A) | All Results are based on MDL and validated for QC purposes



# **Sample Duplicate Recovery**

Project Name: BEPCO, L.P.



Work Order #: 313002

Lab Batch #: 734999

**Date Prepared:** 09/23/2008

Project ID: Poker Lake Unit # 220

**Date Analyzed:** 09/23/2008

1

Analyst: LATCOR

QC-Sample ID: 312993-001 D

Batch #:

Matrix: Soil

Reporting Units: mg/kg	SAMPLE / SAMPLE DUPLICATE RECOVERY								
Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result	RPD	Control Limits %RPD	Flag				
Analyte		[B]							
Chloride	4270	4270	0	20					

A Xenco Laboratories Company

CHAIN OF CUSTODY REC

12600 West I-20 East Odessa, Texas 79765

	Project Manager	Debi Sport S	mith																P	roje		
	Company Name	Sport Environmenta Services												P								
	Company Address	502 N Big Sp	oring Street																Pro			
	City/State/Zip.	Midland, Tex	as 79701																			
	Telephone No	432-683-110	00		/;		Fax No		888	3-50	0-06	22						F	lepo	rt Fc		
	Sampler Signature	Cil	while	d			e-mail		<u>de</u>	bı@	spo	rte	ΠVIΓ	QITI	nen	tal	con	1		_		
(lab use																				F		
ORDER	313	<u> 18P</u>									Prese	rvati	on &	# at	Cont	อเกตต	s	M	atrıx	- B2		
LAB# (lab use only)	FIEL	.D CODE		Beginning Depth	Ending Depth	Date Sampled	Time Sampled	reld ! Iltered	Total # of Containers	33	ONH	нсі	³os'H	NaOH	Na,S,O,	None	Other (Specify)		GW - Grundwater GeSon/Solid NP-Non-Puterie Sperify Other	1 ~		
01	SE	F3-00 <b>1</b>		9,	12'	10/3/2008	910		1	х									S	1		
										_										1		
								_		-										+		
																				+		
																				I		
<u> </u>									_											┿		
											$\dashv$					$\dashv$				+		
																				Ĺ		
Special	Instructions:																					
Relinguis	unt Hamis		Date  Date	7!	me / me	Received by											Da		T	Tin		
reinquis	ned by		Date	'"		ineceived by			٠								Ja	·=		# 11 F		
Relinquis						Ďa _(4	te :	Y Y	Tin Z													

177	competation of optimization and or	1 12 - 1		<del>                                     </del>
<b></b> 2	Shipping container in good condition?	Yes	No	
<b>#</b> 3	Custody Seals intact on shipping container/ cooler?	Yes	No	Not Present
#4	Custody Seals intact on sample bottles/ container?	Yes	No	Not Present
<b>#</b> 5	Chain of Custody present?	<b>Tes</b>	No	
#6	Sample instructions complete of Chain of Custody?	₹es	No	
#7	Chain of Custody signed when relinquished/ received?	X 98	No	
#8	Chain of Custody agrees with sample label(s)?	Yes	No	#D written on Cont./ £id
#9	Container label(s) legible and intact?	Yes	No	Net Applicable
#10	Sample matrix/ properties agree with Chain of Custody?	Y98>	No	
#11	Containers supplied by ELOT?		No	
#12	Samples in proper container/ bottle?	Yes	No	See Below
#13	Samples properly preserved?	Yes	No	See Below
#14	Sample bottles intact?	Yes	No	
#15	Preservations documented on Chain of Custody?	Yes	No	
#16	Containers documented on Chain of Custody?	Yes	No	
#17	Sufficient sample amount for indicated test(s)?	Mes	No	See Below
#18		Yes	No	See Below
#19	Subcontract of sample(s)?	Yes	No	Not Applicable
#20	VOC samples have zero headspace?	Yes	No	Not Applicable

## **Variance Documentation**


Contact		Contacted by	Date/ Time
Regarding	<del> </del>		
	·		
Corrective Action Taken	). 		
Check all that Apply		See attached e-mail/ fax Client understands and would Cooling process had begun s	

BEPCO, L.P. dba Bass Enterprises Production Co. Poker Lake Unit #220 Section 19, T-24-S, R-30-E Eddy County, New Mexico

# **SITE PHOTOGRAPHS** TAKEN SEPTEMBER 22, 2008 Poker Lake Unit #220

## BEPCO, LP – Poker Lake Unit #220 Site Photographs taken September 22, 2008 (p. 1 of 3)





BEPCO, LP – Poker Lake Unit #220 Site Photographs taken September 22, 2008 (p. 3 of 3)



