JUL 2 4 2009 REC'D NMOCA DIST 2

District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Form C-144

July 21, 2008

Pit, Closed-Loop System, Below-Grade Tank, or

Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: /Atcs Petroleum Corp. OGRID#: Address: /O5 S. 4th Artesia NM. 882/0 Facility or well name: Knoll AOK Federal #3 API Number: 30-0/5-3444 35907 OCD Permit Number: U/L or Qtr/Qtr // Section 3 Township 245 Range, 29 E County: Fooly Center of Proposed Design: Latitude // 32'15'1/o1" Longitude // 103'57'53.8" NAD: \$\frac{1}{2}\$1927 \[\] 1983 Surface Owner: \$\frac{1}{2}\$ Federal \[\] State \[\] Private \[\] Tribal Trust or Indian Allotment
2.
Pit: Subsection F or G of 19.15.17.11 NMAC
Temporary 🔀 Drilling 🗌 Workover
Permanent Emergency Cavitation P&A
Lined Unlined Liner type: Thickness
☐ String-Reinforced
Liner Seams: Welded Factory Other Volume: 20,000bbl Dimensions: L/30' x w/30' x D/5'
Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other
Liner Seams: Welded Factory Other
4.
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:bbl Type of fluid:
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:bbl Type of fluid: Tank Construction material:
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	hospital,
Netting: Subsection E of 19 15.17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Sting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number.
Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if n	NMAC) nore than two									
Disposal Facility Name CRA Disposal Facility Name CRA Disposal Facility Permit Number: R9766	033									
Disposal Facility Name										
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) \(\sumsymbol{\substack} \) No										
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	2									
Siting Criteria (regarding on-site closure methods only): 19 15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justif demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	ict office or may be									
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No									
Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No									
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No ☐ NA									
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes 🕅 No									
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes No									
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site	☐ Yes 🏹 No									
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes 🏹 No									
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes XNo									
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes No									
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No									
Within a 100-year floodplain FEMA map	☐ Yes 💢 No									
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC									

Operator Application Certification: I hereby certify that the information submitted with this application is	true, accurate and complete to the best of my knowledge and belief
Name (Print) Scott Pitts	Title Construction Supervisor
Signature: Collo I.A.	Date: /23-0/
e-mail address: SCO++PQ yatespetroleu,	m. Com Telephone: 575-385-4718
OCD Approval: Permit Application (including closure plan)	
OCD Representative Signature: Signed By Mily Ban	Approval Date: JUL 2 4 2009
Title:	OCD Permit Number:
	olan prior to implementing any closure activities and submitting the closure report. O days of the completion of the closure activities. Please do not complete this and the closure activities have been completed.
	Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.	Alternative Closure Method Waste Removal (Closed-loop systems only)
Instructions: Please indentify the facility or facilities for where the litwo facilities were utilized.	p Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: iquids, drilling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	
Disposal Facility Name	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities perform Yes (If yes, please demonstrate compliance to the items below)	rmed on or in areas that will not be used for future service and operations? No
Required for impacted areas which will not be used for future service a Site Reclamation (Photo Documentation)	ind operations:
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
Closure Report Attachment Checklist: Instructions: Each of the formark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	ollowing items must be attached to the closure report. Please indicate, by a check e closure)
	Longitude NAD·
Operator Closure Certification: I hereby certify that the information and attachments submitted with the	is closure report is true, accurate and complete to the best of my knowledge and
belief. I also certify that the closure complies with all applicable closure	
Name (Print):	Title:
Signature:	Date:
e-mail address	Telephone

Bill Richardson

Governor

Joanna Prukop Cabinet Secretary Mark Fesmire
Division Director
Oil Conservation Division



Conditions of approval for closure of a drilling or work over pit

Notify OCD District 2 office 48 hours prior to commencement of closure activities.


Notify OCD District 2 office 48 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Sampling requirements are listed in 19.15.17.13 [NMAC] (Pit Rule)

Final closure report is to be submitted to OCD not later than 60 days after completion of closure.

Surface restoration per OCD/BLM requirements.





T	23	S	R =	9 E	
6	5	4	3 .	2	1
7	8	9	10	11	12
18	17	1.6	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

 	٠ / ج	巡り	<i>K</i> .	30 [
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34 5t.	35	36

T245 R 29 E													
6	5	4	Knoil 3 3-H	2	1								
7	8	9	10	11	12								
18	17	18' AVG	15	14	13								
19	20	21	22	23	24								
30	29	28	27	26	25								
31	32	33	34	35	36								

	12	<u>4</u> S	R	30 /	
6	5	4	3	2	1
7	136' 48	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	.33	34	35	36

State Average Trend Map 75'



(quarters are 1=NW 2=NE 3=SW 4=SE)

a a variable compression and programmer of the		A salah salah salah sa	(quarte	rs a	re s	sma	illest	o larg	est)	(NAD83 UTN	/ in meters)		(In feet)	
	Sub			Q	Q	Q						Depth D	epth W	ater
POD Number	<u>basin</u>	Úse	County	64	16	4	Sec	Tws	Rng	X	Y	WellV	VaterCol	umn
C 00463		PRO	ED	4	4	4	17	24S	29E	594332	3564282*	240		
C 00856		EXP	ED	1	2	4	30	248	29E	592538	3561644*	380		
C 00857		EXP	ED	3	1	4	30	24S	29E	592135	3561440*	306		
C 00862		EXP	ED	1	2	4	30	24S	29E	592538	3561644*	155		
C 00863		MIN	ED	3	3	1	16	24\$	29E	594524	3565091*	220		
C 01186		DOM	ED	2	1	4	27	24S	29E	597169	3561674*	38		
C 02521		PRO	ED		2	2	14	24\$	29E	599060	3565638*	350		
C 02657		SAN	ED	1	1	3	16	248	29E	594530	3564886*	150		
C 02713		IND	ED	4	4	1	16	24S	29E	591633	3565944	230	18	212
C 02713		PRO	ED	4.	4	1	16	24S	29E	591633	3565944	230	18	212
C 03330 POD1		STK	ED	2	1	2	20	24S	29E	594003	3564167	245		
										Aver	age Depth to	o Water	18 feet	t
											Minimun	n Depth:	18 feet	t
											Maximun	n Depth:	18 feet	t

Record Count: 11

PLSS Search:

Township: 24S Range: 29E



(quarters are 1=NW 2=NE 3=SW 4=SE)

and the state of t	to the state of th		(quarters are smallest to largest) (est)	(NAD83 UTI	VI in meters)		(In feet	1)
POD Number	Sub basin Use	County		٠, ,	7			Rng	X	<u>.</u>	Depth D Well W	7.7	Water olumn
C 01901	STK	ED	4	2	3	34	23S	30E	606436	3569658*	554		
C 02095	STK	ED		2	3	34	238	30E	606337	3569759*	554	440	114
C 02486	PRO	ED	3	2	3	19	238	30E	601304	3572832*	350		
C 02694	MON	ED	4	4	1	14	23S	30E	608004	3574921*	154		
C 02770	MÖN	ED	4	4	1	14	23S	30E	608004	3574921*	286		
C 02771	MON	ED	1	2	3	14	23\$	30E	607807	3574718*	295		
C 02772	MON	ED	4	4	1	14	23S	30E	608004	3574921*	420		
C 03139	MON	ED	4	2	4	01	23S	30E	610424	3577764*	425		
C 03222 EXPLORE	MON	ED	1	1	4	12	238	30E	609833	3576349*	365		
									Ave	rage Depth	to Water:	440 fe	eet
										Minimu	m Depth:	440 fe	eet

Record Count: 9

PLSS Search:

Township: 23S Range: 30E

Maximum Depth: 440 feet



(quarters are 1=NW 2=NE 3=SW 4=SE)

by and supply advantage and the supply of th		(quarte	(quarters are smallest to largest)			est) (NAD83 UTN	(In feet)					
Sub POD Number basir		County	. 4	Q 16	- 1	, Pag. 70		Rng	2377778 11 11 11 11 11	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Depth D Well W	7.	1
C 01934	PRO	ED	2	2	2	16	24S	30E	605664	3565821*	300		
C 02108	STK	ED		1	3	08	24S	30E	602702	3566487*	200	186	14
C 02109	STK	ED		3	2	19	248	30E	601916	3563647*	130	150	-20
C 02110	STK	ED		4	3	23	24S	30E	608036	3562950*	600	400	200
C 02780	MON	ED	2	3	2	23	245	30E	608535	3563857*	505		
C 02781	MON	ED	4	3	2	23	24S	30E	608535	3563657*	624		
C 02782	MON	ED	4	3	2	23	24S	30E	608535	3563657*	808		
•									Aver	age Depth to	Water.	245 fe	et
										Minimun	n Depth:	150 fe	et
			3							Maximun	Depth:	400 fe	et

Record Count: 7

PLSS Search:

Township: 24S Range: 30E



(quarters are 1=NW 2=NE 3=SW 4=SE)

منت بسيسيد الكريسيسيد بينا	- 	(quart					to larg	est)	(NAD83 UTM	I in meters)	ू अन्ह	(In feet)	
POD Number	Sub basin Use	Count		Q 116		, , ,,,	Tws	Rng	X	The specific	Depth	Depth V WaterCo	
C 00571	DOM	ED	1	3	3	30	238	29E	591241	3570957*	89	38	51
C 00571	IRR	ED	1	3	3	30	238	29E	591241	3570957*	89	38	51
C 01217 S	СОМ	ED	4	1	4	16	238	29E	595413	3574403*	350		
C 01627		ED	1	4	4	28	238	29E	595649	3570959*	170		
C 02182	PRO	ED			4	30	238	29E	592328	3571048*	75	30	45
C 02608		ED	3	1	4	17	23S	29E	593598	3574387*	400		
C 02613	EXP	ED	4	4	2	20	23S	29E	594203	3573176*	400		
C 02704		ED			1	19	238	29E	591531	3573493*	174		
C 02705		ED			2	19	23S	29E	592308	3573479*	68	28	40
C 02706		ED			4	18	23S	29E	592302	3574291*	17	10	
C 02707		ED			2	28	23S	29E	595535	3571868*	150		
C 02715	MON	ED	4	1	3	15	238	29E	596221	3574411*	400		
C 02716	MON	ED	4	4	4	16	238	29E	595818	3574002*	400		
C 02717	MON	ED	4	2	4	16	238	29E	595817	3574407*	400		
C 02718	MON	ED	4	4	2	16	238	29E	595816	3574812*	400		
C 02720	MON	ED		2	1	21	238	29E	594911	3573690*	150		
C 02721	MON	ED		2	3	21	238	29E	594915	3572879*	150		
C 02792	MON	ED		4	3	04	238	29E	594868	3577336*	200		
C 02793	MON	ED		4	3	04	238	29E	594868	3577336*	100		
C 02794	MON	ED		4	3	10	238	2 9E	596518	3575731*	100		
C 02795	MON	ED		4	3	10	238	29E	596518	3575731*	200		
C 02797	MON	ED		2	3	22	23\$	29E	596540	3572895*	200		
C 02804	MON	ED		2	1	80	238	29E	593262	3576905*	100		
C 02805	MON	ED		2	1	80	238	29E	593262	3576905*	100		
C 02806	MON	ED		1	1	09	238	29E	594473	3576927*	100		
C 02807	MON	ED		1	1	09	23S	29E	594473	3576927*	100		
C 02808	MON	ED		2	3	16	238	29E	594909	3574501*	100		
C 02809	MON	ED		2	3	16	23S	29E	594909	3574501*	100		
C 03057 EXPLORI	E EXP	ED	4	. 1	1	21	23S	29E	594605	3573586*	150		

*UTM location was derived from PLSS - see Help



(quarters are 1=NW 2=NE 3=SW 4=SE)

	(quarters are smallest to largest) (NAD83						est) (N	AD83 UTM	in meters)	(In feet)	
Sub		Q	Q	Q	* 5 ar	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1					pth Water
POD Number basin Use	County	64	16	4	Sec	Tws	Rng	X.	<u> </u>	WellWa	terColumn
C 03058 EXPLORE	ED	4	1	1	16	23\$	29E	594605	3575206*	150	
C 03059 EXPLORE	ED	4	1	3	17	23S	29E	592993	3574378*		65
								Average Depth to V		o Water	34 feet
								•	Mınımui	m Depth:	10 feet
									Maximur	n Depth:	65 feet
والمنظم المنظم ا											

Record Count: 31

PLSS Search:

Township: 23S Range: 29E