



United States Department of the Interior

BUREAÚ OF LAND MANAGEMENT

Pecos District Carlsbad Field Office - 620 E. Greene

Carlsbad, New Mexico 88220-6292 www.blm.gov/nm/st/en.html

TAKE PRIDE MAMERICA

RECEIVED

OCT 26 2009

OCT 2 2 20d9

NMOCD ARTESIA

3162.4 (P0220) Your Reference:

In Reply Refer To: NM 100527

Your Reference: **30-015-351/7**NM 100527 Orange Steelhead Scud Fed. Com. 1H 660'/S & 1880'/E sec. 25, T. 17 S., R. 23 E. APD approved on 08/23/06, last approved extension expired on 08/23/09.

NM 100527 Peacock Sparrow Fed. Com. 1H

1380'/S & 760'/E sec. 26, T. 17 S., R. 23 E.

APD approved on 08/24/06, last approved extension expired on 08/24/09.

David H. Arrington Oil & Gas Inc. P.O. Box 2071 Midland, TX 79702

Gentlemen:

Your Application for Permit to Drill (APD), the above referenced well has expired because drilling has not commenced within one year of the approval date as stated in the General Requirements for Oil and Gas Operations on Federal Leases.

If drilling operations have commenced on the referenced well, please contact Jim Amos of this office at (505) 234-5909 and send all necessary reports (spud, casing/cementing, etc., 1 original and 4 copies) to this Office, so we may correct our records.

If the well has not been spudded, but site construction activities have occurred, please contact this office at the above telephone number for surface reclamation instructions.

If you wish to drill this well at a later date, please submit a complete application (1 original and 3 copies) to this Office. Since the original APD has expired, the resubmitted APD will be subject to all the processing requirements including the 30-day posting requirement. Please note on the resubmitted APD that it was previously approved and we will review the expired file for information which will help expedite the processing. If you have any questions please contact Betty Hill at (575) 234-5937.

> Sincerely, JD Whitlock Jr Don Peterson Assistant Field Manager Lands & Minerals

bcc: P0221, I&E CFO NMOCD, Artesia