Submit 3 Copies To Appropriate District

State of New Mexico

Office	Energy, Mine	erals and Natur	al Resource	es	May 27, 2004				
District I 1625 N. French Dr , Hobbs, NM 87240						WELL API NO.			
District II 1301 W Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION					30-015-01651			
District III	1220 South St. Francis Dr.				5. Indicate Type of Lease				
1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 District IV					STATE X FEE				
1220 S. St. Francis Dr., Santa Fe, NM 87505					6. State Oil & Gas Lease No. B-7966				
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)					7. Lease Name or Unit Agreement Name: EMPIRE ABO UNIT 'G'				
1. Type of Well: Oil Well X Gas Well	Other	RECE	IVED		8. Well Nu	ımber 22	· · · · · · · · · · · · · · · · · · ·		
2. Name of Operator		00130	J ZÛÛĴ		9. OGRID				
BP America Production Comp	any			į		00778			
3. Address of Operator NMOC			HIESIA 10. Pool name or Wildcat						
P.O. Box 1089 Eunice NM 88231			EMPIRE A			BO			
4. Well Location									
Unit Letter K :	1650 feet fr	om theS	line	and	2387	feet from t	he <i>\</i>	line	
Section 31	Towns	ship 17S	Range	28E	NMPM	'	County	EDDY	
11. Elevation (Show whether DR, RKB, RT, GR, et 3687' RKB								(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	
Pit or Below-grade Tank Application	on Closums 🗍	300	/ KND						
		_		т.	4		4		
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material									
Pit Liner Thickness: mil	Below-Grad	le Tank: Volume.	bbls; (Construction	on Material				
12. Check A NOTICE OF INTE PERFORM REMEDIAL WORK TEMPORARILY ABANDON	Nature of Notice, Report, or Other Data SUBSEQUENT REPORT OF: REMEDIAL WORK								
PULL OR ALTER CASING	MULTIPLE COMPLETION			ABANDONMENT ABANDO					
OTHER:	COMPLETION	'	OTHER:	<i>3 b</i>					
 Describe proposed or completed of starting any proposed work). or recompletion. 									
10/22/09: MIRU, RIH PU 2 3/8 IN TBG TAG TOP CMT @ 5745' CIRC HOLE W FRESH WATER USING 90 BBL. SPOT CMT PLUG USING 25 SKS OF CLASS C NEAT LD TBG TO 5310. CIRC HOLE W 9.5 PPG SALT WATER CLAY PLUG MUD 35-40 VIS USING 90 BBL. POOH LD TBG TO 3485'. SPOT CMT PLUG ACROSS GLORIETTA FROM 3485'-3125' USING 25 SKS OF CLASS C NEAT. POOH. 10/23/09: RU WL RIH LOG FROM 1500' TO SURF TOP CMT SHOWN @ 1345 CBL. TAG TOP CMT @2935. POOH TO 1325. PERF USING 3 1/8" SLICK CSG GUN 4 SPF POOH. ESTABLISHED CIRC PRESS BROKE @ 378 PSI. RIH W 1200' OF 2 3/8" TBG POOH. ND BOP NU WH. CIRC CMT TO SURF DOWN 4 1/2" UP 8 5/8" USING 365 SKS OF CLASS C NEAT. 10/24/09: RD PU. 10/29/09: DIG OUT AROUND WH, CUT OFF ANCHORS & WH, WELD IN PLATE, 1" NIPPLE & VALVE, DRY HOLE MARKER, BACKFILL & LEVEL LOCATION.									
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/yill be constructed or classed according to NMOCD guidelines, a general permitor an (attached) alternative OCD-approved plan									
SIGNATURE Jany - 1		TIT		<u>Operati</u>	ons Team L			10/29/09	
Type or print name Barry C. Price	e	E-r	nail address:	,	barry.pr	i ce@bp.co Telepho		5-394-1648	

Approved for plugging of well bore only.

The polity under bond is retained pending receipt of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under Forms, www.cmrd.state.nm.us/ocd.