

## NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

**BILL RICHARDSON** 

Governor

Joanna Prukop

Cabinet Secretary

Mark E. Fesmire, P.E.
Director
Oil Conservation Division

## \*Response Required - Deadline Enclosed\*

Field Inspection Program
"Preserving the Integrity of Our Luvironment"

18-Dec-09

LOVNO. 02-09-117

ERS RESOURCES, LLC

C/O ORBIT PETROLEUM, INC. 251 O'CONNOR RIDGE BLVD, #265 IRVING TX 75038

**LETTER OF VIOLATION - Inspection** 

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

			INSPECTION	DETAIL	L SECTION		
ARTESIA METEX UNIT No.003 Inspection Date Type Inspection			Inspector	Violation?	H-24-18S-27E *Significant Non-Compliance?	30-015-00938-00- Corrective Action Due By:	00 Inspection No.
12/17/2009	Routine/Perio	dic	Kimberly Wilson	Yes	No	1/17/2010	iKMW0935148116
	on Inspection: METEX UNIT	beneficial use, T 2010.			1AC 19.15.25.8 Oper CD District II office n G-24-18S-27E		7,
Inspection Date	Type Inspection		Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.\
12/17/2009	Routine/Perio	dic	Kimberly Wilson	Yes	No	1/17/2010	iKMW0935147945
Comments	on Inspection:				NMAC 19.15.25.8 CCD District II office n		

ARTESIA METEX UNIT No.001 30-015-00940-00-00 B-24-18S-27E Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/16/2009 iKMW0935147286 Routine/Periodic Kimberly Wilson Yes No 1/1/2010 Comments on Inspection: Produced fluids released at wellhead and running across location, violation of NMAC 19.15.29. Operator must submit C-141 to OCD District II office no later than January 1, 2010. Remediation and/or work plan may be required. ARTESIA METEX UNIT No.006 K-24-18S-27E 30-015-00941-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/16/2009 Routine/Periodic Yes iKMW0935227819 Kimberly Wilson No 1/17/2010 **Comments on Inspection:** Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010 for approval. ARTESIA METEX UNIT No.016 M-24-18S-27E 30-015-00942-00-00 \*Significant Inspection Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/16/2009 Routine/Periodic Kimberly Wilson iKMW0935227945 Yes 1/17/2010 Comments on Inspection: Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010 for approval. ARTESIA METEX UNIT No.008 I-24-18S-27E 30-015-00944-00-00 Inspection \*Significant Corrective Inspector Type Inspection Violation? Inspection No. Date Non-Compliance? Action Due By: 12/16/2009 Routine/Periodic Kimberly Wilson iKMW0935227739 Yes No 1/17/2010 Comments on Inspection: idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010 for approval. ARTESIA METEX UNIT No.005 L-24-18S-27E 30-015-00945-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 Routine/Periodic Kimberly Wilson Yes No 1/17/2010 iKMW0935148994 Comments on Inspection: Idle well, last production 12/2005, Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010. ARTESIA METEX UNIT No.018 N-24-18S-27E 30-015-00946-00-00 Inspection \*Significant Corrective Type Inspection Violation? Inspection No. Inspector Date Non-Compliance? Action Due By: 12/17/2009 Routine/Periodic Kimberly Wilson Yes 1/17/2010 iKMW0935149358 Comments on Inspection: Idle well, last production 11/2006, Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010. ARTESIA METEX UNIT No.017 N-24-18S-27E 30-015-00947-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 iKMW0935149217 Routine/Periodic Kimberly Wilson Yes 1/17/2010 Comments on Inspection: Idle well, last production 3/2007, Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010. ARTESIA METEX UNIT No.027 D-25-18S-27E 30-015-00951-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? **Action Due By:** 12/17/2009 Routine/Periodic Kimberly Wilson Yes iKMW0935133369 1/17/2010 Comments on Inspection: Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January, 17, 2010 for approval.

ARTESIA METEX UNIT No.036 E-25-18S-27E 30-015-00952-00-00 Inspection \*Significant Corrective **Type Inspection** Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 Kimberly Wilson iKMW0935133997 Routine/Periodic Yes 1/17/2010 Comments on Inspection: Idle Well, Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than Janaury 17, 2010 for approval. ARTESIA METEX UNIT No.026 A-26-18S-27E 30-015-00962-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: iKMW0935131434 12/17/2009 Routine/Periodic Kimberly Wilson Yes 1/17/2010 No Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or Comments on Inspection: submit P/A procedure to OCD District II office no later than January 17, 2010 for approval ARTESIA METEX UNIT No.035 H-26-18S-27E 30-015-00963-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 Yes iKMW0935132912 Routine/Periodic Kimberly Wilson No 1/17/2010 **Comments on Inspection:** Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than Janauary 17, 2010 for approval. ARTESIA METEX UNIT No.051 P-26-18S-27E 30-015-00966-00-00 Inspection \*Significant Corrective **Type Inspection** Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 Routine/Periodic Kimberly Wilson Yes iKMW0935135794 No 1/17/2010 Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or Comments on Inspection: submit P/A procedure to OCD District II office no later than January 17, 2010 for approval. ARTESIA METEX UNIT No.055 B-35-18S-27E 30-015-00986-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: Yes 12/17/2009 Routine/Periodic Kimberly Wilson No 1/17/2010 iKMW0935135373 Comments on Inspection: Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010 for approval. ARTESIA METEX UNIT No.056 A-35-18S-27E 30-015-00987-00-00 \*Significant Inspection Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 Routine/Periodic Kimberly Wilson iKMW0935135606 Yes No 1/17/2010 Comments on Inspection: Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010. ARTESIA METEX UNIT No.057 D-36-18S-27E 30-015-00990-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 Routine/Periodic Kimberly Wilson iKMW0935136102 Yes No 1/17/2010 Comments on Inspection: Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 2010 for approval. ARTESIA METEX UNIT No.058 C-36-18S-27E 30-015-00991-00-00 Inspection \*Significant Corrective Violation? Type Inspection Inspector Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 Routine/Periodic Kimberly Wilson iKMW0935136310 Yes No 1/17/2010 Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or Comments on Inspection: submit P/A procedure to OCD District II office no later than January 17, 2010 for approval. ARTESIA METEX UNIT No.044 I-26-18S-27E 30-015-01190-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: Routine/Periodic 12/17/2009 Kimberly Wilson Yes iKMW0935134257 1/17/2010 Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or Comments on Inspection: submit P/A procedure to OCD District II office no later than January 17, 2010 for approval.

ARTESIA METEX UNIT No.050 O-26-18S-27E 30-015-01191-00-00 Inspection \*Significant Corrective Inspection No. Type Inspection Inspector Violation? Non-Compliance? Date Action Due By: Kimberly Wilson iKMW0935135065 12/17/2009 Routine/Periodic No 1/17/2010 Yes Comments on Inspection: Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010 for approval. ARTESIA METEX UNIT No.029 30-015-01194-00-00 B-25-18S-27E Inspection \*Significant Corrective Type Inspection Inspector Violation? Action Due By: Inspection No. Date Non-Compliance? 12/17/2009 Routine/Periodic Kimberly Wilson Yes No 1/17/2010 iKMW0935130686 Comments on Inspection: Idle Well. Violation of NMAC 19:15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010 for approval. **ARTESIA METEX UNIT No.019** 30-015-01195-00-00 O-24-18S-27E Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: Kimberly Wilson 12/17/2009 Routine/Periodic 1/17/2010 iKMW0935149690 Yes Comments on Inspection: Idle well, last production 3/2007, Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 2010. P-24-18S-27E ARTESIA METEX UNIT No.020 30-015-01196-00-00 Inspection \*Significant Corrective **Type Inspection** Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/16/2009 Routine/Periodic Kimberly Wilson Yes 1/17/2010 iKMW0935227885 Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or Comments on Inspection: submit P/A procedure to OCD District II office no later than January 17, 2010 for approval. ARTESIA METEX UNIT No.007 J-24-18S-27E 30-015-01197-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 Routine/Periodic Kimberly Wilson Yes iKMW0935148625 1/17/2010 No Comments on Inspection: ldle well, last production 3/07, Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, ARTESIA METEX UNIT No.004 E-19-18S-28E 30-015-01944-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 Routine/Periodic Kimberly Wilson Yes iKMW0935150012 No 1/17/2010 Comments on Inspection: Idle well, last produced 3/07, Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, ARTESIA METEX UNIT No.061 A-25-18S-27E 30-015-21874-00-00 Inspection \*Significant Corrective Violation? Type Inspection Inspector Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 Routine/Periodic Kimberly Wilson Yes iKMW0935131008 No 1/17/2010 Comments on Inspection: Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010 for approval. ARTESIA METEX UNIT No.064 H-25-18S-27E 30-015-27192-00-00 Inspection \*Significant Corrective Type Inspection Inspector Violation? Inspection No. Date Non-Compliance? Action Due By: 12/17/2009 Routine/Periodic Kimberly Wilson Yes No 1/17/2010 iKMW0935130292 Comments on Inspection: Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or submit P/A procedure to OCD District II office no later than January 17, 2010 for approval.

## ARTESIA METEX UNIT No.065

F-25-18S-27E

30-015-27193-00-00

Inspection

**Type Inspection** Date

Inspector

Violation?

\*Significant Non-Compliance?

Corrective Action Due By:

Inspection No.

12/17/2009 Routine/Periodic

Kimberly Wilson

Yes

1/17/2010

iKMW0935133673

No

Comments on Inspection:

Idle Well. Violation of NMAC 19.15.25.8 Operator must return well to beneficial use, TA or

submit P/A procedure to OCD District II office no later than January 17, 2010 for approval.

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Divison Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data. \*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.