District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

Santa Fe, NM 87505

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the environment. Nor does approval relieve the operator of its response.	operator of liability should operations result in pollution of surf	face water, ground water or the
i.	sounty to comply with any other applicable governmental author	RECEIVED
	OGRID #: 147179	APR 2 9 2010
Address: P.O. Box 18496 Oklahoma City, OK 73154-0	496	
Facility or well name: Skeen 34 State #1H	410.000	NMOCD ARTESIA
API Number: 30-015- 37805		
U/L or Qtr/Qtr Lot 3 Section 34 Tov		
Center of Proposed Design: Latitude 32.000454		NAD: 🛛 1927 🗌 1983
Surface Owner: Federal X State Private Tribal Tri	ust or Indian Allotment	
2. X Closed-loop System: Subsection H of 19.15.17.11 NM. Operation: X Drilling a new well Workover or Drilling (X Above Ground Steel Tanks or Haul-off Bins		it or notice of intent)
Signs: Subsection C of 19.15.17.11 NMAC		
12"x 24", 2" lettering, providing Operator's name, site loc	cation, and emergency telephone numbers	
Signed in compliance with 19.15.3.103 NMAC	tation, and othergency telephone nameers	
Closed-loop Systems Permit Application Attachment Che Instructions: Each of the following items must be attached attached. X Design Plan - based upon the appropriate requirements X Operating and Maintenance Plan - based upon the appr X Closure Plan (Please complete Box 5) - based upon the Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan	to the application. Please indicate, by a check mark in the sof 19.15.17.11 NMAC repriate requirements of 19.15.17.12 NMAC appropriate requirements of Subsection C of 19.15.17.9 NAPI Number:	
Waste Removal Closure For Closed-loop Systems That Unitractions: Please indentify the facility or facilities for the facilities are required.		
Disposal Facility Name. Controlled Recovery, Inc.	Disposal Facility Permit Number:1	NM-01-0006
Disposal Facility Name: Sundance Disposal	Disposal Facility Permit Number: 1	NM-01-0003
Will any of the proposed closed-loop system operations and a ☐ Yes (If yes, please provide the information below) ☐ ☐		for future service and operations?
Required for impacted areas which will not be used for future Soil Backfill and Cover Design Specifications based Re-vegetation Plan - based upon the appropriate requires Site Reclamation Plan - based upon the appropriate received.	d upon the appropriate requirements of Subsection H of 19.1 rements of Subsection I of 19.15.17.13 NMAC	5.17.13 NMAC
6. Operator Application Certification:		
1 hereby certify that the information submitted with this appl	ication is true, accurate and complete to the best of my know	vledge and belief.
Name (Print): Bryan Arrant	Title: Sr. Regulatory Compl	l. Sp.
Signature: By Arm	Date: 04/28/2010	
e-mail address. bryan.arrant@chk.com	Telephone: (405)935-3782	
Form C-144 CTTZ	Oil Conservation Division	Page Lof 2

7. OCD Approval: Application (including closure plan) Closure Plan (only)		
OCD Representative Signature: XWX LA	00 Approval Date: 05/12/2010	
Title: DIST EL SYRWISOR	OCD Permit Number: 210275	
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
	Constitution Pare.	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Hauf-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

Chesapeake Operating, Inc.'s Closed Loop System Skeen 34 State # 1H Lot 3, Sec. 34, T-26-S R-28-E Eddy Co., NM API # TBD

Equipment & Design:

Chesapeake Operating, Inc. is to use a closed loop system with roll-off steel pits.

- (1) Derrick FLC-503 Dual Shale Shaker
- (1) Derrick 3-cone desander
- (1) Derrick 20-cone desilter
- (1) 500 bbl "frac tank" for fresh water
- (1) 500 bbl "frac tank" brine water

For additional information, please see attached page.

Operations & Maintenance:


During each and every tour, the rig's drilling crew will inspect and monitor closely the drilling fluids contained within the steel pits and visually monitor any spill which may occur.

Within 48 hours should a spill, release or leak occur, the NMOCD District II office in Artesia (575-748-1283) will be notified. Please note that notifications may be made earlier to the district office should a greater release occur.

Closure:

During and after drilling operations, liquids (which apply), all drill cuttings and drilling fluids will be hauled and disposed to the Controlled Recovery, Inc.'s location.

The permit number for Controlled Recovery, Inc. is: NM-01-0006 The alternative disposal facility will be Sundance Disposal. Their permit # is: NM-01-0003.







RIG #62

DRAWWORKS

Skytop Brewster N-75-M (1000HP) 1 1/4" dnll line, Parmac 342 auxiliary brake

POWER

(2) Caterpillar 379 engines (550HP each)

LIGHT PLANTS

(2) Caterpillar C-15 engines w/ 320 KW generators

MAST

Ideal 137' w/ 622,000# capacity on 10 lines

SUBSTRUCTURE

Ideal 15' box on box KB 17' Rotary beam clearance 12' 3"

BLOCK HOOK

McKissick (300 Ton) combo

PUMPS

(2) National 10-P-130 (1300HP each) triplex pumps Each independently powered by (1) Caterpillar 3512 engine

MUD PITS

(2) tank system - 980 bbl capacity w/ 100 bbl slug pit

SOLIDS EQUIPMENT

Derrick FLC-503 Dual Shaker Derrick 3-cone desander Derrick 20-cone desliter Atmospheric degasser (5) mud agitators

BOP'S

13 5/8" X 5,000 psi Hydril annular 13 5/8" X 5,000 psi Shaffer double

ACCUMULATOR

Koomey 5-Station, 110 gallon accumulator

CHOKE MANIFOLD

5,000 psi choke manifold

SWIVEL

Continental Emsco (400 Ton)

ROTARY TABLE

National (27 1/2")

DRILL PIPE

4 1/2" drill pipe

DRILL COLLARS

8" and 6 1/2" drill collars *quantity subject to availability

AUXILIARY EQUIPMENT

Pason EDR (base system)
Fuel Tank - 10,000 gallon capacity
Water Tank - (2) 500 barrel capacity each
Rig Manager Quarters
NOV ST-80 Iron Roughneck
Satellite automatic driller
Mathey survey unit

