1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District III

District IV

### State of New Mexico **Energy Minerals and Natural Resources**

Form C-101 June 16, 2008

Oil Conservation Divis or RECEIVE to appropriate District Office 1220 South St. Francis Dr.

Santa Fe, NM 87505

APR 3 0 2010

MENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, NMOCD ARTESIA

PLUGBACK, OR ADD A ZONE												
<sup>1</sup> Operator Name and Address Nadel and Gussman HEYCO, LLC									✓ <sup>2</sup> OGRID Number 258462			
			P.O. Box Roswell N.M	<sup>3</sup> API Number 30 – 015 - <b>37845</b>								
<sup>3</sup> Property Code 305002			<sup>5</sup> Property Name Aid State				<sup>6</sup> Well No. # 6					
	EMPIRE; GLORIETA THAT YEGO (96210) NED LAKE; QUE GROUP FOR STAYON											
<sup>7</sup> Surface Location												
UL or lot no. H	Section 13	Township 17S	Range 28E	Lot Idn		Feet from the 2310'	North/South line NORTH		Feet from the 330'	East/West line EAST	County EDDY	
<sup>8</sup> Proposed	Bottom I	Hole Loca	tion If Different	From S	urface							
UL or lot no. H	Section 13	Township 17S	Range 28E			Feet from the 2310'			Feet from the 330°	East/West line EAST	County EDDY	
Additional Well Information												
<sup>11</sup> Work Type Code N			<sup>12</sup> Well Type Cod O	12 Well Type Code O		13 Cable/Rotary R		<sup>14</sup> Lease Type Code S		<sup>15</sup> Grou	<sup>15</sup> Ground Level Elevation 3701'	
16 Multiple 17 Proposed Depth Y 5450		<sup>18</sup> Formation TUBB		19 Contractor         20 Spud Date           N/A         6/15/10								
<sup>21</sup> Proposed Casing and Cement Program												

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
12 1/4"	9 5/8"	36#	300'	169 sx	Surface
7 7/8"	5 ½"	15.5#	5450'	875 sx	1542'

<sup>&</sup>lt;sup>22</sup> Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

Mud Program:

0' to 300': 8.4 to 8.8 ppg, 80 - 55 visc w/ Fresh water spud mud 300' to 5450': 8.8 to 10.0 ppg, 28-30 visc, w/ brine / cut brine water

# Permit Expires 2 Years From Approval Date Unless Drilling Underway

<sup>23</sup> I hereby certify that the in best of my knowledge and be	formation given above is true and complete to the elief.	OIL CONSERVATION DIVISION					
Signature:		Approved by:					
Printed namé:		Title:					
Keith Cannon		Geológist					
Title:		Approval Date: / Expiration Date:					
Drilling Superintendent		Approval Date: Expiration Date: 05/26/2012					
E-mail Address:		CONDITION OF APPROVAL FOR APD'S					
kcannon@heycoenergy.com		"Once the well is spud, to prevent ground water contamination					
Date:	Phone:	through whole or partial conduits from the surface, the operator					
4/30/2010 575 – 623-6601		shall drill without interruption through the fresh water zone or					
		zones and shall immediately set in cement the water protection					
		string."					

# State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102

Revised October 12, 2005 Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

#### **DISTRICT II** 1301 W. GRAND AVENUE, ARTESIA, NM 88210


DIGERRACE IN

DISTRICT III 1000 RIO BRAZOS RD., AZTEC, NM 87410

## OIL CONSERVATION DIVISION


11885 SOUTH ST. FRANCIS DR. Santa Fe, New Mexico 87505

11885 S. ST. FRANCIS	, NM 87505	WELL LOCATION AND ACREAGE DEDICATION PLAT							NDED REPORT		
API	Pool Code				Pool Name						
30-	96210			E:	Empire Glorieta-Yesa						
Property Cod	Property Code			Property Name					Well Nu	Well Number	
305002	305002		AID STATE						(	6	
OGRID N	D.		Operator Name						Elicvat	Elevation	
258462		1	NADEL AND GUSSMAN HEYCO, LLC							3701'	
					Surface	Location	n				
UL or lot No.	Section	Township	Range	Lot Ide	Feet from t	he	North/South line	Feet from the	East/West line	County	
Н	13	17-S	28-E		23	10	NORTH	330	EAST	EDDY	
			Bottom Ho	ole Loca	ntion If Differen	t From S	Surface				
UL or lot No.	Section	Township	Range	Lot Ide	Feet from t	he	North/South line	Feet from the	East/EAST line	County	
H	13	17S	28E	ĺ	2310	)	North	330	East	Eddy	
Dedicated Acres	Joint or L	nfill C	onsolidation Code		Order No.						
40							/				
	NO ALLOV						UNTIL ALL INTER		N CONSOLIDATE	D .	




SECTION EDDY CO		P 17 SOUTH, RA		N.M.P.M., NEW MEXICO
		150' NORTH OFFSET ` 3703 5' □		новтн
,009	150' WEST OFFSET □ 3699.3'	AID STATE #6  C ELEV. 3701.4'  LAT.=32.836698° N  LONG.=104.121943° W	150' EAST □ OFFSET 3703.8'	,009
		□ 150 <sup>*</sup> SOUTH OFFSET 3696.5'		
		600'		
<sup>‡</sup> 211 (OLD LOCO RO APPROX. O.8 MILES.	TION  TION OF U.S. HWY #82 AND C  DAD), GO SOUTHWEST ON US. F  TURN RIGHT AND GO NORTH A  N IS APPROX. 330 FEET WEST.	-IWY. #82	0 100 Scale.1"=100'	200 Feet HEYCO, LLC
	PROVIDING SURVEYING SERVICE SINCE 1946 <b>JOHN WEST SURVEYING COM</b> 412 N. DAL PASO HOBBS, N.M. 88240 (575) 393–3117	LOCA AND 330 TOWNS	AID STATE #6 WELL ATED 2310 FEET FROM THE NO D FEET FROM THE EAST LINE OF HIP 17 SOUTH, RANGE 28 EAS EDDY COUNTY, NEW MEXIC	ORTH LINE  IF SECTION 13,  T, N.M.P.M.,  O  of 1 Sheets  Rev 1:N/A

## **VICINITY MAP**




SCALE: 1" = 2 MILES

SEC. 13 1	WP <u>17-S</u> RGE. <u>28-E</u>
SURVEY	N.M.P.M.
COUNTYE	DDY STATE NEW MEXICO
DESCRIPTION	2310' FNL & 330' FEL
ELEVATION_	3701'
OPERATOR_	NADEL AND GUSSMAN HEYCO, LLC
LEACE	AID STATE



# LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

SEC. <u>13</u> TWP. <u>17-S</u> RGE. <u>28-E</u>

SURVEY N.M.P.M.

COUNTY EDDY STATE NEW MEXICO

DESCRIPTION 2310' FNL & 330' FEL

ELEVATION 3701'

NADEL AND


OPERATOR GUSSMAN HEYCO, LLC

LEASE AID STATE

U.S.G.S. TOPOGRAPHIC MAP

RED LAKE, N.M.

CONTOUR INTERVAL: RED LAKE, N.M. - 10' RED LAKE SE, N.M. - 10'





### NADEL AND GUSSMAN HEYCO, L.L.C. P.O. BOX 1936 ROSWELL N.M. 88202 (575) 623-6601 (Office) (575) 624-5321 (Fax)

4/30/10

Miss Reeves
District 2 Geologist
New Mexico Oil and Gas Division
1301 West Grand Avenue
Artesia, NM 88210

Re: Aid State #6 2310' FNL & 330' FEL Unit Letter H, Sec. 13, T17S, R28E Eddy, NM Rule 118 H2S Exposure

Dear Miss. Reeves

Nadel and Gussman Heyco, LLC have evaluated this well and we do not expect to encounter hydrogen sulfide. However, we will employ a third party monitoring system. We will begin monitoring prior to drilling out the intermediate casing and will continue monitoring the remainder of the well.

Please contact me if you have any additional questions.

Sincerely,

Keith Cannon Drilling superintendent

# Hydrogen Sulfide Drilling Operations Plan Aid State #6

## UNIT H, Sec 13, T17S, R28E 2310' FNL & 330' FEL Eddy Co. N.M.

- 1. Company and contract personnel admitted on location should be trained by a qualified H<sub>2</sub>S safety instructor to the recognize and handle following:
  - A. Characteristics of H<sub>2</sub>S gas
  - B. Physical effects and hazards
  - C. Proper use of safety equipment and life support systems
  - D. Principle and operation of H<sub>2</sub>S detectors, warning system and briefing knowledge
  - E. Evacuation procedure, routes and first aid support
  - F. Proper use of 30 minutes Pressure-on-Demand Air Pack
- 2. H<sub>2</sub>S Detection and Alarm Systems
  - A. H<sub>2</sub>S detectors and audio alarm system to be located at bell nipple, end of blooie line (mud pit) and on derrick floor or doghouse
- 3. Windsock and/or Wind Streamers
  - A. Windsock at mud pit area (high enough to be visible)
  - B. Windsock at briefing area (high enough to be visible)
  - C. Windsock at location entrance
- 4. Condition Flags and Signs
  - A. H<sub>2</sub>S warning signs on lease access road into location
  - B. Flags displayed on sign at location entrance
    - 1. Green flag indicates "Normal Safe Conditions"
    - 2. Yellow Flag indicates "Potential Pressure and Danger"
    - 3. Red Flag indicates "Danger H2S Present in High Concentrations" admit only emergency personnel
- 5. Well Control Equipment
  - A. See Exhibit #5.
- 6. Communication
  - A. While working under masks chalkboards will be used for communication
  - B. Hand signals will be used where chalk board is inappropriate
  - Two -way radios or cell phones used to communicate off location or minimally in Drilling Foreman's trailer or living quarters
- 7. Drillstem Testing
  - A. Exhausts watered
  - B. Flare line equipped with electric Igniter/propane pilot light in case gas reaches surface
  - C. If location near dwelling closed DST will be performed
- 8. Drilling Supervisor required to be familiar with effects of H<sub>2</sub>S on tubular goods/mechanical equipment
- 9. If H<sub>2</sub>S encountered, mud system shall be addressed to maintain control of formation. A mud gas separator will be brought into service along with H<sub>2</sub>S scavengers, if necessary.

#### PUBLIC PROTECTION PLAN FOR EMERGENCY CONTACTS

#### NADEL AND GUSSMAN HEYCO, LLC (575) 623-6601

#### **Company Personnel**

Terry West Drilling Enrineer 432-682-4429

432-238-2874

Keith Cannon Drilling Supt. 575-623-6601

575-626-1936

ARTESIA N.M.

 Ambulance
 911

 State Police
 575-746-5000

 City Police
 575-746-5000

 Sheriff's Office
 575-746-9888

Fire Department 575-746-5050 or 575-746-5051

N.M.O.C.D 575-748-1283

CARLSBAD N.M.

 Ambulance
 911

 State Police
 575-885-3137

 City Police
 575-885-2111

 Sheriff's Office
 575-887-7551

Fire Department 575-885-3125 or 575-885-2111

Carlsbad BLM 575-887-6544

HOBBS N.M.

 Ambulance
 911

 State Police
 575-392-5588

 City Police
 575-397-9265

 Sheriff's Office
 575-396-3611

 Fire Department
 575-397-9308

 N.M.O.C.D
 575-393-6161

 Hobbs BLM
 575-393-3612

Flight for Life (Lubbock Tx) 806-743-9911
Aerocare (Lubbock Tx) 806-747-8923
Med flight air Ambulance (Albuq NM) 505-842-4433
SB air Med Services (Albug NM) 505-842-4949

Boots & Coots IWC 800-256-9688 or 281-931-8884 Cudd Pressure Control 915-699-0139 or 915-563-3356

BJ Services (Artesia NM) 575-746-3569 (Hobbs NM) 575-392-5556

New Mexico Emergency Response Commission (Santa Fe) 505-476-9600 24 Hour 505-827-9126

New Mexico State Emergency Operations Center 505-476-9635