


30.015.37296

Rm



Scientific Drilling

RECEIVED

MAY 17 2010

NMOCD ARTESIA

OGX RESOURCES, LLC


Field: Corral Draw
Site: Eddy County, NM
Well: Challenger "1" State #2H
Wellpath: VH - Job #32K0310169
Survey: 03/11/10

This survey is correct to the best of my knowledge and is supported by actual field data.

Company Representative

Notarized this date 28th of March, 2010.

Notary Signature
County of Midland
State of Texas





Scientific Drilling International, Inc.

Survey Report

Company: OGX RESOURCES, LLC
 Field: Corral Draw
 Site: Eddy County, NM
 Well: Challenger "1" State #2H
 Wellpath: VH - Job #32K0310169

Date: 3/11/2010 Time: 16:47:12 Page: 1
 Co-ordinate(NE) Reference: Site: Eddy County, NM, Grid North
 Vertical (TVD) Reference: SITE 0:0
 Section (VS) Reference: Well (0 00N;0.00E,179.83Azi)
 Survey Calculation Method: Minimum Curvature Db: Sybase


Survey: 03/11/10 Start Date: 3/11/2010
 Company: Scientific Drilling Internatio Engineer: Garza/Renteria
 Tool: KSRG, Keeper Gyro Tied-to: From Surface

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.0	0.00	359.79	0.0	0.0	0.0	0.0	0.00	0.0	0.00
100.0	0.08	233.38	100.0	0.0	0.0	-0.1	0.08	0.1	233.38
200.0	0.17	224.72	200.0	0.2	-0.2	-0.2	0.09	0.3	228.92
300.0	0.37	212.58	300.0	0.6	-0.6	-0.5	0.21	0.8	221.15
400.0	0.69	203.71	400.0	1.4	-1.4	-0.9	0.33	1.7	213.24
500.0	0.60	207.74	500.0	2.4	-2.4	-1.4	0.10	2.8	210.15
600.0	0.60	211.17	600.0	3.3	-3.3	-1.9	0.04	3.8	209.96
700.0	0.70	201.21	700.0	4.3	-4.3	-2.4	0.15	5.0	209.01
800.0	0.73	193.40	800.0	5.5	-5.5	-2.8	0.10	6.2	206.65
900.0	0.69	189.28	900.0	6.7	-6.7	-3.0	0.06	7.4	204.12
1000.0	0.61	195.85	1000.0	7.8	-7.8	-3.3	0.11	8.5	202.57
1100.0	0.73	203.35	1099.9	8.9	-8.9	-3.7	0.15	9.7	202.25
1200.0	0.58	217.11	1199.9	9.9	-9.9	-4.2	0.22	10.8	203.00
1300.0	0.56	224.78	1299.9	10.7	-10.7	-4.9	0.08	11.7	204.49
1400.0	0.80	249.97	1399.9	11.2	-11.3	-5.9	0.38	12.7	207.50
1500.0	1.05	255.87	1499.9	11.7	-11.7	-7.4	0.27	13.9	212.28
1600.0	1.53	263.95	1599.9	12.1	-12.1	-9.6	0.51	15.5	218.52
1700.0	1.48	273.74	1699.9	12.1	-12.1	-12.2	0.26	17.2	225.22
1800.0	1.83	282.87	1799.8	11.7	-11.7	-15.1	0.44	19.1	232.19
1900.0	1.75	285.85	1899.8	10.9	-10.9	-18.1	0.12	21.2	238.88
2000.0	1.57	287.04	1999.7	10.1	-10.1	-20.9	0.18	23.2	244.16
2100.0	1.24	287.13	2099.7	9.3	-9.4	-23.2	0.33	25.1	247.98
2200.0	1.02	287.83	2199.7	8.7	-8.8	-25.1	0.22	26.6	250.68
2300.0	0.81	275.33	2299.7	8.4	-8.5	-26.7	0.29	28.0	252.38
2400.0	0.54	264.40	2399.7	8.4	-8.4	-27.8	0.30	29.1	253.12
2500.0	0.34	232.04	2499.7	8.6	-8.7	-28.5	0.31	29.8	253.09
2600.0	0.66	151.59	2599.6	9.3	-9.4	-28.5	0.69	30.0	251.81
2700.0	1.11	144.66	2699.6	10.6	-10.7	-27.7	0.46	29.7	248.93
2800.0	1.57	134.91	2799.6	12.3	-12.4	-26.1	0.51	28.9	244.59
2900.0	2.39	142.36	2899.5	15.0	-15.0	-23.9	0.86	28.2	237.82
3000.0	3.00	152.09	2999.4	18.9	-19.0	-21.4	0.76	28.6	228.39
3100.0	2.72	149.49	3099.3	23.3	-23.4	-19.0	0.31	30.1	219.08
3200.0	1.95	160.85	3199.2	27.0	-27.0	-17.2	0.89	32.0	212.49
3300.0	1.44	177.45	3299.2	29.8	-29.9	-16.6	0.70	34.2	209.05
3400.0	1.33	184.23	3399.2	32.2	-32.3	-16.6	0.20	36.3	207.24
3500.0	1.00	183.94	3499.1	34.3	-34.3	-16.8	0.33	38.2	206.04
3600.0	0.89	185.30	3599.1	35.9	-36.0	-16.9	0.11	39.7	205.17
3700.0	0.81	192.98	3699.1	37.4	-37.4	-17.1	0.14	41.2	204.59
3800.0	0.88	199.97	3799.1	38.8	-38.8	-17.5	0.12	42.6	204.32
3900.0	0.91	190.71	3899.1	40.3	-40.3	-18.0	0.15	44.1	204.00
4000.0	0.91	186.49	3999.1	41.8	-41.9	-18.2	0.07	45.7	203.47
4100.0	0.95	198.26	4099.1	43.4	-43.5	-18.5	0.19	47.3	203.10
4200.0	1.11	193.15	4199.0	45.2	-45.2	-19.0	0.18	49.0	202.82
4300.0	0.95	189.87	4299.0	46.9	-47.0	-19.4	0.17	50.8	202.43
4400.0	1.08	196.02	4399.0	48.6	-48.7	-19.8	0.17	52.6	202.12
4500.0	0.87	205.75	4499.0	50.2	-50.3	-20.4	0.27	54.3	202.06
4600.0	0.87	191.20	4599.0	51.6	-51.7	-20.9	0.22	55.8	201.97
4700.0	0.91	206.03	4699.0	53.1	-53.2	-21.4	0.23	57.3	201.88
4745.0	0.85	188.70	4744.0	53.8	-53.8	-21.6	0.60	58.0	201.83




Scientific
Drilling

Field: Corral Draw
Site: Eddy County, NM
Well: Challenger "1" State #2H
Survey: 03/11/10



Azimuths to Grid North
True North: 0.00°
Magnetic North: 0.00°
Magnetic Field
Dip Angle: 0.00°
Date 3/11/2010
Model: igrf2000

West(-)/East(+) [10ft/in]



South(-)/North(+) [10ft/in]