

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD-ARTESIA

FORM APPROVED
OMB No 1004-0137
Expires July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1 Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2 Name of Operator

BURNETT OIL CO., INC.

3a Address **801 CHERRY STREET, SUITE 1500
UNIT #9 FORT WORTH, TX. 76102-6881**

3b. Phone No (include area code)
(817) 332-5108

4 Location of Well (Footage, Sec., T., R., M., or Survey Description)

**UNIT C, 582' FNL, 1629' FWL, SEC 13, T17S, R30E- SURF
UNIT C, 330' FNL, 1650' FWL, SEC 13, T17S, R30E- BTM HOLE**

5. Lease Serial No
NMLC055958

6 If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No

8. Well Name and No
STEVENS B #5

9. API Well No.
30-015-37801 S1

10. Field and Pool, or Exploratory Area
CEDAR LAKE GLORIETA YESO

11. County or Parish, State
Eddy County, N.M.

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other DRILL DEEPER
	☒ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Request to change the proposed location depth to 6122' (MD), 6100' (TVD.) We do appologize for submitting an incomplete Service Plan to drill this well. A copy of the selected contractor's plan is enclosed.

THIS WELL IS PRESENTLY DRILLING SO WE ARE FAXING THIS REQUEST FOR QUICK CONSIDERATION. THE ORIGINAL AND COPIES ARE BEING SENT OVERNIGHT.

*When completed, perforation must remain
in the Y+SO formation.*

RECEIVED
SEP 30 2010
NMOCD ARTESIA

14 I hereby certify that the foregoing is true and correct.)

Name (Printed/Typed)

MARK A. JACOBY

Title

ENGINEERING MANAGER

Signature

Mark A. Jacoby

Date

5/19/2010

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon

Title

Office

MAY 19 2010

WESLEY W. INGRAM
PETROLEUM ENGINEER

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on page 2)

DD

act



BURNETT OIL CO. INC.

Field Eddy County, NM
Site Stevens B-5
Well B-5
Wellpath Original Hole
Plan Plan #4



Azimuths to Grid North
True North -0 22°
Magnetic North 7 71°

Magnetic Field
Strength 49082nT
Dip Angle 60 72°
Date 05/19/2010
Model IGRF2010



FORMATION TOP DETAILS

No	TVDPath	MDPath	Formation
1	4521 00	4521 01	Glorieta Top

TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
Surface	0 00	0 00	0 00	669550 94	624442 67	32°50'24 091N	103°55'41 385W	Point
PP	4500 00	1 79	0 14	669552 73	624442 81	32°50'24 108N	103°55'41 384W	Point
PBHL	6100 00	251 87	19 04	669802 81	624461 71	32°50'26 582N	103°55'41 151W	Point

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	0 00	0 00	4 32	0 00	0 00	0 00	0 00	0 00	0 00	
2	4432 77	0 00	4 32	4432 77	0 00	0 00	0 00	0 00	0 00	
3	5166 10	11 00	4 32	5161 61	69 98	5 29	1 50	4 32	70 18	
4	6122 06	11 00	4 32	6100 00	251 86	19 04	0 00	0 00	252 58	PBHL

Plan Plan #4 (B-5/Original Hole)

Created By Mekka Williams

Date 05/19/2010

ALLIS-CHALMERS DIRECTIONAL DRILLING SERVICES
911 Regional Park Drive Houston, Texas 77060
Phone 713-934-9600 Fax 713-934-9067



DIRECTIONAL
DRILLING SERVICES

Allis-Chalmers Energy, Inc.

Planning Report

Company: BURNETT OIL CO INC Field: Eddy County, NM Site: Stevens B-5 Well: B-5 Wellpath: Original Hole	Date: 05/19/2010 Time: 10 20 25 Page: 1 Co-ordinate(NE) Reference: Well B-5, Grnd North Vertical (TVD) Reference: SITE 0 0 Section (VS) Reference: Well (0 00N,0 00E,4 32Azi) Plan: Plan #4
---	--

Field: Eddy County, NM Map System: US State Plane Coordinate System 1927 Geo Datum: NAD27 (Clarke 1866) Sys Datum: Mean Sea Level	Map Zone: New Mexico, Eastern Zone Coordinate System: Well Centre Geomagnetic Model: IGRF2010
--	--

Site: Stevens B-5 Site Position: From: Map Position Uncertainty: 0 00 ft Ground Level: 3739 00 ft	Northing: 669550 94 ft Easting: 624442 67 ft Latitude: 32 50 24 091 N Longitude: 103 55 41 385 W North Reference: Grnd Grid Convergence: 0 22 deg
--	--

Well: B-5 Well Position: +N/-S 0 00 ft Position Uncertainty: 0 00 ft	Slot Name: Well Position: +N/-S 0 00 ft Position Uncertainty: 0 00 ft
---	--

Wellpath: Original Hole Current Datum: SITE Magnetic Data: 05/19/2010 Field Strength: 49082 nT Vertical Section: Depth From (TVD) ft	Drilled From: Surface Tie-on Depth: 0 00 ft Above System Datum: Mean Sea Level Declination: 7 93 deg Mag Dip Angle: 60 72 deg +E/-W ft Direction deg
---	---

Plan: Plan #4 Principal: No	Date Composed: 05/12/2010 Version: 1 Tied-to: From Surface
--	---

Plan Section Information										
MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg	Target
0 00	0 00	4 32	0 00	0 00	0 00	0 00	0 00	0 00	0 00	
4432 77	0 00	4 32	4432 77	0 00	0 00	0 00	0 00	0 00	0 00	
5166 10	11 00	4 32	5161 61	69 98	5 29	1 50	1 50	0 00	4 32	
6122 06	11 00	4 32	6100 00	251 86	19 04	0 00	0 00	0 00	0 00	PBHL

Survey										
MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
4432 00	0 00	4 32	4432 00	0 00	0 00	0 00	0 00	0 00	0 00	
4500 00	1 01	4 32	4500 00	0 59	0 04	0 59	1 48	1 48	0 00	PP
4521 01	1 32	4 32	4521 00	1 02	0 08	1 02	1 50	1 50	0 00	Glorieta Top
4532 00	1 49	4 32	4531 99	1 29	0 10	1 29	1 50	1 50	0 00	
4632 00	2 99	4 32	4631 91	5 18	0 39	5 19	1 50	1 50	0 00	
4732 00	4 49	4 32	4731 69	11 68	0 88	11 71	1 50	1 50	0 00	
4832 00	5 99	4 32	4831 27	20 78	1 57	20 84	1 50	1 50	0 00	
4932 00	7 49	4 32	4930 58	32 48	2 46	32 58	1 50	1 50	0 00	
5032 00	8 99	4 32	5029 55	46 77	3 54	46 91	1 50	1 50	0 00	
5132 00	10 49	4 32	5128 10	63 64	4 81	63 82	1 50	1 50	0 00	
5166 10	11 00	4 32	5161 61	69 98	5 29	70 18	1 50	1 50	0 00	
5232 00	11 00	4 32	5226 29	82 52	6 24	82 75	0 00	0 00	0 00	
5332 00	11 00	4 32	5324 46	101 54	7 68	101 83	0 00	0 00	0 00	
5432 00	11 00	4 32	5422 62	120 57	9 12	120 91	0 00	0 00	0 00	
5532 00	11 00	4 32	5520 78	139 60	10 56	140 00	0 00	0 00	0 00	
5632 00	11 00	4 32	5618 94	158 62	11 99	159 08	0 00	0 00	0 00	
5732 00	11 00	4 32	5717 11	177 65	13 43	178 16	0 00	0 00	0 00	

Allis-Chalmers Energy, Inc.

Planning Report

Company: BURNETT OIL CO INC
Field: Eddy County, NM
Site: Stevens B-5
Well: B-5
Wellpath: Original Hole

Date: 05/19/2010 **Time:** 10 20 25
Co-ordinate(NE) Reference: Well B-5, Grd North
Vertical (TVD) Reference: SITE 0 0
Section (VS) Reference: Well (0 00N,0 00E,4 32Azi)
Plan: Plan #4

Page: 2

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
5832 00	11 00	4 32	5815 27	196 68	14 87	197 24	0 00	0 00	0 00	
5932 00	11 00	4 32	5913 43	215 70	16 31	216 32	0 00	0 00	0 00	
6032 00	11 00	4 32	6011 59	234 73	17 75	235 40	0 00	0 00	0 00	
6122 06	11 00	4 32	6100 00	251 86	19 04	252 58	0 00	0 00	0 00	PBHL

Targets

Name	Description Dip.	Dir.	TVD ft	+N/-S ft	+E/-W ft	Map Northing ft	Map Easting ft	<--- Latitude ---> Deg Min Sec			<--- Longitude ---> Deg Min Sec		
Surface			0 00	0 00	0 00	669550 94	624442 67	32	50	24 091 N	103	55	41 385 W
PP			4500 00	1 79	0 14	669552 73	624442 81	32	50	24 108 N	103	55	41 384 W
-Plan out by 1 20 at			4500 00	0 59	0 04	669551 53	624442 71	32	50	24 096 N	103	55	41 385 W
PBHL			6100 00	251 87	19 04	669802 81	624461 71	32	50	26 582 N	103	55	41 151 W
-Plan hit target													

Formations

MD ft	TVD ft	Formations	Lithology	Dip Angle deg	Dip Direction deg
4521 01	4521 00	Gloneta Top		0 00	0 00