

30-015-38345

COG Operating LLC

Hydrogen Sulfide Drilling Operation Plan

I. HYDROGEN SULFIDE TRAINING

All personnel, whether regularly assigned, contracted, or employed on an unscheduled basis, will receive training from a qualified instructor in the following areas prior to commencing drilling operations on this well:

1. The hazards and characteristics of hydrogen sulfide (H₂S)
2. The proper use and maintenance of personal protective equipment and life support systems.
3. The proper use of H₂S detectors alarms warning systems, briefing areas, evacuation procedures, and prevailing winds.
4. The proper techniques for first aid and rescue procedures.

In addition, supervisory personnel will be trained in the following areas:

1. The effects of H₂S on metal components. If high tensile tubular are to be used, personnel will be trained in their special maintenance requirements.
2. Corrective action and shut-in procedures when drilling or reworking a well and blowout prevention and well control procedures.
3. The contents and requirements of the H₂S Drilling Operations Plan and Public Protection Plan.

There will be an initial training session just prior to encountering a known or probable H₂S zone (within 3 days or 500 feet) and weekly H₂S and well control drills for all personnel in each crew. The initial training session shall include a review of the site specific H₂S Drilling Operations Plan and the Public Protection Plan. **The concentrations of H₂S of wells in this area from surface to TD are low enough that a contingency plan is not required.**

II. H2S SAFETY EQUIPMENT AND SYSTEMS

Note: All H2S safety equipment and systems will be installed, tested, and operational when drilling reaches a depth of 500 feet above, or three days prior to penetrating the first zone containing or reasonable expected to contain H2S.

1. Well Control Equipment:

- A. Flare line.
- B. Choke manifold.
- C. Blind rams and pipe rams to accommodate all pipe sizes with properly sized closing unit.
- D. Auxiliary equipment may include if applicable: annular preventer & rotating head.

2. Protective equipment for essential personnel:

- A. Mark II Survive air 30-minute units located in the doghouse and at briefing areas, as indicated on well site diagram.

3. H2S detection and monitoring equipment:

- A. 1 portable H2S monitors positioned on location for best coverage and response. These units have warning lights and audible sirens when H2S levels of 20 PPM are reached.

4. Visual warning systems:

- A. Wind direction indicators as shown on well site diagram (Exhibit #8).
- B. Caution/Danger signs (Exhibit #7) shall be posted on roads providing direct access to location. Signs will be painted a high visibility yellow with black lettering of sufficient size to be readable at a reasonable distance from the immediate location. Bilingual signs will be used, when appropriate. See example attached.

5. Mud program:

- A. The mud program has been designed to minimize the volume of H2S circulated to surface. Proper mud weight, safe drilling practices, and the use of H2S scavengers will minimize hazards when penetrating H2S bearing zones.

6. Metallurgy:

- A. All drill strings, casings, tubing, wellhead, blowout preventer, drilling spool, kill lines, choke manifold and lines, and valves shall be suitable for H₂S service.
- B. All elastomers used for packing and seals shall be H₂S trim.

7. Communication:

- A. Radio communications in company vehicles including cellular telephone and 2-way radio.
- B. Land line (telephone) communication at Office.

8. Well testing:

- A. Drill stem testing will be performed with a minimum number of personnel in the immediate vicinity, which are necessary to safely and adequately conduct the test. The drill stem testing will be conducted during daylight hours and formation fluids will not be flowed to the surface. All drill-stem-testing operations conducted in an H₂S environment will use the closed chamber method of testing.
- B. There will be no drill stem testing.

EXHIBIT #7

**WARNING
YOU ARE ENTERING AN H₂S
AUTHORIZED PERSONNEL ONLY**

1. BEARDS OR CONTACT LENSES NOT ALLOWED
2. HARD HATS REQUIRED
3. SMOKING IN DESIGNATED AREAS ONLY
4. BE WIND CONSCIOUS AT ALL TIMES
5. CHECK WITH COG OPERATING FOREMAN AT

**COG OPERATING LLC
1-432-683-7443
1-575-746-2010**

EDDY COUNTY EMERGENCY NUMBERS

ARTESIA FIRE DEPT. 575-746-5050
ARTESIA POLICE DEPT. 575-746-5000
EDDY CO. SHERIFF DEPT. 575-746-9888


LEA COUNTY EMERGENCY NUMBERS

HOBBS FIRE DEPT. 575-397-9308
HOBBS POLICE DEPT. 575-397-9285
LEA CO. SHERIFF DEPT. 575-396-1196

DRILLING LOCATION

H₂S SAFETY EQUIPMENT

Exhibit # 8



H₂S Monitors with alarms at the bell nipple


Wind Direction Indicators

Safe Briefing areas with caution signs and breathing equipment min 150 feet from

COG Operating LLC

EXHIBIT 8

Drilling Location - H2S Safety Equipment Diagram



- Wind Direction Indicators
- ⊕ H2S Monitor with alarm at the bell nipple
- (☺) Safe Briefing Area with caution signs and breathing equipment

See previous comments

*Surface Use Plan
COG Operating, LLC
Skelly Unit 708
990' FSL & 2310' FEL
Section 21, T-17-S, R-31-E, UL O
Eddy County, New Mexico*

SURFACE USE AND OPERATING PLAN

1. Existing & Proposed Access Roads

- A. The well site survey and elevation plat for the proposed well is shown in Exhibit #1. It was staked by John West Engineering, Hobbs, NM.
- B. All roads to the location are shown in the topographic map Exhibit #2. The existing lease roads are illustrated and are adequate for travel during drilling and production operations. Upgrading existing roads prior to drilling the well will be done where necessary.
- C. Directions to Location: From the intersection US Highway 82 and Co. Rd. 223 (Sweet Gum Road), Go North on Sweet Gum Rd. apprx 150 feet. Go West apprx 0.2 mile. The location stake is apprx 210 feet North of Lease Road. See Vicinity Map, Exhibit #3.
- D. Routine grading and maintenance of existing roads will be conducted as necessary to maintain their condition as long as any operations continue on this lease. Roads will be maintained according to specifications in section 2A of this Surface Use and Operating Plan.

2. Proposed Access Road:

Exhibit #4 shows that 52' of new access road will be required for this location. If any road is required it will be constructed as follows:

- A. The maximum width of the running surface will be 14'. The road will be crowned, ditched and constructed of 6" rolled and compacted caliche. Ditches will be at 3:1 slope and 4 feet wide. Water will be diverted where necessary to avoid ponding, prevent erosion, maintain good drainage, and to be consistent with local drainage patterns.
- B. The average grade will be less than 1%.
- C. No turnouts are planned.
- D. No culverts, cattleguard, gates, low water crossings or fence cuts are necessary.
- E. Surfacing material will consist of native caliche. Caliche will be obtained from the actual well site if available. If not available onsite, caliche will be hauled from the nearest BLM caliche pit.

*Surface Use Plan
COG Operating, LLC
Skelly Unit 708
990' FSL & 2310' FEL
Section 21, T-17-S, R-31-E, UL O
Eddy County, New Mexico*

3. Location of Existing Well:

Exhibit #5 shows all existing wells within a one-mile radius of this well.

As shown on this plat there are numerous wells producing from the San Andres and Yeso formations.

4. Location of Existing and/or Proposed Facilities:

A. COG Operating LLC does operate a production facility on this lease.

B. If the well is productive, contemplated facilities will be as follows:

1) Production will be sent to the Skelly 973 Federal tank battery located well location @ 430 FNL & 2435 FEL, Section 21, T17S, R31E, UL B. The facility location is shown in Exhibit #5.

- 2) The tank battery and facilities including all flow lines and piping will be installed according to API specifications.
- 3) Any additional caliche will be obtained from the actual well site. If caliche does not exist or is not plentiful from the well site, the caliche will be hauled from a BLM approved caliche pit. Any additional construction materials will be purchased from contractors.
- 4) Proposed flow lines, will follow an archaeologically approved route to the Skelly 973 Federal tank battery located well location @ 430 FNL & 2435 FEL, Section 21, T17S, R31E, UL B. The flowline will be SDR 7 3" poly line laid on the surface and will be approximately 1.24 miles in length with max pressure 100 psi. Flowlines will be no more than 11' from the paralleling road. The facility location is shown in Exhibit #5.
- 5) It will be necessary to run electric power if this well is productive. Power will be provided by CVE and they will submit a separate plan and ROW for service to the well location.
- 6) If the well is productive, rehabilitation plans will include the following:
 - a) The original topsoil from the well site will be returned to the location, and the site will be re-contoured as close as possible to the original site.

*Surface Use Plan
COG Operating, LLC
Skelly Unit 708
990' FSL & 2310' FEL
Section 21, T-17-S, R-31-E, UL O
Eddy County, New Mexico*

5. Location and Type of Water Supply:

The well will be drilled with combination brine and fresh water mud system as outlined in the drilling program. The water will be obtained from commercial water stations in the area and hauled to location by transport truck over the existing and proposed access roads shown in Exhibit #2. If a commercial fresh water source is nearby, fast line may be laid along existing road ROW's and fresh water pumped to the well. No water well will be drilled on the location.

6. Source of Construction Materials and Location "Turn-Over" Procedure:

Obtaining caliche: The primary way of obtaining caliche to build locations and roads will be by "turning over" the location. This means, caliche will be obtained from the actual well sight. A caliche permit will be obtained from BLM prior to pushing up any caliche. 2400 cu. Yards is max amount of caliche needed for pad and roads. Amount will vary for each pad. The procedure below has been approved by BLM personnel:

- A. The top 6 inches of topsoil is pushed off and stockpiled along the side of the location.
- B. An approximate 120' X 120' area is used within the proposed well site to remove caliche.
- C. Subsoil is removed and piled along side the 120' by 120' area within the pad site.
- D. When caliche is found, material will be stock piled within the pad site to build the location and road.
- E. Then subsoil is pushed back in the hole and caliche is spread accordingly across entire location and road.
- F. Once well is drilled, the stock piled top soil will be used for interim reclamation and spread along areas where caliche is picked up and the location size is reduced. Neither caliche or subsoil will be stock piled outside of the well pad. Topsoil will be stockpiled along the edge of the pad as depicted in attached plat.

In the event that no caliche is found onsite, caliche will be hauled in from a BLM approved caliche pit.

7. Methods of Handling Water Disposal:

- A. The well will be drilled utilizing a closed loop mud system. Drill cuttings will be held in roll-off style mud boxes and taken to an NMOCD approved disposal site.
- B. Drilling fluids will be contained in steel mud pits.

*Surface Use Plan
COG Operating, LLC
Skelly Unit 708
990' FSL & 2310' FEL
Section 21, T-17-S, R-31-E, UL O
Eddy County, New Mexico*

- C. Water produced from the well during completion will be held temporarily in steel tanks and then taken to an NMOCD approved commercial disposal facility.
- D. Garbage and trash produced during drilling or completion operations will be collected in a trash bin and hauled to an approved landfill. No toxic waste or hazardous chemicals will be produced by this operation.
- E. After the rig is moved out and the well is either completed or abandoned, all waste materials will be cleaned up within 30 days. In the event of a dry hole only a dry hole marker will remain.

8. Ancillary Facilities:

No airstrip, campsite or other facilities will be built as a result of the operation on this well.

9. Well Site Layout:

- A. The drill pad layout, with elevations staked by John West Engineering, is shown in Exhibit #4. Dimensions of the pad and pits are shown on Exhibit #6. V door direction is South. Topsoil, if available, will be stockpiled per BLM specifications. Because the pad is almost level no major cuts will be required.
- B. Exhibit #6 also shows the proposed orientation of closed loop system and access road. No permanent living facilities are planned, but a temporary foreman/toolpusher's trailer will be on location during the drilling operations.

10. Plans for Restoration of the Surface:

- A. Interim Reclamation will take place after the well has been completed. The pad will be downsized by reclaiming the areas not needed for production operations. The portions of the pad that are not needed for production operations will be recontoured to its original state as much as possible. The caliche that is removed will be reused to either build another pad site or for road repairs within the lease. The stockpiled topsoil will then be spread out reclaimed area and reseeded with a BLM approved seed mixture. In the event that the well must be worked over or maintained, it may be necessary to drive, park, and/or operate machinery on reclaimed land. This area will be repaired or reclaimed after work is complete. Pad will be approx. 250'X200' when reclaimed.

Surface Use Plan
COG Operating, LLC
Skelly Unit 708
990' FSL & 2310' FEL
Section 21, T-17-S, R-31-E, UL O
Eddy County, New Mexico

- B. Final Reclamation: Upon plugging and abandoning the well, All caliche for well pad and lease road will be removed and surface will be recountoured to reflect its surroundings as much as possible. Caliche will be recycled for road repair or reused for another well pad within the lease. If any topsoil remains, it will be spread out and the area will be re-seeded with a BLM approved mixture and revegitated as per BLM orders.

11.Surface Ownership:

- A. The surface is owned by the U.S. Government and is administered by the Bureau of Land Management. The surface is multiple uses with the primary uses of the region for grazing of livestock and the production of oil and gas.
- B. The surface tenant for this site is Charles Martin, P.O. Box 706, Artesia NM 88211.
- C. The proposed road routes and surface location will be restored as directed by the BLM

12.Other Information:

- A. The area around the well site is grassland and the topsoil is sandy. The vegetation is moderately sparse with native prairie grasses, some mesquite and shinnery oak. No wildlife was observed but it is likely that mule deer, rabbits, coyotes and rodents traverse the area.
- B. There is no permanent or live water in the immediate area.
- C. There are no dwellings within 2 miles of this location.
- D. If needed, a Cultural Resources Examination is being prepared by Southern New Mexico Archaeological Services, Inc. P.O. Box 1, Bent New Mexico, 88314, phone # 505-671-4797 and the results will be forwarded to your office in the near future. Otherwise, COG will be participating in the Permian Basin MOA Program.

Surface Use Plan
COG Operating, LLC
Skelly Unit 708
990' FSL & 2310' FEL
Section 21, T-17-S, R-31-E, UL O
Eddy County, New Mexico

13. Bond Coverage:

Bond Coverage is Nationwide Bond # 000215

14. Lessee's and Operator's Representative:

The COG Operating LLC representative responsible for assuring compliance with the surface use plan is as follows:

John Coffman,

Erick Nelson.

Drilling Superintendent

Division Operations Manager

COG Operating LLC

COG Operating LLC

550 W. Texas, Suite 1300

550 W. Texas, Suite 1300

Midland, TX 79701

Midland, TX 79701

Phone (432) 683-7443 (office)

Phone (505) 746-2210 (office)

(432) 631-9762 (cell)

(432) 238-7591 (cell)

*Surface Use Plan
COG Operating, LLC
Skelly Unit 708
990' FSL & 2310' FEL
Section 21, T-17-S, R-31-E, UL O
Eddy County, New Mexico*

I hereby certify that I, or persons under my direct supervision, have inspected the drill site and access road proposed herein; that I am familiar with the conditions that presently exist; that I have full knowledge of State and Federal laws applicable to this operation; that the statements make in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or COG Operating, LLC, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.
Executed this 27th day of August, 2010.

Signed: Carl Bird

Printed Name: Carl Bird

Position: Drilling Engineer

Address: 550 W. Texas, Suite 1300, Midland, Texas 79701

Telephone: (432) 683-7443

Field Representative (if not above signatory): Same

E-mail: cbird@conchoresources.com

SECTION 21, TOWNSHIP 17 SOUTH, RANGE 31 EAST, N.M.P.M.
EDDY COUNTY

NEW MEXICO

3809.9' _____ 600' _____ 3810.2'

150' NORTH
OFFSET
3807.3'



150' WEST
OFFSET
3806.3'

SKELLY UNIT #708

ELEV. 3804.7'
LAT.=32.815402° N
LONG.=103.873057° W

150' EAST
OFFSET
3804.9'

600'


150' SOUTH
OFFSET
3802.9'

52' OF
PROPOSED ROAD

3801.5' _____ 600' _____ 3802.2'


DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF U.S. HWY. #82 AND CO. RD. 223 (SWEET CUM RD.), GO NORTH ON CO. RD. #223 150 FEET, THEN GO WEST APPROX. 0.2 MILES. THE LOCATION STAKE IS APPROX. 210 FEET NORTH OF LEASE ROAD.




COG OPERATING, LLC

SKELLY UNIT #708 WELL
 LOCATED 990 FEET FROM THE SOUTH LINE
 AND 2310 FEET FROM THE EAST LINE OF SECTION 21,
 TOWNSHIP 17 SOUTH, RANGE 31 EAST, N.M.P.M.,
 EDDY COUNTY, NEW MEXICO



Survey Date: 8/12/10	Sheet 1 of 1 Sheets
W.O. Number: 10.11.1029	Dr By: LA Rev 1:N/A
Date: 8/19/10	10111029 Scale: 1"=100'

VICINITY MAP



SCALE: 1" = 2 MILES

SEC. 21 TWP. 17-S RGE. 31-E

SURVEY N.M.P.M.


COUNTY EDDY STATE NEW MEXICO

DESCRIPTION 990' FSL & 2310' FEL


ELEVATION 3805'

COG OPERATOR OPERATING, LLC

LEASE SKELLY UNIT



LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

CONTOUR INTERVAL:
MALJAMAR, N.M. - 10'

SEC. 21 TWP. 17-S RGE. 31-E

SURVEY N.M.P.M.

COUNTY EDDY STATE NEW MEXICO


DESCRIPTION 990' FSL & 2310' FEL

ELEVATION 3805'

COG
OPERATOR OPERATING, INC.

LEASE SKELLY UNIT


U.S.G.S. TOPOGRAPHIC MAP
MALJAMAR, N.M.





Flow Line Route Map

XMap® 7




Data use subject to license.

© DeLorme. XMap® 7.

www.delorme.com

TN
★
MN (7.9° E)

Scale 1 : 12,000




DELOREME

Flow Line Route Map

replaced
9/28/10 TEN

XMap® 7



Data use subject to license.


© DeLorme, XMap® 7.

www.delorme.com

Scale 1 : 17,600



MN (7.9° E)



Wells in 1 Mile Radius to Skelly Unit 708

API#	Operator	County	Legal	Lease	Well#	Date Issued	Permitted Depth	Permit TWD	Images	Doc	Total Depth	Well Type	Well Status	Target Formation
30-015-38054	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	704	7/23/2010	6,900	No	link	6,900	PO	Active		
30-015-38013	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	689	7/15/2010	6,700	No	link	6,700	PO	Active		
30-015-38014	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	711	7/15/2010	6,927	No	link	6,927	PO	Active		
30-015-37881	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	700	7/11/2010	6,900	No	link	6,900	PO	Active		
30-015-37969	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	710	6/16/2010	6,600	Yes	link	6,600	PO	Active		
30-015-37882	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	718	5/27/2010	6,700	Yes	link	6,700	PO	Active Permit		
30-015-37883	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	719	5/27/2010	6,800	Yes	link	6,800	PO	Active Permit		
30-015-37884	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	743	5/27/2010	7,050	Yes	link	7,050	PO	Active Permit		
30-015-36967	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	625	2/25/2009	6,800	Yes	link	6,804	O	Active Permit		
30-015-37007	FOREST OIL CORPORATION	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	505	2/26/2009	4,600	Yes	link	4,600	PO	Active Permit		
30-015-36980	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	626	2/24/2009	6,800	Yes	link	6,840	O	Active Permit		
30-015-37008	FOREST OIL CORPORATION	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	503	2/24/2009	4,600	Yes	link	3,900	O	Active Permit		
30-015-37006	FOREST OIL CORPORATION	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	502	2/23/2009	4,600	Yes	link	3,900	O	Active Permit		
30-015-36764	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	607	11/14/2008	6,400	Yes	link	6,811	O	Active Permit		
30-015-36765	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	606	11/14/2008	6,400	Yes	link	6,813	O	Active Permit		
30-015-36766	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	608	11/14/2008	6,500	Yes	link	6,723	O	Active Permit		
30-015-36886	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	609	11/14/2008	6,500	Yes	link	6,802	O	Active Permit		
30-015-36470	COG OPERATING LLC AGENT or COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	600	7/31/2008	6,550	Yes	link	6,568	O	Active Permit		

DI Search Results (Printable Table)

Page 2 of 12

30-015-36454	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	985	7/25/2008	6,600	Yes	link	6,530	O Active Permit
30-015-36446	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	986	7/25/2008	6,600	Yes	link	6,625	O Active Permit
30-015-36475	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	999	7/23/2008	6,450	Yes	link	6,500	O Active Permit
30-015-36596	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	602	7/22/2008	6,700	Yes	link	6,677	O Active Permit
30-015-36423	FOREST OIL CORPORATION	EDDY	S:16, T:17S, R:31E	STATE B	13	7/18/2008	4,100	Yes	link	4,100	P1 Active Permit
30-015-36447	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	601	7/17/2008	6,700	Yes	link	6,700	O Active Permit
30-015-36351	FOREST OIL CORPORATION	EDDY	S:16, T:17S, R:31E	WILLOW STATE	009	6/4/2008		Yes	link	6,498	O Active Permit
30-015-36256	FOREST OIL CORPORATION	EDDY	S:16, T:17S, R:31E	FOCB STATE	012	4/7/2008	4,100	Yes	link	4,030	O Active Permit
30-015-36255	CHEVRON USA INC or A INC or C	EDDY	S:16, T:17S, R:31E	FOCB STATE	011	4/7/2008	4,100	Yes	link	4,040	O Active Permit
30-015-36283	CHEVRON USA INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	973	4/12/2008	6,400	Yes	link	6,407	O Active Permit
30-015-36184	CHEVRON USA INC or C	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	972	2/22/2008	6,400	Yes	link	6,415	O Active Permit
30-015-36061	CHEVRON USA INC or C	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	977	1/17/2008	6,500	Yes	link	6,510	O Active Permit
30-015-34559	MACK ENERGY CORPORATION or MACK ENERGY CORP	EDDY	S:16, T:17S, R:31E	WILLOW STATE	008	1/30/2006	6,800	No	link	6,310	O Active Permit
30-015-32968	CHEVRON USA INC	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	949	11/30/2004		No	link	5,350	O Active
30-015-32967	CHEVRON USA INC or C	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	948	11/30/2004		No	link	5,350	O Active
30-015-33089	MARBOB ENERGY CORPORATION or MARBOB ENERGY CORP	EDDY	S:16, T:17S, R:31E	OXY SPUMONI STATE	001	4/8/2004	9,850	Yes	link	12,200	G Active
30-015-33089	MARBOB ENERGY CORP	EDDY	S:16, T:17S, R:31E	OXY SPUMONI STATE	001	3/31/2004		No	link	12,200	G Active
30-015-33089	OXY USA WTP LIMITED PARTNERSHIP	EDDY	S:16, T:17S, R:31E	OXY SPUMONI STATE LEE	001	11/1/2003	12,000	No	link	12,200	G Active
	MARBOB										MORROW

DI Search Results (Printable Table)

Page 3 of 12

30-015-33029	ENERGY CORP	EDDY	S:20, T:17S, R:31E	FEDERAL LEE	005Q	10/3/2003	No	link	5,290	O	Active	
30-015-30500	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	FEDERAL LEE	005	9/30/2003	No	link	6,000	O	Active	
30-015-33029	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	FEDERAL LEE	005	9/30/2003	No	link	5,290	O	Active	
30-015-32963	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	944	8/21/2003	5,500	No	link	5,450	O	Active
30-015-32967	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	948	8/21/2003	5,500	No	link	5,350	O	Active
30-015-32968	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	949	8/21/2003	5,500	No	link	5,350	O	Active
30-015-32963	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	944	7/31/2003	5,500	No	link	5,450	O	Active
30-015-32895	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	952	6/24/2003	11,800	No	link	11,850	O	Active
30-015-32895	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	952	5/31/2003		No	link	11,850	O	Active
30-015-32769	MARBOB ENERGY CORP	EDDY	S:17, T:17S, R:31E	FEDERAL LEE	037	4/28/2003	6,000	No	link	5,281	O	Active
30-015-30500	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	FEDERAL LEE	005	4/8/2003	6,000	No	link	6,000	O	Active
30-015-32769	MACK ENERGY CORP	EDDY	S:17, T:17S, R:31E	FEDERAL	037	3/31/2003		No	link	5,281	O	Active
30-015-32664	MACK ENERGY CORPORATION or MACK ENERGY CORP	EDDY	S:16, T:17S, R:31E	WILLOW STATE	002	3/31/2003	6,400	No	link	6,505	O	Active
30-015-32664	MACK ENERGY CORP	EDDY	S:16, T:17S, R:31E	WILLOW STATE	002	2/28/2003		No	link	6,505	O	Active
30-015-32595	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	936	1/16/2003	5,500	No	link	5,265	O	Active
30-015-32596	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	937	1/16/2003	5,500	No	link	5,305	O	Active
30-015-32597	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	938	1/16/2003	5,500	No	link	5,410	O	Active
30-015-32598	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	939	1/16/2003	5,500	No	link	5,360	O	Active

DI Search Results (Printable Table)

Page 4 of 12

30-015-32599	INC CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:22, T:17S, R:31E UNIT	940	1/16/2003	5,500	No	link	5,427	O	Active	FREN PADDOCK
30-015-32600	OXY USA WTP LIMITED	EDDY	S:22, T:17S, R:31E SKELLY UNIT	941	1/16/2003	5,500	No	link	5,478	O	Active	FREN PADDOCK
30-015-32685	PARTNERSHIP WISER OIL CO (THE)	EDDY	S:29, T:17S, R:31E OXY DOC SLAWN FEDERAL	002	1/13/2003	12,400	No	link	11,880	G	Active	E CEDAR LAKE MORROW
30-015-05171	WISER OIL CO (THE)	EDDY	S:16, T:17S, R:31E STATE B	002	1/1/2003	0	No	link	0	O	Temporarily Abandoned	
30-015-05172	WISER OIL CO (THE)	EDDY	S:16, T:17S, R:31E STATE B	003	1/1/2003	0	No	link	0	O	Shut-in	
30-015-32685	OXY USA WTP LIMITED PARTNERSHIP CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:29, T:17S, R:31E OXY DOC SLAWN FEDERAL	002	12/31/2002		No	link	11,880	G	Active	E CEDAR LAKE MORROW
30-015-32598	CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:21, T:17S, R:31E SKELLY UNIT	939	12/31/2002		No	link	5,360	O	Active	FREN PADDOCK
30-015-32595	CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:21, T:17S, R:31E SKELLY UNIT	936	12/31/2002		No	link	5,265	O	Active	FREN PADDOCK
30-015-32596	CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:21, T:17S, R:31E SKELLY UNIT	937	12/31/2002		No	link	5,305	O	Active	FREN PADDOCK
30-015-32597	CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:21, T:17S, R:31E SKELLY UNIT	938	12/31/2002		No	link	5,410	O	Active	FREN PADDOCK
30-015-32599	CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:22, T:17S, R:31E SKELLY UNIT	940	12/31/2002		No	link	5,427	O	Active	FREN PADDOCK
30-015-32600	CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:22, T:17S, R:31E SKELLY UNIT	941	12/31/2002		No	link	5,478	O	Active	FREN PADDOCK
30-015-31823	CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:21, T:17S, R:31E SKELLY UNIT	915	10/31/2002		No	link	5,500	PO	Active Permit	FREN PADDOCK
30-015-31822	CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:21, T:17S, R:31E DOW B	910	10/31/2002		No	link	5,500	PO	Active Permit	FREN PADDOCK
30-015-28676	YESO ENERGY, INC.	EDDY	S:28, T:17S, R:31E MACK ENERGY CORPORATION or MACK ENERGY CORP	001	10/1/2002		No	link	12,725	O	Active	MORROW
30-015-32436	MACK ENERGY CORPORATION or MACK ENERGY CORP	EDDY	S:21, T:17S, R:31E SKELLY UNIT	951	8/30/2002	12,200	No	link	12,000	G	Active	MORROW
30-015-32437	DEVON ENERGY			950	8/30/2002	12,200	No	link	12,095	G	Active	MORROW

DI Search Results (Printable Table)

Page 5 of 12

	PRODUCTION COMPANY, LP	EDDY	S:17,T:17S,R:31E B	TURNER	140	7/31/2002	No	link	3,700	PO	Active Permit	GI-SR-Q-G-SA
30-015-31979	MARBOB ENERGY CORP	EDDY	S:17,T:17S,R:31E	LEE FEDERAL	029	7/15/2002	6,000	No	link	5,316	O	Active
30-015-32376	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:17,T:17S,R:31E B	TURNER	030	7/11/2002	0	No	link	0	I	Injection Well
30-015-05186	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:17,T:17S,R:31E B	TURNER	031	7/11/2002		No	link	O	Temporarily Abandoned	
30-015-05190	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:17,T:17S,R:31E B	TURNER	011	7/11/2002	0	No	link	3,501	I	Injection Well
30-015-05283	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:20,T:17S,R:31E	TURNER	051	7/11/2002	0	No	link	0	I	Injection Well
30-015-05288	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:20,T:17S,R:31E B	TURNER	033	7/11/2002		No	link	O	Temporarily Abandoned	
30-015-05305	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:20,T:17S,R:31E B	TURNER	034	7/11/2002		No	link	O	Temporarily Abandoned	
30-015-05306	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:20,T:17S,R:31E B	TURNER	046	7/11/2002	0	No	link	0	I	Injection Well
30-015-05313	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:29,T:17S,R:31E B	TURNER	055	7/11/2002	0	No	link	0	I	Injection Well
30-015-05444	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:29,T:17S,R:31E B	TURNER	059	7/11/2002	0	No	link	3,479	I	Injection Well
30-015-05446	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:29,T:17S,R:31E B	TURNER	062	7/11/2002	0	No	link	0	I	Injection Well
30-015-26385	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:29,T:17S,R:31E B	TURNER	082	7/11/2002		No	link	3,724	PO	Pumping
30-015-26603	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:29,T:17S,R:31E B	TURNER	091	7/11/2002		No	link	3,620	PO	Pumping
30-015-26619	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:20,T:17S,R:31E B	TURNER	097	7/11/2002		No	link	3,800	PO	Pumping
30-015-26637	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:20,T:17S,R:31E B	TURNER	094	7/11/2002		No	link	3,870	PO	Pumping

DI Search Results (Printable Table)

Page 6 of 12

30-015-26665	MERIT ENERGY CO or MERIT ENERGY COMPANY LLC	EDDY	S:20 T:17S R:31E B	TURNER	103	7/1/2002	No	link	3.871	O	Active
30-015-26706	MERIT ENERGY CO or MERIT ENERGY COMPANY LLC	EDDY	S:17 T:17S R:31E B	TURNER	106	7/1/2002	No	link	3.863	O	Pumping
30-015-29620	MERIT ENERGY CO or MERIT ENERGY COMPANY LLC	EDDY	S:20 T:17S R:31E B	TURNER	134	7/1/2002	No	link	3.710	O	Pumping
30-015-29621	MERIT ENERGY CO or MERIT ENERGY COMPANY LLC	EDDY	S:20 T:17S R:31E B	TURNER	135	7/1/2002	No	link	3.766	O	Pumping
30-015-29622	MERIT ENERGY CO or MERIT ENERGY COMPANY LLC	EDDY	S:20 T:17S R:31E B	TURNER	136	7/1/2002	No	link	3.925	O	Pumping
30-015-30211	MERIT ENERGY CO or MERIT ENERGY COMPANY LLC	EDDY	S:20 T:17S R:31E B	TURNER	138	7/1/2002	No	link	3.706	I	Injection Well
30-015-26386	MERIT ENERGY CO or MERIT ENERGY COMPANY LLC	EDDY	S:29 T:17S R:31E B	TURNER	085	6/30/2002	99.999	link	3.597	O	Pumping
30-015-26571	MERIT ENERGY CO or MERIT ENERGY COMPANY LLC	EDDY	S:29 T:17S R:31E B	TURNER	088	6/30/2002	99.999	link	3.745	O	Pumping
30-015-32376	MARBOB ENERGY CORP	EDDY	S:17 T:17S R:31E FEDERAL	LEE	029	6/30/2002	No	link	5.316	O	Active
30-015-31494	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21 T:17S R:31E	SKELLY UNIT	906	5/1/2002	No	link	5.700	O	Active
30-015-31663	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21 T:17S R:31E	SKELLY UNIT	911	5/1/2002	No	link	5.500	O	Active
30-015-31739	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21 T:17S R:31E	SKELLY UNIT	916	5/1/2002	No	link	5.500	O	Active
30-015-29326	CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:21 T:17S R:31E	SKELLY UNIT	901	5/1/2002	No	link	9.200	G	Pumping
30-015-31375	CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:21 T:17S R:31E	SKELLY UNIT	908	5/1/2002	No	link	5.805	O	Pumping
30-015-31385	CHEVRON USA, INC. or CHEVRON US A INC	EDDY	S:21 T:17S R:31E	SKELLY UNIT	907	5/1/2002	No	link	5.400	O	Pumping
	CHEVRON USA, INC. or										

DI Search Results (Printable Table)

Page 7 of 12

30-015-31664	CHEVRON US A INC	CHEVRON USA	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	912	5/1/2002	No	link	5,438	U	Pumping		FREN PADDOCK
30-015-31665	CHEVRON USA, INC. or CHEVRON US A INC	CHEVRON USA	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	914	5/1/2002	No	link	5,400	U	Pumping		FREN PADDOCK
30-015-31666	CHEVRON USA, INC. or CHEVRON US A INC	CHEVRON USA	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	930	5/1/2002	No	link	5,296	O	Pumping		FREN PADDOCK
30-015-31667	CHEVRON USA, INC. or CHEVRON US A INC	CHEVRON USA	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	931	5/1/2002	No	link	5,370	O	Pumping		FREN PADDOCK
30-015-31975	CHEVRON USA, INC. or CHEVRON US A INC	CHEVRON USA	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	933	5/1/2002	No	link	5,415	O	Active		FREN PADDOCK
30-015-31976	CHEVRON USA, INC. or CHEVRON US A INC	CHEVRON USA	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	934	5/1/2002	No	link	5,255	O	Active		FREN PADDOCK
30-015-31977	CHEVRON USA, INC. or CHEVRON US A INC	CHEVRON USA	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	935	5/1/2002	No	link	5,446	O	Active		FREN PADDOCK
30-015-32206	CHEVRON USA, INC. or CHEVRON US A INC	CHEVRON USA	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	932	5/1/2002	No	link	5,700	O	Active		FREN PADDOCK
30-015-31494	CHEVRON USA, INC. or CHEVRON US A INC	CHEVRON USA	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	906	4/30/2002	No	link	5,500	O	Active		FREN PADDOCK
30-015-31663	CHEVRON USA, INC. or CHEVRON US A INC	CHEVRON USA	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	911	4/30/2002	No	link	5,500	O	Active		FREN PADDOCK
30-015-31739	OXY USA WTP LIMITED PARTNERSHIP	OXY USA WTP LIMITED	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	916	4/30/2002	No	link	5,500	O	Active		FREN PADDOCK
30-015-32265	OXY USA WTP LIMITED PARTNERSHIP	OXY USA WTP LIMITED	EDDY	S:29, T:17S, R:31E	OXY JAMOCA FEDERAL	001	4/15/2002	12,100	link	12,100	PG	Active		MORROW
30-015-32265	TEXACO EXPLORATION & PRODUCTION INC or TEXACO EXPLORATION & PRODUCTION INC	TEXACO EXPLORATION & PRODUCTION INC	EDDY	S:29, T:17S, R:31E	OXY JAMOCA FEDERAL	001	3/31/2002	No	link	12,100	PG	Active		N CEDAR LAKE MORROW
30-015-32206	MARBOB ENERGY CORP	MARBOB ENERGY CORP	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	932	2/12/2002	No	link	0	Active			FREN PADDOCK
30-015-32072	MARBOB ENERGY CORP	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	LEE FEDERAL	014	10/25/2001	No	link	5,225	O	Pumping		CEDAR LAKE YESO
30-015-32073	MACK ENERGY				WILLOW			No	link	5,312	O	Pumping		CEDAR LAKE YESO

DI Search Results (Printable Table)

Page 8 of 12

30-015-29390	CORP DEVON ENERGY PRODUCTION COMPANY LP or MARBOB ENERGY CORP	EDDY	S:16, T:17S, R:31E	STATE	002	9/5/2001		No	link		PO Unknown
30-015-31979	CHEVRON USA, INC. or CHEVRON USA INC.	EDDY	S:17, T:17S, R:31E	TURNER	140	8/29/2001	3,700	No	link	3,700	PO Active Permit
30-015-31822	CHEVRON USA, INC. or CHEVRON USA INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	910	6/4/2001	5,500	No	link	5,500	PO Active Permit
30-015-31823	OXY USA WTP LIMITED PARTNERSHIP	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	915	6/4/2001	5,500	No	link	5,500	PO Active Permit
30-015-31818	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	ROCKY ROAD FEDERAL	001	6/1/2001		No	link	12,000	G Flowing
30-015-30510	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	FEDERAL LEE	004	11/19/1998	6,000	No	link	6,000	O Active
30-015-30508	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	FEDERAL LEE	012	11/18/1998		No	link	5,316	O Pumping
30-015-30510	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	FEDERAL LEE	004	10/31/1998		No	link	6,000	O Active
30-015-30425	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	FEDERAL LEE	013	9/29/1998		No	link	5,412	O Pumping
30-015-30269	WISER OIL CO (THE)	EDDY	S:20, T:17S, R:31E	FEDERAL SKELLY UNIT	003	5/20/1998		No	link	5,376	O Pumping
30-015-29240	DEVON ENERGY PRODUCTION COMPANY, LP	EDDY	S:28, T:17S, R:31E	TURNER	123	3/24/1998		No	link		PO Unknown
30-015-29140	DEVON ENERGY PRODUCTION COMPANY, LP	EDDY	S:20, T:17S, R:31E	TURNER	121	3/24/1998		No	link		PO Unknown
30-015-29159	DEVON ENERGY PRODUCTION COMPANY, LP	EDDY	S:20, T:17S, R:31E	TURNER	122	3/24/1998		No	link	X Cancelled	
30-015-29160	WISER OIL CO (THE)	EDDY	S:20, T:17S, R:31E	TURNER STATE	003	12/15/1997		No	link		SEVEN RIVERS SAN ANDRES
30-015-29869	WISER OIL CO (THE)	EDDY	S:16, T:17S, R:31E	SKELLY UNIT	001	10/16/1997	0	No	link	3,759	O Pumping
30-015-05152	WISER OIL CO (THE)	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	402	9/24/1997		No	link	3,692	G Active
30-015-29860	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	400	9/16/1997		No	link	3,988	O Pumping
30-015-29856	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	401	8/21/1997		No	link	3,922	O Pumping
30-015-29817	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	068	7/25/1997	0	No	link	3,950	O Pumping
30-015-05338	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	063	7/22/1997	0	No	link	3,510	I Injection Well
30-015-05317	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	093	7/17/1997	0	No	link	3,571	I Injection Well
30-015-04885	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT				No	link	3,685	I Injection Well

DI Search Results (Printable Table)

Page 9 of 12

30-015-05428 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E	SKELLY UNIT	090	7/17/1997	0	No	link	3.630	O	Injection Well
30-015-05331 (THE)	WISER OIL CO EDDY	S:21, T:17S, R:31E	SKELLY UNIT	074	7/16/1997	0	No	link	0	PI	Injection Well
30-015-29496 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E	SKELLY UNIT	301	7/16/1997	0	No	link	3.950	I	Injection Well
30-015-05318 (THE)	WISER OIL CO EDDY	S:21, T:17S, R:31E	SKELLY UNIT	080	7/10/1997	0	No	link	0	I	Injection Well
30-015-05316 (THE)	WISER OIL CO EDDY	S:21, T:17S, R:31E	SKELLY UNIT	082	7/3/1997	0	No	link	3.555	I	Injection Well
30-015-29712 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E	SKELLY UNIT	302	7/3/1997	0	No	link	3.800	O	Plumbing
30-015-05342 (THE)	WISER OIL CO EDDY	S:21, T:17S, R:31E	SKELLY UNIT	065	6/30/1997	99,999	No	link	99,999	I	Injection Well
30-015-05315 (THE)	WISER OIL CO EDDY	S:21, T:17S, R:31E	SKELLY UNIT	061	6/23/1997	0	No	link	0	I	Injection Well
30-015-05175 (THE)	WISER OIL CO EDDY	S:16, T:17S, R:31E	STATE AZ	002	5/27/1997	0	No	link	0	O	Plumbing
30-015-29606 (THE)	MACK ENERGY CORP	S:16, T:17S, R:31E	WILLOW STATE	003	5/14/1997	0	No	link	5,507	O	Plumbing
30-015-05163 (THE)	WISER OIL CO EDDY	S:16, T:17S, R:31E	STATE AZ	001	5/11/1997	0	No	link	3,547	O	Plumbing
30-015-05341 (THE)	WISER OIL CO EDDY	S:21, T:17S, R:31E	SKELLY UNIT	066	4/28/1997	0	No	link	0	I	Injection Well
30-015-05320 (THE)	WISER OIL CO EDDY	S:21, T:17S, R:31E	SKELLY UNIT	059	4/17/1997	0	No	link	3,654	I	Injection Well
30-015-05426 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E	SKELLY UNIT	088	4/17/1997	0	No	link	3,724	I	Injection Well
30-015-04884 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E	SKELLY UNIT	094	4/15/1997	0	No	link	0	I	Injection Well
30-015-05432 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E	SKELLY UNIT	100	4/15/1997	0	No	link	0	I	Injection Well
30-015-05420 (THE)	WISER OIL CO EDDY	S:27, T:17S, R:31E	SKELLY UNIT	087	4/14/1997	0	No	link	3,560	PI	Injection Well
30-015-10500 (THE)	WISER OIL CO EDDY	S:22, T:17S, R:31E	SKELLY UNIT	043	4/11/1997	0	No	link	0	G	Active
30-015-05421 (THE)	WISER OIL CO EDDY	S:27, T:17S, R:31E	SKELLY UNIT	086	3/28/1997	0	No	link	0	I	Injection Well
30-015-20410 (THE)	WISER OIL CO EDDY	S:27, T:17S, R:31E	SKELLY UNIT	107	3/27/1997	0	No	link	3,860	I	Injection Well
30-015-05154 (THE)	WISER OIL CO EDDY	S:15, T:17S, R:31E	SKELLY UNIT	029	3/19/1997	0	No	link	3,717	G	Active
30-015-05358 (THE)	WISER OIL CO EDDY	S:22, T:17S, R:31E	SKELLY UNIT	101	3/31/1997	0	No	link	3,725	I	Injection Well
30-015-05349 (THE)	WISER OIL CO EDDY	S:22, T:17S, R:31E	SKELLY UNIT	055	2/19/1997	0	No	link	3,690	I	Injection Well
30-015-29314 (THE)	DEVON ENERGY PRODUCTION COMPANY, LP	S:28, T:17S, R:31E	SKELLY UNIT	284	12/20/1996	0	No	link	4,025	O	Active
30-015-05281 (THE)	WISER OIL CO EDDY	S:20, T:17S, R:31E	TURNER B	009	11/1/1996	0	No	link	0	O	Pumping
30-015-29239 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E	SKELLY UNIT	273	10/23/1996	0	No	link	3,950	O	Pumping
30-015-29225 (THE)	WISER OIL CO EDDY	S:27, T:17S, R:31E	SKELLY UNIT	276	10/11/1996	0	No	link	3,950	O	Pumping
	WISER OIL CO		SKELLY								GRAYBURG JACKSON
											PLUGGED & ABANDON
											SAN ANDRES
											SAN ANDRES
											SAN ANDRES

DI Search Results (Printable Table)

Page 10 of 12

30-015-29227 (THE) WISER OIL CO	EDDY S:28, T:17S, R:31E UNIT	283 SKELLY	10/11/1996 link	No link	4,000 O	Active Shut-in	SAN ANDRES
30-015-29208 (THE) WISER OIL CO	EDDY S:22, T:17S, R:31E UNIT	224 SKELLY	10/4/1996 link	No link	4,000 O	Pumping	SAN ANDRES
30-015-29210 (THE) WISER OIL CO	EDDY S:28, T:17S, R:31E UNIT	274 SKELLY	10/4/1996 link	No link	3,950 O	Pumping	SAN ANDRES
30-015-29181 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	233 SKELLY	9/24/1996 link	No link	3,900 O	Pumping	SAN ANDRES
30-015-29184 (THE) WISER OIL CO	EDDY S:27, T:17S, R:31E UNIT	263 SKELLY	9/24/1996 link	No link	3,900 O	Pumping	SAN ANDRES
30-015-29092 (THE) WISER OIL CO	EDDY S:15, T:17S, R:31E UNIT	211 SKELLY	8/7/1996 link	No link	4,000 O	Pumping	SAN ANDRES
30-015-29092 (THE) WISER OIL CO	EDDY S:15, T:17S, R:31E UNIT	211 SKELLY	7/31/1996 link	No link	4,000 O	Pumping	SAN ANDRES
30-015-29063 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	246 SKELLY	7/25/1996 link	No link	3,950 O	Pumping	SAN ANDRES
30-015-29064 (THE) WISER OIL CO	EDDY S:28, T:17S, R:31E UNIT	272 SKELLY	7/25/1996 link	No link	3,987 O	Pumping	SAN ANDRES
30-015-28964 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	223 SKELLY	5/20/1996 link	No link	3,982 O	Pumping	GRAYBURG JACKSON
30-015-28975 (THE) WISER OIL CO	EDDY S:28, T:17S, R:31E UNIT	259 SKELLY	5/9/1996 link	No link	4,000 O	Pumping	GRAYBURG JACKSON
30-015-28976 (THE) WISER OIL CO	EDDY S:28, T:17S, R:31E UNIT	284Q SKELLY	5/9/1996 link	No link	0 O	Active	GRAYBURG JACKSON
30-015-28964 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	223 SKELLY	3/31/1996 link	No link	3,982 O	Pumping	GRAYBURG-JACKSON
30-015-28892 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	220 SKELLY	3/27/1996 link	No link	3,800 O	Pumping	GRAYBURG JACKSON
30-015-28893 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	221 SKELLY	3/27/1996 link	No link	3,850 O	Pumping	GRAYBURG JACKSON
30-015-28894 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	222 WILLOW	3/27/1996 link	No link	3,900 O	Active	GRAYBURG JACKSON
30-015-28880 MACK ENERGY CORP	EDDY S:16, T:17S, R:31E STATE	001 SKELLY	3/18/1996 link	No link	8,990 O	Pumping	WOLFCAMP
30-015-28881 (THE) WISER OIL CO	EDDY S:28, T:17S, R:31E UNIT	275 SKELLY	3/13/1996 link	No link	4,000 O	Pumping	QUEEN
30-015-28810 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	248 SKELLY	1/29/1996 link	No link	3,950 O	Pumping	QUEEN
30-015-28811 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	260 SKELLY	1/29/1996 link	No link	3,950 O	Pumping	QUEEN
30-015-28812 (THE) WISER OIL CO	EDDY S:28, T:17S, R:31E UNIT	261 SKELLY	1/29/1996 link	No link	3,950 O	Pumping	QUEEN
30-015-28783 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	234 SKELLY	1/17/1996 link	No link	3,950 O	Pumping	QUEEN
30-015-28784 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	235 SKELLY	1/17/1996 link	No link	3,950 O	Pumping	QUEEN
30-015-28788 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	247 SKELLY	1/17/1996 link	No link	3,950 O	Active	QUEEN
30-015-28789 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	262 SKELLY	1/17/1996 link	No link	3,950 O	Pumping	QUEEN
30-015-05319 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	064 SKELLY	9/1/1995 link	No link	3,586 I	Injection Well	QUEEN
30-015-05321 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	009 SKELLY	9/1/1995 link	No link	0 O	Pumping	QUEEN
30-015-05322 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	014 SKELLY	9/1/1995 link	No link	0 O	Active	QUEEN
30-015-05323 (THE) WISER OIL CO	EDDY S:21, T:17S, R:31E UNIT	013 SKELLY	9/1/1995 link	No link	0 O	Active	QUEEN

DI Search Results (Printable Table)

Page 11 of 12

	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	012	9/1/1995	0	No	link	2.235	G	Active
30-015-05324	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	010	9/1/1995	0	No	link	2.247	G	Active
30-015-05325	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	006	9/1/1995	0	No	link	0	O	Active
30-015-05326	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	007	9/1/1995	0	No	link	0	O	Pumping
30-015-05327	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	008	9/1/1995	0	No	link	0	O	Active
30-015-05328	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	004	9/1/1995	0	No	link	0	O	Active
30-015-05329	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	011	9/1/1995	0	No	link	0	O	Shut-in
30-015-05330	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	015	9/1/1995	0	No	link	0	O	Pumping
30-015-05332	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	075	9/1/1995	0	No	link	0	I	Injection Well
30-015-05333	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	016	9/1/1995	0	No	link	2.250	G	Active
30-015-05334	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	005	9/1/1995	0	No	link	0	O	Pumping
30-015-05335	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	069	9/1/1995	0	No	link	3.230	I	Injection Well
30-015-05337	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	067	9/1/1995	0	No	link	0	I	Injection Well
30-015-05339	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E SKELLY UNIT	077	9/1/1995	0	No	link	3.650	I	Injection Well
30-015-05340	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E SKELLY UNIT	002	9/1/1995	0	No	link	0	O	Pumping
30-015-05344	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E SKELLY UNIT	003	9/1/1995	0	No	link	12.384	O	Active
30-015-05347	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E SKELLY UNIT	056	9/1/1995	0	No	link	3.709	I	Injection Well
30-015-05350	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E SKELLY UNIT	054	9/1/1995	0	No	link	3.800	PI	Injection Well
30-015-05351	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E SKELLY UNIT	053	9/1/1995	0	No	link	3.810	G	Active
30-015-05352	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E SKELLY UNIT	044	9/1/1995	0	No	link	3.804	I	Shut-in
30-015-05354	WISER OIL CO (THE)	EDDY	S:27, T:17S, R:31E SKELLY UNIT	089	9/1/1995	0	No	link	3.670	I	Injection Well
30-015-05441	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E SKELLY UNIT	095	9/1/1995	0	No	link	3.783	I	Injection Well
30-015-05424	WISER OIL CO (THE)	EDDY	S:15, T:17S, R:31E SKELLY UNIT	030	9/1/1995	0	No	link	3.906	G	Active
30-015-10774	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E SKELLY UNIT	115	9/1/1995	0	No	link	3.910	O	Temporarily Abandoned
30-015-21089	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E SKELLY UNIT	116	9/1/1995	0	No	link	4.000	O	Active
30-015-21090	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E SKELLY UNIT	117	9/1/1995	0	No	link	0	O	Pumping
30-015-22251	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E SKELLY UNIT	123	9/1/1995	0	No	link	2.580	O	Shut-in
30-015-22257	WISER OIL CO (THE)										


DI Search Results (Printable Table)

Page 12 of 12


	(THE)	EDDY	S:22, T:17S, R:31E	UNIT SKELLY	125	9/1/1995	0	No	link	2,500	O	Active
30-015-22259	(THE) WISER OIL CO	EDDY	S:15, T:17S, R:31E	UNIT SKELLY	126	9/1/1995	0	No	link	2,530	O	Active
30-015-22260	(THE) WISER OIL CO	EDDY	S:21, T:17S, R:31E	UNIT SKELLY	129	9/1/1995	0	No	link	0	O	Active
30-015-22263	(THE) WISER OIL CO	EDDY	S:28, T:17S, R:31E	UNIT SKELLY	130	9/1/1995	0	No	link	2,550	O	Active
30-015-22264	(THE) WISER OIL CO	EDDY	S:28, T:17S, R:31E	UNIT SKELLY	131	9/1/1995	0	No	link	2,600	O	Pumping
30-015-22265	(THE) WISER OIL CO	EDDY	S:27, T:17S, R:31E	UNIT SKELLY	132	9/1/1995	0	No	link	2,600	O	Pumping
30-015-22266	(THE) WISER OIL CO	EDDY	S:27, T:17S, R:31E	UNIT SKELLY	134	9/1/1995	0	No	link	2,650	O	Pumping
30-015-22268	(THE) WISER OIL CO	EDDY	S:28, T:17S, R:31E	UNIT SKELLY	136	9/1/1995	0	No	link	2,550	O	Active
30-015-22481	(THE) WISER OIL CO	EDDY	S:28, T:17S, R:31E	UNIT SKELLY	137	9/1/1995	0	No	link	2,550	O	Active
30-015-22506	(THE) WISER OIL CO	EDDY	S:28, T:17S, R:31E	UNIT SKELLY	149	9/1/1995	0	No	link	3,900	PO	Active
30-015-25037	(THE) WISER OIL CO	EDDY	S:22, T:17S, R:31E	UNIT SKELLY	160	9/1/1995	0	No	link	3,900	PO	Active
30-015-25042	(THE) WISER OIL CO	EDDY	S:28, T:17S, R:31E	UNIT SKELLY	161	9/1/1995	0	No	link	12,080	G	Active
30-015-28140	(THE) MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:29, T:17S, R:31E	TURNER	088	12/5/1990	3,500	No	link	3,745	O	Pumping
30-015-26571	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:29, T:17S, R:31E	B	085	6/1/1990	4,000	No	link	3,597	O	Pumping
30-015-26386	(THE) WISER OIL CO	EDDY	S:21, T:17S, R:31E	TURNER	065	1/1/1970	4,800	No	link	99,999	I	Injection Well
30-015-05342	(THE)											

Wells in 1 Mile Radius to Skelly Unit 708 - Change Title

[PDF](#) [Save](#) [Map](#) [Image](#)



Flow Line Route Map




Data use subject to license.


© DeLorme. XMap® 7.


www.delorme.com



Scale 1 : 12,000







COG OPERATING LLC
Rig Layout-Closed Loop
Interim reclamation plat
Skelly Unit 708