

30-015-38378

COG Operating LLC

Hydrogen Sulfide Drilling Operation Plan

I. HYDROGEN SULFIDE TRAINING

All personnel, whether regularly assigned, contracted, or employed on an unscheduled basis, will receive training from a qualified instructor in the following areas prior to commencing drilling operations on this well:

1. The hazards and characteristics of hydrogen sulfide (H₂S)
2. The proper use and maintenance of personal protective equipment and life support systems.
3. The proper use of H₂S detectors alarms warning systems, briefing areas, evacuation procedures, and prevailing winds.
4. The proper techniques for first aid and rescue procedures.

In addition, supervisory personnel will be trained in the following areas:

1. The effects of H₂S on metal components. If high tensile tubular are to be used, personnel will be trained in their special maintenance requirements.
2. Corrective action and shut-in procedures when drilling or reworking a well and blowout prevention and well control procedures.
3. The contents and requirements of the H₂S Drilling Operations Plan and Public Protection Plan.

There will be an initial training session just prior to encountering a known or probable H₂S zone (within 3 days or 500 feet) and weekly H₂S and well control drills for all personnel in each crew. The initial training session shall include a review of the site specific H₂S Drilling Operations Plan and the Public Protection Plan. **The concentrations of H₂S of wells in this area from surface to TD are low enough that a contingency plan is not required.**

II. H₂S SAFETY EQUIPMENT AND SYSTEMS

Note: All H₂S safety equipment and systems will be installed, tested, and operational when drilling reaches a depth of 500 feet above, or three days prior to penetrating the first zone containing or reasonable expected to contain H₂S.

1. Well Control Equipment:

- A. Flare line.
- B. Choke manifold.
- C. Blind rams and pipe rams to accommodate all pipe sizes with properly sized closing unit.
- D. Auxiliary equipment may include if applicable: annular preventer & rotating head.

2. Protective equipment for essential personnel:

- A. Mark II Survive air 30-minute units located in the doghouse and at briefing areas, as indicated on well site diagram.

3. H₂S detection and monitoring equipment:

- A. 1 portable H₂S monitors positioned on location for best coverage and response. These units have warning lights and audible sirens when H₂S levels of 20 PPM are reached.

4. Visual warning systems:

- A. Wind direction indicators as shown on well site diagram (Exhibit #8).
- B. Caution/Danger signs (Exhibit #7) shall be posted on roads providing direct access to location. Signs will be painted a high visibility yellow with black lettering of sufficient size to be readable at a reasonable distance from the immediate location. Bilingual signs will be used, when appropriate. See example attached.

5. Mud program:

- A. The mud program has been designed to minimize the volume of H₂S circulated to surface. Proper mud weight, safe drilling practices, and the use of H₂S scavengers will minimize hazards when penetrating H₂S bearing zones.

6. Metallurgy:

- A. All drill strings, casings, tubing, wellhead, blowout preventer, drilling spool, kill lines, choke manifold and lines, and valves shall be suitable for H₂S service.
- B. All elastomers used for packing and seals shall be H₂S trim.

7. Communication:

- A. Radio communications in company vehicles including cellular telephone and 2-way radio.
- B. Land line (telephone) communication at Office.

8. Well testing:

- A. Drill stem testing will be performed with a minimum number of personnel in the immediate vicinity, which are necessary to safely and adequately conduct the test. The drill stem testing will be conducted during daylight hours and formation fluids will not be flowed to the surface. All drill-stem-testing operations conducted in an H₂S environment will use the closed chamber method of testing.
- B. There will be no drill stem testing.

EXHIBIT #7

**WARNING
YOU ARE ENTERING AN H₂S
AUTHORIZED PERSONNEL ONLY**

1. BEARDS OR CONTACT LENSES NOT ALLOWED
2. HARD HATS REQUIRED
3. SMOKING IN DESIGNATED AREAS ONLY
4. BE WIND CONSCIOUS AT ALL TIMES
5. CHECK WITH COG OPERATING FOREMAN AT

**COG OPERATING LLC
1-432-683-7443
1-575-746-2010**


EDDY COUNTY EMERGENCY NUMBERS
ARTESIA FIRE DEPT. 575-746-5050
ARTESIA POLICE DEPT. 575-746-5000
EDDY CO. SHERIFF DEPT. 575-746-9888

LEA COUNTY EMERGENCY NUMBERS
HOBBS FIRE DEPT. 575-397-9308
HOBBS POLICE DEPT. 575-397-9285
LEA CO. SHERIFF DEPT. 575-396-1196

DRILLING LOCATION

H₂S SAFETY EQUIPMENT

Exhibit # 8



H₂S Monitors with alarms at the bell nipple


Wind Direction Indicators

Safe Briefing areas with caution signs and breathing equipment min 150 feet from

COG Operating LLC

Drilling Location - H2S Safety Equipment Diagram

EXHIBIT 8



*Surface Use Plan
COG Operating, LLC
Skelly Unit 725
SHL: 2585' FSL & 1290' FEL, UL I BHL: 2310' FNL & 1650' FEL, UL G
Section 21, T-17-S, R-31-E
Eddy County, New Mexico*

SURFACE USE AND OPERATING PLAN

1. Existing & Proposed Access Roads

- A. The well site survey and elevation plat for the proposed well is shown in Exhibit #1. It was staked by John West Engineering, Hobbs, NM.
- B. All roads to the location are shown in the topographic map Exhibit #2. The existing lease roads are illustrated and are adequate for travel during drilling and production operations. Upgrading existing roads prior to drilling the well will be done where necessary.
- C. Directions to Location: From the intersection US Highway 82 and Co. Rd. 223 (Sweet Gum Road), Go North-Northwest on Sweet Gum Rd. apprx 0.4 mile. Turn Right & Go East apprx 0.15 mile to the Skelly Unit #235 well pad. The location stake is apprx 176' East of the existing well. See Vicinity Map, Exhibit #3.
- D. Routine grading and maintenance of existing roads will be conducted as necessary to maintain their condition as long as any operations continue on this lease. Roads will be maintained according to specifications in section 2A of this Surface Use and Operating Plan.

2. Proposed Access Road:

Exhibit #4 shows that 0' of new access road will be required for this location. If any road is required it will be constructed as follows:

- A. The maximum width of the running surface will be 14'. The road will be crowned, ditched and constructed of 6" rolled and compacted caliche. Ditches will be at 3:1 slope and 4 feet wide. Water will be diverted where necessary to avoid ponding, prevent erosion, maintain good drainage, and to be consistent with local drainage patterns.
- B. The average grade will be less than 1%.
- C. No turnouts are planned.
- D. No culverts, cattleguard, gates, low water crossings or fence cuts are necessary.
- E. Surfacing material will consist of native caliche. Caliche will be obtained from the actual well site if available. If not available onsite, caliche will be hauled from the nearest BLM caliche pit.

*'Surface Use Plan
COG Operating, LLC
Skelly Unit 725*

*SHL: 2585' FSL & 1290' FEL, UL I BHL: 2310' FNL & 1650' FEL, UL G
Section 21, T-17-S, R-31-E
Eddy County, New Mexico*

3. Location of Existing Well:

Exhibit #5 shows all existing wells within a one-mile radius of this well.

As shown on this plat there are numerous wells producing from the San Andres and Yeso formations.

4. Location of Existing and/or Proposed Facilities:

A. COG Operating LLC does operate a production facility on this lease.

B. If the well is productive, contemplated facilities will be as follows:

1) Production will be sent to the Skelly 973 Federal tank battery located well location @ 430 FNL & 2435 FEL, Section 21, T17S, R31E, UL B. The facility location is shown in Exhibit #5.

2) The tank battery and facilities including all flow lines and piping will be installed according to API specifications.

3) Any additional caliche will be obtained from the actual well site. If caliche does not exist or is not plentiful from the well site, the caliche will be hauled from a BLM approved caliche pit. Any additional construction materials will be purchased from contractors.

4) Proposed flow lines, will follow an archaeologically approved route to the Skelly 973 Federal tank battery located well location @ 430 FNL & 2435 FEL, Section 21, T17S, R31E, UL B. The flowline will be SDR 7 3" poly line laid on the surface and will be approximately 3680' in length with max pressure 100 psi. Flowlines will be no more than 11' from the paralleling road. The facility location is shown in Exhibit #5.

5) It will be necessary to run electric power if this well is productive. Power will be provided by CVE and they will submit a separate plan and ROW for service to the well location.

6) If the well is productive, rehabilitation plans will include the following:

a) The original topsoil from the well site will be returned to the location, and the site will be re-contoured as close as possible to the original site.

*Surface Use Plan
COG Operating, LLC
Skelly Unit 725
SHL: 2585' FSL & 1290' FEL, UL I BHL: 2310' FNL & 1650' FEL, UL G
Section 21, T-17-S, R-31-E
Eddy County, New Mexico*

5. Location and Type of Water Supply:

The well will be drilled with combination brine and fresh water mud system as outlined in the drilling program. The water will be obtained from commercial water stations in the area and hauled to location by transport truck over the existing and proposed access roads shown in Exhibit #2. If a commercial fresh water source is nearby, fast line may be laid along existing road ROW's and fresh water pumped to the well. No water well will be drilled on the location.

6. Source of Construction Materials and Location "Turn-Over" Procedure:

Obtaining caliche: The primary way of obtaining caliche to build locations and roads will be by "turning over" the location. This means, caliche will be obtained from the actual well sight. A caliche permit will be obtained from BLM prior to pushing up any caliche. 2400 cu. Yards is max amount of caliche needed for pad and roads. Amount will vary for each pad. The procedure below has been approved by BLM personnel:

- A. The top 6 inches of topsoil is pushed off and stockpiled along the side of the location.
- B. An approximate 120' X 120' area is used within the proposed well site to remove caliche.
- C. Subsoil is removed and piled along side the 120' by 120' area within the pad site.
- D. When caliche is found, material will be stock piled within the pad site to build the location and road.
- E. Then subsoil is pushed back in the hole and caliche is spread accordingly across entire location and road.
- F. Once well is drilled, the stock piled top soil will be used for interim reclamation and spread along areas where caliche is picked up and the location size is reduced. Neither caliche or subsoil will be stock piled outside of the well pad. Topsoil will be stockpiled along the edge of the pad as depicted in attached plat.

In the event that no caliche is found onsite, caliche will be hauled in from a BLM approved caliche pit.

7. Methods of Handling Water Disposal:

- A. The well will be drilled utilizing a closed loop mud system. Drill cuttings will be held in roll-off style mud boxes and taken to an NMOCD approved disposal site.
- B. Drilling fluids will be contained in steel mud pits.

*Surface Use Plan
COG Operating, LLC
Skelly Unit 725
SHL: 2585' FSL & 1290' FEL, UL I BHL: 2310' FNL & 1650' FEL, UL G
Section 21, T-17-S, R-31-E
Eddy County, New Mexico*

- C. Water produced from the well during completion will be held temporarily in steel tanks and then taken to an NMOCD approved commercial disposal facility.
- D. Garbage and trash produced during drilling or completion operations will be collected in a trash bin and hauled to an approved landfill. No toxic waste or hazardous chemicals will be produced by this operation.
- E. After the rig is moved out and the well is either completed or abandoned, all waste materials will be cleaned up within 30 days. In the event of a dry hole only a dry hole marker will remain.

8. Ancillary Facilities:

No airstrip, campsite or other facilities will be built as a result of the operation on this well.

9. Well Site Layout:

- A. The drill pad layout, with elevations staked by John West Engineering, is shown in Exhibit #4. Dimensions of the pad and pits are shown on Exhibit #6. V door direction is East. Topsoil, if available, will be stockpiled per BLM specifications. Because the pad is almost level no major cuts will be required.
- B. Exhibit #6 also shows the proposed orientation of closed loop system and access road. No permanent living facilities are planned, but a temporary foreman/toolpusher's trailer will be on location during the drilling operations.

10. Plans for Restoration of the Surface:

- A. Interim Reclamation will take place after the well has been completed. The pad will be downsized by reclaiming the areas not needed for production operations. The portions of the pad that are not needed for production operations will be recontoured to its original state as much as possible. The caliche that is removed will be reused to either build another pad site or for road repairs within the lease. The stockpiled topsoil will then be spread out reclaimed area and reseeded with a BLM approved seed mixture. In the event that the well must be worked over or maintained, it may be necessary to drive, park, and/or operate machinery on reclaimed land. This area will be repaired or reclaimed after work is complete. Pad will be approx. 200'X250' when reclaimed.

*Surface Use Plan
COG Operating, LLC
Skelly Unit 725
SHL: 2585' FSL & 1290' FEL, UL I BHL: 2310' FNL & 1650' FEL, UL G
Section 21, T-17-S, R-31-E
Eddy County, New Mexico*

- B. Final Reclamation: Upon plugging and abandoning the well, All caliche for well pad and lease road will be removed and surface will be recountoured to reflect its surroundings as much as possible. Caliche will be recycled for road repair or reused for another well pad within the lease. If any topsoil remains, it will be spread out and the area will be re-seeded with a BLM approved mixture and revegitated as per BLM orders.

11. Surface Ownership:

- A. The surface is owned by the U.S. Government and is administered by the Bureau of Land Management. The surface is multiple uses with the primary uses of the region for grazing of livestock and the production of oil and gas.
- B. The surface tenant for this site is Charles Martin, P.O. Box 706, Artesia NM 88211.
- C. The proposed road routes and surface location will be restored as directed by the BLM

12. Other Information:

- A. The area around the well site is grassland and the topsoil is sandy. The vegetation is moderately sparse with native prairie grasses, some mesquite and shinnery oak. No wildlife was observed but it is likely that mule deer, rabbits, coyotes and rodents traverse the area.
- B. There is no permanent or live water in the immediate area.
- C. There are no dwellings within 2 miles of this location.
- D. If needed, a Cultural Resources Examination is being prepared by Southern New Mexico Archaeological Services, Inc. P.O. Box 1, Bent New Mexico, 88314, phone # 505-671-4797 and the results will be forwarded to your office in the near future. Otherwise, **COG will be participating in the Permian Basin MOA Program.**

*'Surface Use Plan
COG Operating, LLC
Skelly Unit 725
SHL: 2585' FSL & 1290' FEL, UL I BHL: 2310' FNL & 1650' FEL, UL G
Section 21, T-17-S, R-31-E
Eddy County, New Mexico*

13. Bond Coverage:

Bond Coverage is Nationwide Bond # 000215

14. Lessee's and Operator's Representative:

The COG Operating LLC representative responsible for assuring compliance with the surface use plan is as follows:

John Coffman,	Erick Nelson.
Drilling Superintendent	Division Operations Manager
COG Operating LLC	COG Operating LLC
550 W. Texas, Suite 1300	550 W. Texas, Suite 1300
Midland, TX 79701	Midland, TX 79701
Phone (432) 683-7443 (office)	Phone (505) 746-2210 (office)
(432) 631-9762 (cell)	(432) 238-7591 (cell)

Surface Use Plan
COG Operating, LLC
Skelly Unit 725
SHL: 2585' FSL & 1290' FEL, UL I BHL: 2310' FNL & 1650' FEL, UL G
Section 21, T-17-S, R-31-E
Eddy County, New Mexico

I hereby certify that I, or persons under my direct supervision, have inspected the drill site and access road proposed herein; that I am familiar with the conditions that presently exist; that I have full knowledge of State and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or COG Operating, LLC, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.
Executed this 27th day of August, 2010.

Signed: Carl Bird

Printed Name: Carl Bird

Position: Drilling Engineer

Address: 550 W. Texas, Suite 1300, Midland, Texas 79701


Telephone: (432) 683-7443

Field Representative (if not above signatory): Same

E-mail: cbird@conchoresources.com



SECTION 21, TOWNSHIP 17 SOUTH, RANGE 31 EAST, N.M.P.M.
EDDY COUNTY

NEW MEXICO



DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF U.S. HIGHWAY #82 AND COUNTY ROAD 223 (SWEET GUM RD) GO NORTH-NORTHWEST ON CO. RD. #223 APPROX. 0.4 MILES. TURN RIGHT AND GO EAST APPROX. 0.15 MILES TO THE SKELLY UNIT #235 WELL PAD. THE LOCATION STAKE IS APPROX. 176 FEET EAST OF THE EXISTING WELL.




COG OPERATING, LLC

SKELLY UNIT #725 WELL
LOCATED 2585 FEET FROM THE SOUTH LINE
AND 1290 FEET FROM THE EAST LINE OF SECTION 21,
TOWNSHIP 17 SOUTH, RANGE 31 EAST, N.M.P.M.,
EDDY COUNTY, NEW MEXICO

Survey Date: 8/13/10	Sheet 1 of 1 Sheets
W.O. Number: 10.11.1032	Dr By: LA Rev 1:N/A
Date: 8/23/10	10111032 Scale: 1"=100'

LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

CONTOUR INTERVAL:
LOCO HILLS, N.M. - 10'
MALJAMAR, N.M. - 10'

SEC. 21 TWP. 17-S RGE. 31-E

SURVEY N.M.P.M.

COUNTY EDDY STATE NEW MEXICO


DESCRIPTION 2585' FSL & 1290' FEL

ELEVATION 3816'

OPERATOR COG OPERATING, LLC

LEASE SKELLY UNIT

U.S.G.S. TOPOGRAPHIC MAP
MALJAMAR, N.M.



Flow Line Route Map




Data use subject to license.

© DeLorme. XMap® 7.

www.delorme.com



Scale 1 : 3,200



1 Mile Radius Around Skelly Unit 725

API#	Operator	County	Legal	Lease	Well#	Date Issued	Permitted Depth	Permit TVD	Images	Doc	Total Depth	Well Type	Well Status	Target Formation
30-015-38054	OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	704	7/23/2010	6,900		No	link	6,900	PO	Active	
30-015-38013	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	689	7/15/2010	6,700		No	link	6,700	PO	Active	
30-015-38014	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	711	7/15/2010	6,927		No	link	6,927	PO	Active	
30-015-37881	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	700	7/1/2010	6,900		No	link	6,900	PO	Active	
30-015-37869	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	710	6/16/2010	6,600		Yes	link	6,600	PO	Active	
30-015-37882	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	718	5/27/2010	6,700		Yes	link	6,700	PO	Active Permit	
30-015-37883	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	719	5/27/2010	6,800		Yes	link	6,800	PO	Active Permit	
30-015-37884	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	743	5/27/2010	7,050		Yes	link	7,050	PO	Active Permit	
30-015-37638	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	WILLOW STATE	016	3/10/2010	6,700		Yes	link	6,700	PO	Active Permit	
30-015-37619	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	YUCCA STATE	005	3/2/2010	6,700		Yes	link	6,700	PO	Active Permit	
30-015-37620	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	YUCCA STATE	007	3/2/2010	6,700		Yes	link	6,700	PO	Active Permit	
30-015-37622	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	YUCCA STATE	010	3/2/2010	6,700		Yes	link	6,700	PO	Active Permit	
30-015-37623	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	YUCCA STATE	011	3/2/2010	6,700		Yes	link	6,700	PO	Active Permit	
30-015-37624	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	YUCCA STATE	012	3/2/2010	6,700		Yes	link	6,700	PO	Active Permit	
30-015-37401	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	YUCCA STATE	006	12/22/2009	6,900		Yes	link	6,533	O	Active Permit	YESO FORMATION
30-015-37402	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	YUCCA STATE	008	12/22/2009	6,900		Yes	link	6,900	PO	Active Permit	YESO FORMATION
30-015-37176	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	YUCCA STATE	14	7/24/2009	6,800		Yes	link	6,736	O	Active Permit	YESO FORMATION
30-015-37178	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	YUCCA STATE	013	7/24/2009	6,800		Yes	link	6,498	O	Active Permit	YESO FORMATION
30-015-37050	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	YUCCA STATE	015	4/29/2009	6,600		Yes	link	6,600	PO	Active Permit	YESO FORMATION
30-015-37657	COG OPERATING LLC	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	635	3/6/2009	6,708	6,700	Yes	link	6,708	PO	Active Permit	
30-015-36968	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	627	2/25/2009	6,800		Yes	link	6,815	O	Active Permit	
30-015-36967	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	625	2/25/2009	6,800		Yes	link	6,804	O	Active Permit	
30-015-37007	FOREST OIL CORPORATION	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	505	2/25/2009	4,600		Yes	link	4,600	PO	Active Permit	
30-015-36980	FOREST OIL CORPORATION	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	626	2/24/2009	6,800		Yes	link	6,840	O	Active Permit	
30-015-37008	FOREST OIL CORPORATION	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	503	2/24/2009	4,600		Yes	link	3,900	O	Active Permit	
30-015-37006	FOREST OIL CORPORATION	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	502	2/23/2009	4,600		Yes	link	3,900	O	Active Permit	
	COG													

DI Search Results (Printable Table)

Page 2 of 12.

30-015-36764	OPERATING LLC	EDDY	S:21, T:17S, R:31E	UNIT	607	11/4/2008	6,400	Yes	link	6,811	O	Active Permit
30-015-36765	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	606	11/4/2008	6,400	Yes	link	6,813	O	Active Permit
30-015-36766	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	608	11/4/2008	6,500	Yes	link	6,723	O	Active Permit
30-015-36886	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	609	11/4/2008	6,500	Yes	link	6,802	O	Active Permit
30-015-36888	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	610	11/4/2008	6,500	Yes	link	6,935	O	Active Permit
30-015-36728	COG OPERATING LLC	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	603	10/14/2008	6,500	Yes	link	6,753	O	Active Permit
30-015-36470	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	600	7/31/2008	6,550	Yes	link	6,568	O	Active Permit
30-015-36473	COG OPERATING LLC	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	995	7/31/2008	6,450	Yes	link	6,450	PO	Active Permit
30-015-36681	COG OPERATING LLC	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	998	7/31/2008	6,600	Yes	link	6,583	O	Active Permit
30-015-36454	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	985	7/25/2008	6,600	Yes	link	6,550	O	Active Permit
30-015-36446	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	986	7/25/2008	6,600	Yes	link	6,625	O	Active Permit
30-015-36497	COG OPERATING LLC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	987	7/24/2008	6,600	Yes	link	6,600	PO	Active Permit
30-015-36475	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	999	7/23/2008	6,450	Yes	link	6,500	O	Active Permit
30-015-36596	FOREST OIL OPERATING LLC	EDDY	S:21, T:17S, R:31E	STATE B	602	7/22/2008	6,700	Yes	link	6,677	O	Active Permit
30-015-36423	FOREST OIL CORPORATION	EDDY	S:16, T:17S, R:31E	STATE B	13	7/18/2008	4,100	Yes	link	4,100	PI	Active Permit
30-015-36445	COG OPERATING LLC	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	604	7/18/2008	6,450	Yes	link	6,512	O	Active Permit
30-015-36447	COG OPERATING LLC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	601	7/17/2008	6,700	Yes	link	6,700	O	Active Permit
30-015-36351	COG OPERATING LLC	EDDY	S:16, T:17S, R:31E	WILLOW STATE	009	6/4/2008		Yes	link	6,498	O	Active Permit
30-015-36256	FOREST OIL CORPORATION	EDDY	S:16, T:17S, R:31E	STATE FOC B	012	4/7/2008	4,100	Yes	link	4,030	O	Active Permit
30-015-36254	FOREST OIL CORPORATION	EDDY	S:16, T:17S, R:31E	STATE FOC B	10	4/7/2008	4,100	Yes	link	4,075	O	Active Permit
30-015-36255	FOREST OIL CORPORATION	EDDY	S:16, T:17S, R:31E	STATE FOC B	011	4/7/2008	4,100	Yes	link	4,040	O	Active Permit
30-015-36283	CHEVRON USA INC or CHEVRON USA INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	973	4/1/2008	6,400	Yes	link	6,407	O	Active Permit
30-015-36184	CHEVRON USA, INC. or CHEVRON USA, INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	972	2/22/2008	6,400	Yes	link	6,415	O	Active Permit
30-015-36061	CHEVRON USA, INC. or CHEVRON USA, INC.	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	977	1/17/2008	6,500	Yes	link	6,510	O	Active Permit
30-015-36062	CHEVRON USA, INC. or CHEVRON USA, INC.	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	978	1/17/2008	6,500	Yes	link	6,500	PO	Active Permit

DI Search Results (Printable Table)

Page 3 of 12

	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	980	1/17/2008	6,500	Yes	link	6,500	PO	Active Permit
	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:16, T:17S, R:31E	YUCCA STATE	004	11/30/2007	6,400	Yes	link	6,400	PO	Active Permit
30-015-36063	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	966	10/11/2007	6,500	Yes	link	6,615	O	Active Permit
30-015-35941	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	942	2/22/2006	5,500	No	link	6,500	O	Active Permit
30-015-35969	CHEVRON USA, INC.	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	965	2/22/2006	3,849	No	link	5,370	O	Active Permit
30-015-34645	CHEVRON USA, INC.	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	964	2/22/2006	5,500	No	link	5,410	PO	Active Permit
30-015-34647	CHEVRON USA, INC.	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	963	2/21/2006	5,500	No	link	5,500	PO	Active Permit
30-015-34686	CHEVRON USA, INC.	EDDY	S:15, T:17S, R:31E	WILLOW STATE	008	1/30/2006	6,800	No	link	6,310	O	Active Permit
30-015-34646	CHEVRON USA, INC.	EDDY	S:16, T:17S, R:31E	SKELLY UNIT	958	8/30/2005	5,500	No	link	5,480	O	Active Permit
30-015-34559	MACK ENERGY CORPORATION or MACK ENERGY CORP	EDDY	S:16, T:17S, R:31E	SKELLY UNIT	949	11/30/2004		No	link	5,350	O	Active
30-015-34318	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	948	11/30/2004		No	link	5,350	O	Active
30-015-32988	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	944	11/30/2004		No	link	5,350	O	Active
30-015-32967	MARBOB ENERGY CORPORATION or MARBOB ENERGY CORP	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	948	11/30/2004		No	link	5,350	O	Active
30-015-33089	MARBOB ENERGY CORP	EDDY	S:16, T:17S, R:31E	OXY SPUMANI STATE	001	4/8/2004	9,850	Yes	link	12,200	G	Active
30-015-33089	OXY USA WTP LIMITED PARTNERSHIP	EDDY	S:16, T:17S, R:31E	OXY SPUMANI STATE	001	3/31/2004		No	link	12,200	G	Active
30-015-33029	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	LEE FEDERAL	005Q	11/1/2003	12,000	No	link	12,200	G	Active
30-015-33029	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	LEE FEDERAL	005	10/3/2003		No	link	5,290	O	Active
30-015-30500	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	LEE FEDERAL	005	9/30/2003		No	link	6,000	O	Active
30-015-33029	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	944	8/21/2003	5,500	No	link	5,450	O	Active
30-015-32964	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:22, T:17S, R:31E	SKELLY	945	8/21/2003	5,500	No	link	5,483	O	Active

DI Search Results (Printable Table)

Page 4 of 12

30-015-32867	INC	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:15, T:17S, R:31E	UNIT	948	8/21/2003	5,500	No	link	5,350	O	Active	FREN PADDOCK
30-015-32868	INC	THE WISER OIL CO (THE)	EDDY	S:15, T:17S, R:31E	SKELLY UNIT	949	8/21/2003	5,500	No	link	5,350	O	Active	FREN PADDOCK
30-015-32850	INC	WISER OIL CO	EDDY	S:16, T:17S, R:31E	STATE AZ	004	8/19/2003	3,800	No	link	3,800	O	Active	GRAYBURG SAN ANDRES
30-015-32850	INC	INC. or CHEVRON USA, INC.	EDDY	S:16, T:17S, R:31E	STATE AZ	004	7/31/2003	No	link	3,800	O	Active	G-J-SR-Q-G-SA	
30-015-32863	INC	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	944	7/31/2003	No	link	5,450	O	Active	FREN PADDOCK	
30-015-32864	INC	THE WISER OIL CO	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	945	7/31/2003	No	link	5,483	O	Active	FREN PADDOCK	
30-015-32917	INC	THE WISER OIL CO	EDDY	S:16, T:17S, R:31E	STATE "A"	4	7/30/2003	3,800	No	link	4,000	O	Active	GRAYBURG SAN ANDRES
30-015-32874	INC	WISER OIL CO (THE)	EDDY	S:16, T:17S, R:31E	STATE "B"	5	7/16/2003	3,800	No	link	3,900	O	Active	GRAYBURG SAN ANDRES
30-015-32874	INC	WISER OIL CO (THE)	EDDY	S:16, T:17S, R:31E	STATE B	005	6/30/2003	No	link	3,900	O	Active	G-J-SR-Q-G-SA	
30-015-32917	INC	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21, T:17S, R:31E	STATE A	004	6/30/2003	No	link	4,000	O	Active	G-J-SR-Q-G-SA	
30-015-32895	INC	MACK ENERGY CORPORATION or MACK ENERGY CORP	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	952	6/24/2003	11,800	No	link	11,850	O	Active	MORROW
30-015-32844	INC	MACK ENERGY CORP	EDDY	S:16, T:17S, R:31E	WILLOW STATE	4	6/15/2003	6,400	No	link	5,405	O	Active	Paddock
30-015-32844	INC	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:16, T:17S, R:31E	WILLOW STATE	004	5/31/2003	No	link	5,405	O	Active	Paddock	
30-015-32895	INC	MARBOB ENERGY CORP	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	952	5/31/2003	No	link	11,850	O	Active	N CEDAR LAKE MORROW	
30-015-32769	INC	MARBOB ENERGY CORP	EDDY	S:17, T:17S, R:31E	LEE FEDERAL	037	4/28/2003	6,000	No	link	5,281	O	Active	LOCO HILLS PADDOCK
30-015-30500	INC	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	LEE FEDERAL	005	4/8/2003	6,000	No	link	6,000	O	Active	PADDOK
30-015-32769	INC	MACK ENERGY CORPORATION or MACK ENERGY CORP	EDDY	S:17, T:17S, R:31E	LEE FEDERAL	037	3/31/2003	No	link	5,281	O	Active	LOCO HILLS PADDOCK	
30-015-32664	INC	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:16, T:17S, R:31E	WILLOW STATE	002	3/3/2003	6,400	No	link	6,505	O	Active	Paddock
30-015-32895	INC	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	936	1/16/2003	5,500	No	link	5,265	O	Active	FREN PADDOCK
30-015-32596	INC	CHEVRON USA, INC. or CHEVRON USA INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	937	1/16/2003	5,500	No	link	5,305	O	Active	FREN PADDOCK

DI Search Results (Printable Table)

Page 5 of 12

30-015-32597	INC, or CHEVRON USA, INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	938	1/16/2003	5,500	No	link	5,410	O Active	FREN PADDOCK
30-015-32598	CHEVRON USA, INC, or CHEVRON USA, INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	939	1/16/2003	5,500	No	link	5,360	O Active	FREN PADDOCK
30-015-32599	CHEVRON USA, INC, or CHEVRON USA, INC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	940	1/16/2003	5,500	No	link	5,427	O Active	FREN PADDOCK
30-015-32600	CHEVRON USA, INC, or CHEVRON USA, INC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	941	1/16/2003	5,500	No	link	5,478	O Active	FREN PADDOCK
30-015-05173 (THE)	WISER OIL CO	EDDY	S:16, T:17S, R:31E	STATE B	004	1/1/2003	0	No	link	3,782	O Shut-in	
30-015-05168 (THE)	WISER OIL CO	EDDY	S:16, T:17S, R:31E	STATE A	001	1/1/2003	0	No	link	3,630	O Active	
30-015-05169 (THE)	WISER OIL CO	EDDY	S:16, T:17S, R:31E	STATE A	002	1/1/2003	0	No	link	3,585	O Active	
30-015-05170 (THE)	WISER OIL CO	EDDY	S:16, T:17S, R:31E	STATE B	001	1/1/2003	0	No	link	3,680	O Pumping	
30-015-05171 (THE)	WISER OIL CO	EDDY	S:16, T:17S, R:31E	STATE B	002	1/1/2003	0	No	link	0	O Temporarily Abandoned	
30-015-05172 (THE)	WISER OIL CO	EDDY	S:16, T:17S, R:31E	STATE B	003	1/1/2003	0	No	link	0	O Shut-in	
30-015-05169 (THE)	WISER OIL CO	EDDY	S:17, T:17S, R:31E	SUPERIOR FOSTER	003	1/1/2003	0	No	link	0	O Active	
30-015-32598	CHEVRON USA, INC, or CHEVRON USA, INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	939	12/31/2002		No	link	5,360	O Active	FREN PADDOCK
30-015-32595	CHEVRON USA, INC, or CHEVRON USA, INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	936	12/31/2002		No	link	5,265	O Active	FREN PADDOCK
30-015-32596	CHEVRON USA, INC, or CHEVRON USA, INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	937	12/31/2002		No	link	5,305	O Active	FREN PADDOCK
30-015-32597	CHEVRON USA, INC, or CHEVRON USA, INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	938	12/31/2002		No	link	5,410	O Active	FREN PADDOCK
30-015-32599	CHEVRON USA, INC, or CHEVRON USA, INC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	940	12/31/2002		No	link	5,427	O Active	FREN PADDOCK
30-015-32600	CHEVRON USA, INC, or CHEVRON USA, INC	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	941	12/31/2002		No	link	5,478	O Active	FREN PADDOCK
30-015-31823	CHEVRON USA, INC, or CHEVRON USA, INC	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	915	10/31/2002		No	link	5,500	PO Active Permit	FREN PADDOCK

DI Search Results (Printable Table)

Page 6 of 12

30-015-31822	INC	MACK ENERGY CORPORATION or MACK ENERGY CORP	EDDY	S:21, T:17S, R:31E	UNIT	910	10/31/2002	No	link	5,500	PO	Active Permit						FREN PADDOCK	
30-015-32436	INC	MACK ENERGY CORPORATION or MACK ENERGY CORP	EDDY	S:21, T:17S, R:31E	UNIT	951	8/30/2002	12,200	No	link	12,000	G	Active					MORROW	
30-015-32437	INC	MACK ENERGY CORPORATION or MACK ENERGY CORP	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	950	8/30/2002	12,200	No	link	12,095	G	Active					MORROW	
30-015-05181	INC	MERIT ENERGY COMPANY, LLC	EDDY	S:17, T:17S, R:31E	TURNER B	001	7/1/2002	0	No	link	0	O	Active						
30-015-05190	INC	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:17, T:17S, R:31E	TURNER B	031	7/1/2002		No	link		O	Temporarily Abandoned						
30-015-05305	INC	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:20, T:17S, R:31E	TURNER B	033	7/1/2002		No	link		O	Temporarily Abandoned						
30-015-05306	INC	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:20, T:17S, R:31E	TURNER B	034	7/1/2002		No	link		O	Temporarily Abandoned						
30-015-29620	INC	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:20, T:17S, R:31E	TURNER B	134	7/1/2002		No	link	3,710	O	Pumping					GRAYBURG-JACKSON	
30-015-29621	INC	MERIT ENERGY CO or MERIT ENERGY COMPANY, LLC	EDDY	S:20, T:17S, R:31E	TURNER B	135	7/1/2002		No	link	3,766	O	Pumping					GRAYBURG-JACKSON	
30-015-29622	INC	CHEVRON USA, INC. or CHEVRON USA, INC.	EDDY	S:20, T:17S, R:31E	TURNER B	136	7/1/2002		No	link	3,925	O	Pumping					GRAYBURG-JACKSON	
30-015-31494	INC	CHEVRON USA, INC. or CHEVRON USA, INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	906	5/1/2002		No	link	5,700	O	Active						
30-015-31663	INC	CHEVRON USA, INC. or CHEVRON USA, INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	911	5/1/2002		No	link	5,500	O	Active						
30-015-31739	INC	CHEVRON USA, INC. or CHEVRON USA, INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	916	5/1/2002		No	link	5,500	O	Active						
30-015-29326	INC	CHEVRON USA, INC. or CHEVRON USA, INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	901	5/1/2002		No	link	9,200	G	Pumping					MORROW	
30-015-31375	INC	CHEVRON USA, INC. or CHEVRON USA, INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	908	5/1/2002		No	link	5,805	O	Pumping					FREN PADDOCK	
30-015-31385	INC	CHEVRON USA, INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	907	5/1/2002		No	link	5,400	O	Pumping					FREN PADDOCK	

DI Search Results (Printable Table)

Page 7 of 12

	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	912	5/1/2002	No	link	5,438	U	Pumping	FREN PADDOCK
30-015-31664	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	914	5/1/2002	No	link	5,400	U	Pumping	FREN PADDOCK
30-015-31665	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	930	5/1/2002	No	link	5,295	O	Pumping	FREN PADDOCK
30-015-31666	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	931	5/1/2002	No	link	5,370	O	Pumping	FREN PADDOCK
30-015-31667	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	933	5/1/2002	No	link	5,415	O	Active	FREN PADDOCK
30-015-31975	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	934	5/1/2002	No	link	5,255	O	Active	FREN PADDOCK
30-015-31976	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	935	5/1/2002	No	link	5,446	O	Active	FREN PADDOCK
30-015-31977	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	932	5/1/2002	No	link	5,700	O	Active	FREN PADDOCK
30-015-32206	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	906	4/30/2002	No	link	5,500	O	Active	FREN PADDOCK
30-015-31494	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	911	4/30/2002	No	link	5,700	O	Active	FREN PADDOCK
30-015-31663	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	916	4/30/2002	No	link	5,500	O	Active	FREN PADDOCK
30-015-31739	TEXACO EXPLORATION & PRODUCTION INC or TEXACO EXPLORATION & PRODUCTION INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	932	2/12/2002	No	link	5,225	O	Pumping	CEDAR LAKE YESO PADDOCK
30-015-32206	MARBOP ENERGY CORP	EDDY	S:20, T:17S, R:31E	FEDERAL WILLOW STATE	014	10/25/2001	No	link	0	O	Active	FREN PADDOCK
30-015-32072	MACK ENERGY CORP	EDDY	S:16, T:17S, R:31E	WILLOW STATE	002	9/5/2001	No	link	0	O	Unknown	CEDAR LAKE YESO PADDOCK
30-015-29390	MACK ENERGY CORP	EDDY	S:16, T:17S, R:31E	WILLOW STATE	004	9/5/2001	No	link	5,500	PO	Active Permit	PADDOCK
30-015-29568	CHEVRON USA, INC. or CHEVRON U S A INC.	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	910	6/4/2001	No	link	5,500	PO	Active Permit	PADDOCK

DI Search Results (Printable Table)

Page 8 of 12

CHEVRON USA, INC or CHEVRON USA INC	S:21 T:17S, R:31E	SKELLY UNIT	915	6/4/2001	5,500	No	link	5,500	PO	Active Permit		
30-015-31823	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	LEE FEDERAL	004	11/19/1998	6,000	No	link	6,000	O	Active
30-015-30510	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	LEE FEDERAL	004	10/31/1998		No	link	6,000	O	Active
30-015-30510	MARBOB ENERGY CORP	EDDY	S:20, T:17S, R:31E	LEE FEDERAL	013	9/29/1998		No	link	5,412	O	Pumping
30-015-30425	MARBOB ENERGY CORP	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	285	4/7/1998		No	link	PO	Unknown	
30-015-29240	WISER OIL CO (THE)	EDDY	S:20, T:17S, R:31E	TURNER B	122	3/24/1998		No	link	X	Cancelled	
30-015-29160	DEVON ENERGY PRODUCTION COMPANY, LP	EDDY	S:16, T:17S, R:31E	STATE AZ SKELLY UNIT	003	12/15/1997		No	link	3,759	O	Pumping
30-015-29969	WISER OIL CO (THE)	EDDY	S:15, T:17S, R:31E	STATE AZ SKELLY UNIT	001	10/16/1997	0	No	link	3,692	G	Active
30-015-05152	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	402	9/24/1997		No	link	3,988	O	Pumping
30-015-29860	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	400	9/16/1997		No	link	3,922	O	Pumping
30-015-29866	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	401	8/21/1997		No	link	3,950	O	Pumping
30-015-29877	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	068	7/25/1997	0	No	link	3,510	I	Injection Well
30-015-05338	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	063	7/22/1997	0	No	link	3,571	I	Injection Well
30-015-05317	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	093	7/17/1997	0	No	link	3,685	I	Injection Well
30-015-04885	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	090	7/17/1997	0	No	link	3,630	O	Injection Well
30-015-05428	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	074	7/16/1997	0	No	link	0	PI	Injection Well
30-015-05331	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	301	7/16/1997		No	link	3,950	I	Injection Well
30-015-29496	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	060	7/10/1997	0	No	link	0	I	Injection Well
30-015-05318	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	062	7/3/1997	0	No	link	3,555	I	Injection Well
30-015-05316	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	065	6/30/1997	99,999	No	link	3,800	O	Pumping
30-015-29712	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	302	7/3/1997		No	link	99,999	I	Injection Well
30-015-05342	WISER OIL CO (THE)	EDDY	S:16, T:17S, R:31E	STATE AZ WILLOW STATE	002	5/27/1997	0	No	link	0	O	Pumping
30-015-05315	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	061	6/23/1997		No	link	5,507	O	Pumping
30-015-05175	WISER OIL CO (THE)	EDDY	S:16, T:17S, R:31E	STATE AZ YUCCA	003	5/14/1997		No	link	5,518	O	Pumping
30-015-29606	MACK ENERGY CORP	EDDY	S:16, T:17S, R:31E	STATE AZ YUCCA	004	5/14/1997		No	link	0	O	Active
30-015-29607	MACK ENERGY CORP	EDDY	S:16, T:17S, R:31E	STATE AZ YUCCA	006	5/14/1997		No	link	5,460	O	Pumping
30-015-29608	MACK ENERGY CORP	EDDY	S:16, T:17S, R:31E	STATE AZ YUCCA								
30-015-29609	MACK ENERGY CORP	EDDY	S:16, T:17S, R:31E	STATE AZ YUCCA								

DI Search Results (Printable Table)

Page 9 of 12

30-015-05163 (THE)	WISER OIL CO EDDY	S:16, T:17S, R:31E STATE AZ SKELLY UNIT	001	5/1/1997	0	No	link	3,547	O	Pumping
30-015-05156 (THE)	WISER OIL CO EDDY	S:15, T:17S, R:31E STATE AZ SKELLY UNIT	028	4/29/1997	0	No	link	0	I	Injection Well
30-015-05341 (THE)	WISER OIL CO EDDY	S:21, T:17S, R:31E STATE AZ SKELLY UNIT	066	4/28/1997	0	No	link	0	I	Injection Well
30-015-05159 (THE)	WISER OIL CO EDDY	S:15, T:17S, R:31E STATE AZ SKELLY UNIT	027	4/24/1997	0	No	link	0	I	Pumping
30-015-05320 (THE)	WISER OIL CO EDDY	S:21, T:17S, R:31E STATE AZ SKELLY UNIT	059	4/17/1997	0	No	link	3,654	I	Injection Well
30-015-05426 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E STATE AZ SKELLY UNIT	088	4/17/1997	0	No	link	3,724	I	Injection Well
30-015-04884 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E STATE AZ SKELLY UNIT	084	4/15/1997	0	No	link	0	I	Injection Well
30-015-05420 (THE)	WISER OIL CO EDDY	S:27, T:17S, R:31E STATE AZ SKELLY UNIT	087	4/14/1997	0	No	link	3,560	PI	Injection Well
30-015-10500 (THE)	WISER OIL CO EDDY	S:22, T:17S, R:31E STATE AZ WILLOW STATE	043	4/11/1997	0	No	link	0	G	Active
30-015-29495 CORP	MACK ENERGY EDDY	S:16, T:17S, R:31E STATE AZ SKELLY UNIT	005	4/10/1997		No	link	8,700	O	Pumping
30-015-05421 (THE)	WISER OIL CO EDDY	S:27, T:17S, R:31E STATE AZ SKELLY UNIT	086	3/28/1997	0	No	link	0	I	Injection Well
30-015-20410 (THE)	WISER OIL CO EDDY	S:27, T:17S, R:31E STATE AZ SKELLY UNIT	107	3/27/1997	0	No	link	3,860	I	Injection Well
30-015-05151 (THE)	WISER OIL CO EDDY	S:15, T:17S, R:31E STATE AZ SKELLY UNIT	029	3/19/1997	0	No	link	3,717	G	Active
30-015-05358 (THE)	WISER OIL CO EDDY	S:22, T:17S, R:31E STATE AZ SKELLY UNIT	101	3/31/1997	0	No	link	3,725	I	Injection Well
30-015-05349 (THE)	WISER OIL CO EDDY	S:22, T:17S, R:31E STATE AZ YUCCA UNIT	055	2/19/1997	0	No	link	3,690	I	Injection Well
30-015-29391 CORP	MACK ENERGY EDDY	S:16, T:17S, R:31E STATE AZ YUCCA UNIT	002	2/19/1997		No	link	5,502	O	Pumping
30-015-29265 CORP	WISER OIL CO EDDY	S:16, T:17S, R:31E STATE AZ SKELLY UNIT	001	11/13/1996		No	link	5,435	O	Pumping
30-015-29239 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E STATE AZ SKELLY UNIT	273	10/23/1996		No	link	3,950	O	Pumping
30-015-29225 (THE)	WISER OIL CO EDDY	S:27, T:17S, R:31E STATE AZ SKELLY UNIT	276	10/11/1996		No	link	3,950	O	Pumping
30-015-29227 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E STATE AZ SKELLY UNIT	283	10/11/1996		No	link	4,000	O	Active
30-015-29208 (THE)	WISER OIL CO EDDY	S:22, T:17S, R:31E STATE AZ SKELLY UNIT	224	10/4/1996		No	link	4,000	O	Shut-in
30-015-29210 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E STATE AZ SKELLY UNIT	274	10/4/1996		No	link	3,950	O	Pumping
30-015-29181 (THE)	WISER OIL CO EDDY	S:21, T:17S, R:31E STATE AZ SKELLY UNIT	233	9/24/1996		No	link	3,900	O	Pumping
30-015-29184 (THE)	WISER OIL CO EDDY	S:27, T:17S, R:31E STATE AZ SKELLY UNIT	263	9/24/1996		No	link	3,900	O	Pumping
30-015-29092 (THE)	WISER OIL CO EDDY	S:15, T:17S, R:31E STATE AZ SKELLY UNIT	211	8/7/1996	4,800	No	link	4,000	O	Pumping
30-015-29092 (THE)	WISER OIL CO EDDY	S:15, T:17S, R:31E STATE AZ SKELLY UNIT	211	7/31/1996		No	link	4,000	O	Pumping
30-015-29063 (THE)	WISER OIL CO EDDY	S:21, T:17S, R:31E STATE AZ SKELLY UNIT	246	7/25/1996		No	link	3,950	O	Pumping
30-015-29064 (THE)	WISER OIL CO EDDY	S:28, T:17S, R:31E STATE AZ SKELLY UNIT	272	7/25/1996		No	link	3,987	O	Pumping
30-015-29031 (THE)	WISER OIL CO EDDY	S:22, T:17S, R:31E STATE AZ SKELLY UNIT	212	7/2/1996		No	link	4,060	O	Pumping

DI Search Results (Printable Table)

Page 10 of 12

30-015-29013 (THE)	WISER OIL CO	EDDY	S:15 T:17S R:31E	SKELLY UNIT	198	6/21/1996	No	link	4,000	O	Pumping	SAN ANDRES	
30-015-28999 (THE)	WISER OIL CO	EDDY	S:27 T:17S R:31E	SKELLY UNIT	264	6/5/1996	No	link	3,900	O	Shut-in	GRAYBURG JACKSON	
30-015-28964 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	223	5/20/1996	4,800	No	link	3,982	O	Pumping	GRAYBURG JACKSON
30-015-28972 (THE)	WISER OIL CO	EDDY	S:15 T:17S R:31E	SKELLY UNIT	199	5/9/1996	No	link	4,000	O	Pumping	GRAYBURG JACKSON	
30-015-28973 (THE)	WISER OIL CO	EDDY	S:22 T:17S R:31E	SKELLY UNIT	225	5/9/1996	No	link	4,000	O	Pumping	GRAYBURG JACKSON	
30-015-28975 (THE)	WISER OIL CO	EDDY	S:28 T:17S R:31E	SKELLY UNIT	259	5/9/1996	No	link	4,000	O	Pumping	GRAYBURG JACKSON	
30-015-28976 (THE)	WISER OIL CO	EDDY	S:28 T:17S R:31E	SKELLY UNIT	284Q	5/9/1996	No	link	0	O	Active	GRAYBURG JACKSON	
30-015-28967 (THE)	WISER OIL CO	EDDY	S:27 T:17S R:31E	SKELLY UNIT	277	5/2/1996	No	link	4,100	O	Pumping	GRAYBURG JACKSON	
30-015-28964 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	223	3/31/1996	No	link	3,982	O	Pumping	GRAYBURG-JACKSON	
30-015-28892 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	220	3/27/1996	No	link	3,800	O	Pumping	GRAYBURG JACKSON	
30-015-28893 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	221	3/27/1996	No	link	3,850	O	Pumping	GRAYBURG JACKSON	
30-015-28894 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	222	3/27/1996	No	link	3,900	O	Active	GRAYBURG JACKSON	
30-015-28890 MACK ENERGY CORP	EDDY	S:16 T:17S R:31E	WILLOW STATE	001	3/18/1996	No	link	8,990	O	Pumping	WOLFCAMP		
30-015-28881 (THE)	WISER OIL CO	EDDY	S:28 T:17S R:31E	SKELLY UNIT	275	3/13/1996	No	link	4,000	O	Pumping	QUEEN	
30-015-28810 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	248	1/29/1996	No	link	3,950	O	Pumping	QUEEN	
30-015-28811 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	260	1/29/1996	No	link	3,950	O	Pumping	QUEEN	
30-015-28812 (THE)	WISER OIL CO	EDDY	S:28 T:17S R:31E	SKELLY UNIT	261	1/29/1996	No	link	3,950	O	Pumping	QUEEN	
30-015-28783 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	234	1/17/1996	No	link	3,950	O	Pumping	QUEEN	
30-015-28784 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	235	1/17/1996	No	link	3,950	O	Pumping	QUEEN	
30-015-28788 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	247	1/17/1996	No	link	3,950	O	Active	QUEEN	
30-015-28789 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	262	1/17/1996	No	link	3,950	O	Pumping	QUEEN	
30-015-05319 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	064	9/1/1995	0	No	link	3,586	I	Injection Well	QUEEN
30-015-05321 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	009	9/1/1995	0	No	link	0	O	Pumping	QUEEN
30-015-05320 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	014	9/1/1995	0	No	link	0	O	Active	QUEEN
30-015-05323 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	013	9/1/1995	0	No	link	0	O	Active	QUEEN
30-015-05324 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	012	9/1/1995	0	No	link	2,235	G	Active	QUEEN
30-015-05325 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	010	9/1/1995	0	No	link	2,247	G	Active	QUEEN
30-015-05326 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	006	9/1/1995	0	No	link	0	O	Active	QUEEN
30-015-05327 (THE)	WISER OIL CO	EDDY	S:21 T:17S R:31E	SKELLY UNIT	007	9/1/1995	0	No	link	0	O	Pumping	QUEEN

DI Search Results (Printable Table)

Page 11 of 12

30-015-05328 (THE)	WISER OIL CO	EDDY	S:21 T:17S, R:31E	SKELLY UNIT	008	9/1/1995	0	No	link	0	O Active
30-015-05329 (THE)	WISER OIL CO	EDDY	S:21 T:17S, R:31E	SKELLY UNIT	004	9/1/1995	0	No	link	0	O Active
30-015-05330 (THE)	WISER OIL CO	EDDY	S:21 T:17S, R:31E	SKELLY UNIT	011	9/1/1995	0	No	link	0	O Shut-in
30-015-05332 (THE)	WISER OIL CO	EDDY	S:21 T:17S, R:31E	SKELLY UNIT	015	9/1/1995	0	No	link	0	O Pumping
30-015-05333 (THE)	WISER OIL CO	EDDY	S:21 T:17S, R:31E	SKELLY UNIT	075	9/1/1995	0	No	link	0	I Injection Well
30-015-05334 (THE)	WISER OIL CO	EDDY	S:21 T:17S, R:31E	SKELLY UNIT	016	9/1/1995	0	No	link	2,250	G Active
30-015-05335 (THE)	WISER OIL CO	EDDY	S:21 T:17S, R:31E	SKELLY UNIT	005	9/1/1995	0	No	link	0	O Pumping
30-015-05337 (THE)	WISER OIL CO	EDDY	S:21 T:17S, R:31E	SKELLY UNIT	069	9/1/1995	0	No	link	3,230	I Injection Well
30-015-05339 (THE)	WISER OIL CO	EDDY	S:21 T:17S, R:31E	SKELLY UNIT	067	9/1/1995	0	No	link	0	I Injection Well
30-015-05340 (THE)	WISER OIL CO	EDDY	S:21 T:17S, R:31E	SKELLY UNIT	077	9/1/1995	0	No	link	3,650	I Injection Well
30-015-05344 (THE)	WISER OIL CO	EDDY	S:22 T:17S, R:31E	SKELLY UNIT	002	9/1/1995	0	No	link	0	O Pumping
30-015-05347 (THE)	WISER OIL CO	EDDY	S:22 T:17S, R:31E	SKELLY UNIT	003	9/1/1995	0	No	link	12,384	O Active
30-015-05350 (THE)	WISER OIL CO	EDDY	S:22 T:17S, R:31E	SKELLY UNIT	056	9/1/1995	0	No	link	3,709	I Injection Well
30-015-05351 (THE)	WISER OIL CO	EDDY	S:22 T:17S, R:31E	SKELLY UNIT	054	9/1/1995	0	No	link	3,800	PI Injection Well
30-015-05352 (THE)	WISER OIL CO	EDDY	S:22 T:17S, R:31E	SKELLY UNIT	053	9/1/1995	0	No	link	3,810	G Active
30-015-05354 (THE)	WISER OIL CO	EDDY	S:22 T:17S, R:31E	SKELLY UNIT	044	9/1/1995	0	No	link	3,804	I Shut-in
30-015-05424 (THE)	WISER OIL CO	EDDY	S:27 T:17S, R:31E	SKELLY UNIT	086	9/1/1995	0	No	link	0	I Injection Well
30-015-05429 (THE)	WISER OIL CO	EDDY	S:28 T:17S, R:31E	SKELLY UNIT	089	9/1/1995	0	No	link	3,670	I Injection Well
30-015-05441 (THE)	WISER OIL CO	EDDY	S:28 T:17S, R:31E	SKELLY UNIT	095	9/1/1995	0	No	link	3,783	I Injection Well
30-015-10774 (THE)	WISER OIL CO	EDDY	S:15 T:17S, R:31E	SKELLY UNIT	030	9/1/1995	0	No	link	3,906	G Active
30-015-21088 (THE)	WISER OIL CO	EDDY	S:22 T:17S, R:31E	SKELLY UNIT	115	9/1/1995	0	No	link	3,910	O Temporarily Abandoned
30-015-21090 (THE)	WISER OIL CO	EDDY	S:22 T:17S, R:31E	SKELLY UNIT	116	9/1/1995	0	No	link	4,000	O Active
30-015-22251 (THE)	WISER OIL CO	EDDY	S:22 T:17S, R:31E	SKELLY UNIT	117	9/1/1995	0	No	link	0	O Pumping
30-015-22257 (THE)	WISER OIL CO	EDDY	S:22 T:17S, R:31E	SKELLY UNIT	123	9/1/1995	0	No	link	2,580	O Shut-in
30-015-22259 (THE)	WISER OIL CO	EDDY	S:22 T:17S, R:31E	SKELLY UNIT	125	9/1/1995	0	No	link	2,500	O Active
30-015-22260 (THE)	WISER OIL CO	EDDY	S:15 T:17S, R:31E	SKELLY UNIT	126	9/1/1995	0	No	link	2,530	O Active
30-015-22263 (THE)	WISER OIL CO	EDDY	S:21 T:17S, R:31E	SKELLY UNIT	129	9/1/1995	0	No	link	0	O Active
30-015-22264 (THE)	WISER OIL CO	EDDY	S:28 T:17S, R:31E	SKELLY UNIT	130	9/1/1995	0	No	link	2,550	O Active
30-015-22265 (THE)	WISER OIL CO	EDDY	S:28 T:17S, R:31E	SKELLY UNIT	131	9/1/1995	0	No	link	2,600	O Pumping

DI Search Results (Printable Table)

Page 12 of 12

30-015-22266	WISER OIL CO (THE)	EDDY	S:27 T:17S R:31E	SKELLY UNIT	132	9/1/1995	0	No	link	2,600	O	Pumping
30-015-22268	WISER OIL CO (THE)	EDDY	S:27, T:17S, R:31E	SKELLY UNIT	134	9/1/1995	0	No	link	2,650	O	Pumping
30-015-22481	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	136	9/1/1995	0	No	link	2,550	O	Active
30-015-22506	WISER OIL CO (THE)	EDDY	S:28, T:17S, R:31E	SKELLY UNIT	137	9/1/1995	0	No	link	2,550	O	Active
30-015-25037	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	149	9/1/1995	0	No	link	3,900	PO	Active
30-015-25038	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	156	9/1/1995	0	No	link	3,685	O	Active
30-015-25041	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	159	9/1/1995	0	No	link	3,962	PO	Active
30-015-25042	WISER OIL CO (THE)	EDDY	S:22, T:17S, R:31E	SKELLY UNIT	160	9/1/1995	0	No	link	3,900	PO	Active
30-015-05342	WISER OIL CO (THE)	EDDY	S:21, T:17S, R:31E	SKELLY UNIT	065	1/1/1970	4,800	No	link	99,999	I	Injection Well

1 Mile Radius Around Skelly Unit 725 - Change Title

[PDF](#) [Save](#)
[Map](#) [Image](#)

