	Accom
,	

Form 3160-5 (April 2004) UNITED STATES FORM APPROVED OM B No. 1004-0137 Express March 31, 2007 DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT Lease Serial No NM-62590 SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an 6. If Indian. Allottee or Tribe Name abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit or CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE- Other instructions on reverse side 1. Type of Well Viol Well Gas Well 8. Well Name and No. 2. Name of Operator Oxy USA Inc. API Well No. 3a Address 30-015-26941 3h. Phone No. (include area code) 4008 N. Grimes PMB 269, Hobbs NM 88240 5753978210 10. Field and Pool, or Exploratory Area 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. County or Parish. State ULF Sec 26 T22s R31e N32*21.955 W103*44.784 Eddy 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE REPORT, OR OTHER DATA Diad for record TYPE OF SUBMISSION TYPE OF ACTION Acidize Water Shut-Off Deepen Production (Start/Resume): Notice of Intent Alter Casing Fracture Treat L Reclamation Well Integrity Casing Repair New Construction Recomplete Other Subsequent Report _Change Plans Plug and Abandon Temporarily Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filled once. testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) See attached Documentation for approved work plan from NMOCD, Site Testing Data, and Initial C-141. This Document is sent with the intent of seeking like approval for the above listed leak site remediation, as approved by NMOCD Artesia Office. This site will be remediated to NMOCD and BLM Guidelines, and as to the approved work plan from both agencies. Thanks you for your consideration of this matter. Approved as per attached E-Mail. NMOCD ARTESIA Thereby certify that the foregoing is true and correct Name (Printed/Typed) Dusty L. Wilson Title HES Specialist 1-27-2011 Signature THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Office.

Itle 18 U.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United

(Instructions on page 2)

Conditions of approval, if any, are attached. Approval of this notice does not warrant or ceptify that the applicant holds legal or equitable title to those rights in the subject lease.

Sixtes any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

which would entitle the applicant to conduct operations thereon.

James Amos/CFO/NM/BLM/DOI 01/28/2011 10:05 AM

To <Dusty_Wilson@oxy.com>
cc cbrunson@bbcinternational.com

bcc

Subject Re: FW: Oxy Federal 26-7-Remediation Plan

Dusty,

The BLM is in concurance with OCD authorization. Provide like notification to myself prior to start and liner instalation. Side samples will be needed to validate side walls are down to OCD closure limits. Upon completion of backfill the access road is to be returned to a condition as the adjacent landscape. Remove caliche, restoring the native soils and contour and seeded with BLM #2 seed mix. Place a fence across the access to keep vehicular traffic off reclamation. If any questions contact Jim Amos at 575-234-5909.

James A. Amos Supv EPS 575-234-5909 (office) 575-361-2648 (cell) <Dusty_Wilson@oxy.com>



<Dusty_Wilson@oxy.com>
01/27/2011 04:47 PM

To <jamos@blm.gov>

cc <cbrunson@bbcinternational.com>

Subject FW: Oxy Federal 26-7-Remediation Plan

Jim, here is the work plan approved from NMOCD Artesia office for the Federal 26 # 7 poly flow line leak. I have attached the testing data for this site for your viewing, and a signed sundry notice for your records. Please let me know whether or not you agree to this work plan, as I will be getting bids started early next week for the excavation of this site. I will also be sending these documents to your office via US Mail. Thanks for your attention in this matter. Let me know if you need anything else.

Thanks,

Dusty L. Wilson HES Specialist Seminole, Lea County RMT.

"You will never succeed, if not given the chance to fail."

From: Bratcher, Mike, EMNRD [mailto:mike.bratcher@state.nm.us]

Sent: Thursday, January 06, 2011 7:29 AM

To: Cliff P. Brunson

Cc: Wilson, Dusty L; Ken Swinney; Jennifer Gilkey **Subject:** RE: Oxy Federal 26-7-Remediation Plan

Dusty Wilson
OXY USA WTP

Cliff Brunson BBC International, Inc.

Reference: OXY Federal 26 - 007 * 30-015-26941 * F-26-22s-31e * Eddy County, New Mexico

Release Date: 3/12/2010 OCD Project Number: 2RP-542

Greetings,

The remediation proposal submitted to the NMOCD District 2 Office for the release as listed above is approved with the following stipulations/conditions:

- Notify the District 2 office 48 hours prior to commencement of remedial activities.
- Notify the District 2 office 48 hours prior to installation of the liner.
- In the event further sampling operations are required, notify the District 2 office 48 hours prior to obtaining samples.
- Due to the elevated contaminant levels that existed throughout the affected area at 6 feet bgs, as indicated on the 3/29/10 sampling data sheet, OCD would request the target goal for excavation depth be a minimum of 8 feet bgs.
- Excavated material is to be disposed at a NMOCD approved disposal facility.
- The liner is to be installed on a smooth surface, free of any protuberances that may cause damage and/or failure of the liner.
- No portion of the liner may be closer than 4 feet to the natural surface grade.
- Like approval by BLM as may be applicable.

Be advised that this approval does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, this approval does not relieve the operator of responsibility for compliance with any other Federal, State, local laws and/or regulations.

If you have any questions or concerns, please contact me.

MIKE BRATCHER

NMOCD District 2 1301 W. Grand Ave. Artesia, NM 88210 575-748-1283 Ext.108 575-626-0857 mike.bratcher@state.nm.us