District F 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM-87410 District IV 1220 S. St. Francis Dr., Santa Fe, NNF 87505

## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

,	Pit, Closed	-Loop System	, Below-Grad	e Tank, or
Propose	d Alternativ	e Method Per	mit or Closur	e Plan Application

Proposed Alternative Method Permit or Closure Plan Application					
Type of action:    Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method   Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method   Modification to an existing permit   Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method					
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request					
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.					
1. Operator: CHEVRON, U.S.A., INC. OGRID'#: 4323					
Address: 15 SMITH ROAD, MIDLAND, TEXAS. 79705					
Facility or well name SKELLY UNIT #950					
APP Number: 30-015-32437 OCD Permit Number: 21/162					
U/L or Qtr/Qtr C Section 28 Township 17-S Range 3.1-E County: EDDY					
Center of Proposed Design: Latitude 1:ongitude NAD: 1927 1983					
Surface Owner: M Federal M State M Private M Tribal Trust or Indian Allotment					
Pit: Subsection F or G of 19.13.17.11 NMAC     Temporary:   Drilling   Workover     Permanent   Emergency   Cavitation   P&A     Lined   Unlined   Liner type: Thickness   mil   LLDPE   HDPE   PVC   Other     String-Reinforced   Liner Scans:   Welded   Factory   Other   Volume:   bbl Dimensions: L   x W   x D					
Below-grade tank: Subsection 1 of 19.15.17.11 NMAC   Volume:					
5.  Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					

*	Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
	Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or chirch)	
	Four foot height, four strands of barbed wire evenly spaced between one and four feet	
	Alternate: Please specify	
	Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
	Sereen Netting Other	
	Monthly inspections (If netting or screening is not physically feasible)	
	s. Signs: Subsection C of 19.15,17.11 NMAC	
	12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
	Signed in compliance with 19.15.3, 103 NMAC	
-	2.	
	Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
	Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of	office for
	consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	Patrick House (III)
	10. Stiffing Cultural Angendian State of the	
	Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate distriction office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.	
	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or helow-grade tank.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site	Yes No
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site: Aerial photo; Satellite image	Yes No
	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	
	- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
	Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - MM Office of the State Engineer - TWATERS database search; Visual inspection (certification) of the proposed site	Yes No
	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978; Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
	Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
	Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No
	Within an unstable area.  - Engineering measures incorporated into the design: NM Bureau of Geology & Mineral Resources; USGS: NM Geological Society: Topographic map	Yes No
	Within at 100-year floodplain. - FEMA map	□ Yes □ No

	Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate; by a check mark in the box, that the documents are attached.			
	Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
	Previously Approved Design (attach copy of design) API Number: or Permit Number:			
W. 1	Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19:15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19:15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19:15.17.10 NMAC			
	<ul> <li>☑ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>☑ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC</li> <li>☑ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC</li> <li>and 19.15.17.13 NMAC</li> </ul>			
	Previously Approved Design (attach copy of design) API Number:			
	Previously Approved Operating and Maintenance Plan API Number:			
	above ground steel tanks or haul-off bins and propose to implement waste removal for closuite)			
	Dr.   Perminent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC   Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.   Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Gertified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Precboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S. Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control			
	Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9/NMAC and 19.15.17.13 NMAC			
	Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
	Type: ☐ Drilling ☑ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☑ Closed-loop System ☐ Alternative			
	Proposed Closure Method: Waste Excavation and Removal  Waste Removal (Closed-loop systems only)  On-site Closure Method (Only for temporary pits and closed-loop systems)			
	In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must-be submitted to the Santa Re Environmental Bureau for consideration)			
	Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection II of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection II of 19.15.17.13 NMAC			
	Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

	aste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.45.17.43.D NMAC) structions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two		
	facilities are required,		
	Disposal Pacifity Name: CONTROLLED RECOVERY INC.	Disposal Facility/Permit Number: R9166-NM-01-00	
	Disposal Facility Name:	Disposal Facility Permit Number:	
	Fill any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations Yes (If yes, please provide the information below) No		
	Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection 11 of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure pl provided below. Requests regarding changes to certain siting criteria may require administ considered an exception which must be submitted to the Santa Fe Environmental Bareau of demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidan		ire administrative approval from the appropriate disti al Bureau office for consideration of approval. Justi	ict office or may be
	Ground water is less than 50 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search, USGS; Do	ita obtained from nearby wells	☐ Yes ☐ No ☐ NA
	Ground water is between 50 and 100 feet below the bottom of the buried waste - NM-Office of the State Engineer - iWATERS database search; USGS; D.	nta obtained from nearby wells	Yes No
	Ground water is more than 100 feet below the bottom of the buried waste.  - NM-Office of the State Engineer - iWATERS database search; USGS; D.	nta obtained from nearby wells	□. Yes □ No. □, NA.
	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other s lake (measured from the ordinary high-water mark).  - Topographic map: Visual inspection (certification) of the proposed site	ignificant watercourse or lakebed, sinkhole, or playa	Yes No
	Within 306 feet from a permanent residence, school, hospital, institution, or chur - Visual inspection (certification) of the proposed site; Aerial photo; Satell		☐ Yes ☐ No
	Within 500 horizontal feel of a private, domestic fresh water well or spring that he watering purposes; or within 1000 horizontal feet of any other fresh water well of NM Office of the State Engineer - IWATERS database; Visual inspection	spring, in existence at the time of initial application.	Yes No
	Within incorporated municipal boundaries or within a defined municipal fresh was adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Written confirmation or verification from the municipality: Written appropriate		Yes No
	Within 500 feet of a wetland.  - US:Fish and Wilelife Wetland Identification map; Topographic map; Vis	ual inspection (ceitification) of the proposed site	Yes No
	Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD-Mini	ng and Mineral Division	☐ Yes ☐ No
	Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geold Society; Topographic map	ogy & Mineral Resources: USGS: NM Geological	☐ Yes ☐ No
	Within a 100-year floodpain. FEMA map		☐ Yes.☐ No
18.   On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate by a check mark in the box, that the documents are attached.    Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC   Proof of Surface Owner Notice - based upon the appropriate requirements of 5ubsection F of 19.15.17.13 NMAC   Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC   Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC   Protocols and Procedures - based upon the appropriate requirements of \$19.15.17.13 NMAC   Confirmation Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)   Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC   Re-vegetation Plan - based upon the appropriate requirements of Subsection Crof T9.15.17.13 NMAC   Site Reclamation Plan - based upon the appropriate requirements of Subsection Crof T9.15.17.13 NMAC   Site Reclamation Plan - based upon the appropriate requirements of Subsection Crof T9.15.17.13 NMAC   Site Reclamation Plan - based upon the appropriate requirements of Subsection Crof T9.15.17.13 NMAC   Site Reclamation Plan - based upon the appropriate requirements of Subsection Crof T9.15.17.13 NMAC   Site Reclamation Plan - based upon the appropriate requirements of Subsection Crof T9.15.17.13 NMAC   Site Reclamation Plan - based upon the appropriate requirements of Subsection Crof T9.15.17.13 NMAC   Site Reclamation Plan - based upon the appropriate requirements of Subsection Crof T9.15.17.13 NMAC   Site Reclamation Plan - based upon the appropriate requirements of Subsection Crof T9.15.1		15.17.41 NMAC	

Operator Application Certification:  I hereby certify that the information submitted with this application is true, according to the content of the content	urate and complete to the best of my knowledge and belief	
Name (Print): DENISE PINKERTON	Title: REGULATORY SPECIALIST	
Signature: ANULL Part Profess	Date: 01-25-2011	
e-mail address: leakejd@enevron.com	Telephone: 432-687-7375	
OCD Approval: <b>X</b> Pennit Application (including closure plan) Closure	Plan (only)	
OCD Representative Signature:_	Approval Date: 02/1/201/	
Title: DIST HSUPEWIST	OCD Permit Number: 211162	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.		
	Closure Completion Date:	
Closure Method:   Waste Excavation and Removal   On-Site Closure Method   Alter   If different from approved plan, please explain.	native Closure Method 🛛 Waste Removal (Closed-loop systems only)	
23. Closure Report Regarding Waste Removal Closure For Closed-loop System Instructions: Please indentify the facility or facilities for where the liquids, du two facilities were utilized.		
Disposal Facility Name:		
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on Yes (If yes, please demonstrate compliance to the items below) No	or in areas that will not be used for future service and operations?	
Required for impacted areas which will not be used for future service and open  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	ations:	
24.		
Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)	items must be attached to the closure report. Please indicate, by a check	
Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closures	e)	
☐ Disposal Facility Name and Permit Number ☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique		
Site Réclamation (Photo Documentation) On-site Closure Location: Latitude Lon	gitudeNAD: []1927 [] 1983	
25.	V-W-00046044400040000-1047-1047-1047-1047-1047-10	
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure require		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	