

Approved, subject to like approval by the
State Water Engineer.

Budget Bureau No. 42-B358.4.
Approval expires 12-31-60.

Form 9-381a
(Feb. 1961)

Carl C. Trapp

(SUBMIT IN TRIPLICATE)

District Engineer

1-5-61

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

Land Office

Lease No.

Unit

RECEIVED

JAN 9 1961

SUNDRY NOTICES AND REPORTS ON WELLS

D. C. C.

ARTESIA, OFFICE

| | | | |
|------------------------------------------------|-------------------------------------|--------------------------------------------|--|
| NOTICE OF INTENTION TO DRILL | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
| NOTICE OF INTENTION TO CHANGE PLANS | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

30-005-00036

December 29, 1960

#2 Leonard

Well No. 2 is located 660 ft. from N line and 2310 ft. from E line of sec. 35

NW 1/4 NE 1/4 Sec. 35 10 South, 25 East 100W
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Undesignated

Chaves County

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

DEC 27 1960

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

Status of Bond is J. S. Ward & Son Blanket Bond

We intend to complete this well in the San Andres formation at an approximate depth of 1250 feet.

We propose to use the following casing & to cement as indicated:

9-5/8" Hole 7" Casing 170' New @ 700 feet with 200 sacks cement.

6-1/4" Hole 4 1/2" Casing 9 1/2" New @ 1250 feet with 50 sacks cement.

Drilling Contractor is Walker Drilling Company of Pecos, Texas
Well to be drilled with Rotary Tools.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company W. J. Spears Oil Producing Co., Inc.

Address Room 726-Petroleum Bldg.

Alamogordo, New Mexico

By

Title President - Operator

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

10/10/1918

RECEIVED
U. S. GEOLOGICAL SURVEY

RECEIVED

DEC 27 1960

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

W. A. J. Speers

W. A. J. Speers