Form C-101 RECEIVED

NOTICE OF INTENTION TO DRILLJUN 9 30-005-00044

ROSNELL N. M	feet from th MPM.
N. G. Peters Drilling Co. (Company or Operator) Allens South (Late) Allens South (Late) Area, Well No. 1 (Unit) ared 330 feet from the East line and 330 (Unit) According From Section Line) By A South State Land the Oil and Gas Lease is No. If State Land the Oil and Gas Lease is No. If patented land the owner is J. P. Cannon. Address 1000 Se Kentucky Roswell, N. Address	feet from th
You are hereby notified that it is our intention to commence the Drilling Co. M.G. Peters Drilling Co. Allers Well No. In action 330 South In and 330 South In and 330 If eter from the Bast If state Land the Oil and Gas Lease is No. If patented land the owner is J. P. Cannon Address. Allers Drilling Co. Address. If patented land the owner is J. P. Cannon Address. D. G. B. A We propose to drill well with drilling equipment as follows: Rotary The status of plugging bond is 1.0,000 Blanket Drilling Contractor Peters Drilling Co. ROSWell, N. H. We intend to complete this well in the San Andress formation at an approximate depth of 900 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Biss of Balo Biss of Casing Weight per Foot New or Second Hand Popth If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed plan ADDITIONAL INFORMATION (If recompletion give full details of proposed pla	feet from th
All one-Wagner - Article, Well No. 1	feet from th
Allenswagner - Arrow Well No. 1 , in (Unit) ated 330	feet from th
South South Section 17 T. 10 S R. 25 E N South Stouth Section LINE State Land the Oil and Gas Lease is No. If State Land the Oil and Gas Lease is No. If patented land the owner is J.P.Cannon Address 1000 S Kentucky Roswell, N. M. We propose to drill well with drilling equipment as follows: Rotary The status of plugging bond is 1.0,000 Blanket Drilling Contractor Peters Drilling Co. Roswell, N. M. We intend to complete this well in the San Andress formation at an approximate depth of 900 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Since of Balo Since of Casing Weight per Foot New or Second Hand Depth If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan and the second state of the second stat	MPM. Count
South Inc of Section 17 T. 10 S. R.	Count
If State Land the Oil and Gas Lease is No. If patented land the owner is. J.P.Cannon. Address. 1000 S. Kentucky Roswell, N.J. We propose to drill well with drilling equipment as follows: Rotary. The status of plugging bond is. 10,000 Blanket. Drilling Contractor Peters: Drilling Co. Roswell, N.M. We intend to complete this well in the San Andress formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Ecic Size of Casing Weight per Foot New or Second Hand Depth If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of Proposed Plant Cannot Suppose the Casing Proposed Plant Cannot Suppose the Casing Supposed Plant Cannot Supposed P	
If State Land the Oil and Gas Lease is No If patented land the owner is J. P. Cannon. Address 1000 S. Kentucky Roswell, N. J. We propose to drill well with drilling equipment as follows: Rotary The status of plugging bond is 10,000 Blanket Drilling Contractor Peters Drilling Co Roswell, N. M. We intend to complete this well in the San Andres formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Ecic Size of Cosing Weight per Foot New or Second Hand Depth 8 3/b 7 8 20.00 Used 700 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of Proposed Plant Cannot Recomplete the street of Proposed Plant Cannot Recomplete the Section Recomplete the Section Recomplete the street of Proposed Plant Cannot Recomplete the Section Recomplete	
If patented land the owner is J.P.Cannon Address 1000 S. Kentucky Roswell, N.J. We propose to drill well with drilling equipment as follows: Rotary The status of plugging bond is 1.0,000 Blanket Drilling Contractor Peters Drilling Co. Roswell, N.M. M N O PX We intend to complete this well in the San Andres formation at an approximate depth of San Andres CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Ecic Size Size Casing Weight per Foot New or Second Hand Depth 1	
D C B A Address 1000 S. Renouse 1 Rossell, N. S. Rotary E F G H L K J I Drilling Contractor Peters Drilling Co. Me intend to complete this well in the San Andress formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Ecle Size of Casing Weight per Foot New or Second Hand Depth 8 3/4 7 20.00 Used 700 1 1 20.00 Used 900 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)	
E F G H The status of plugging bond is 1.0,000 Blanket L K J I Drilling Contractor Peters Drilling Co. ROSWell, N.M. M N O PX We intend to complete this well in the San Andres formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Ecle Size of Casing Weight per Foot New or Second Hand Depth 8 3/4 78 20.00 Used 700 18 2 9.50 New 900 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of Work 2000 CASING PROGRAM) BRILL FOR A 2000 CASING PROGRAM CA	
E F G H The status of plugging bond is 1.0,000 Blanket L K J I Drilling Contractor Peters Drilling Co. ROSWell, N.M. M N O PX We intend to complete this well in the San Andres formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Bale Size of Casing Weight per Foot New or Second Hand Depth 8 3/4 78 20.00 Used 700 16 changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of Work.)	
L K J I Drilling Contractor Peters Drilling Co. ROSWell, N.M. We intend to complete this well in the San Andres formation at an approximate depth of 900 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Ecie Size of Casing Weight per Foot New or Second Hand Depth 8 3/4 7 8 20.00 Used 700 9 50 New 900 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of Work 17.2.2.2.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.	
M N O PX We intend to complete this well in the San Andres formation at an approximate depth of 900 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Sise of Hole Sise of Hole Sine of Casing Weight per Foot New or Second Hand Depth 1 1 2 9.50 New 900 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work and the second stand of work and th	
M N O PX We intend to complete this well in the San Andres formation at an approximate depth of GASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Ecic Size of Casing Weight per Foot New or Second Hand Depth 8 3/4 7 20 00 Used 700 16 changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of Work) DRILLE CONTACT.	
We intend to complete this well in the San Andres formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Ecle Size of Casing Weight per Foot New or Second Hand Depth 8 3/4 7 8 20.00 Used 700 6 1 1 1 9.50 New 900 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of Work.)	•••••••
Formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Eclo Size of Casing Weight per Foot New or Second Hand Depth 8 3/4 7 20.00 Used 700 6 2 4 2 9.50 New 900 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of Work.) DRILL ENGLANCE AND CONTACT OF THE CON	
CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 20.00 Used 700 900 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) DRILLEGATE ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)	fe
Size of Hole Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 700 100 100 100 100 100 100 10	
8 3/4 7 20.00 Used 700 1 to thanges in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) DRILL FOR SECTIONAL INFORMATION (If recompletion give full details of proposed plan of work.)	Sacks Cement
If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) APPROVAL IS SUBJECTED TO SUBJECT AND APPROVAL IS SUBJECT AND APPROVAL IS SUBJECT.	BECKS (CINEMA
If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) APPROVAL IS SUBJECTED TO THE PROPERTY OF	Circ.
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) ENGREE ENGREE AND MERCHAELE ON "AN OLIFO AND THE PORT OF THE PROPERTY OF THE PROPERTY OF THE PORT OF	75
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) ENGREE ENGREE AND MERCHAEL ON "AN OLD ON "AN O	
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) ENGREE ENGREE AND MERCHAEL ON "AN OLD ON "AN O	
DRILL FOR COMMISSION	CT TO STAT
DRILL FOR COMMISSION	JONG REQU DE PERMIT
BOX 810, ROSWELL	VATER BASI
	NEW MEXIC
JUN 9 1900 Sincerely yours,	
Approved	la co
Except as follows:	
By By	
Position	
OIL CONSERVATION COMMISSION Send Communications regarding	wall to

R	E	C	E	I	V	F	ח	ı

NEW MEXICO OIL

	WELI		ION AND				SION ON PLAT	JUN 9 1980	C-128 5/1/57
							EVERSE SIDI	= U. 33. G.	
0				SECTIO	N A			ARTESIA, OFFICE	
Operator M. G.	Dotone D			Lease				Well No.	
Unit Letter	Peters D	Township	•		& Wagn		annon	1	
P	17		0 South	Rang	e 25 East	County	Chaves		
Actual Footage Lo		- 			~ ~ ~ ~ ·		ATTO A BO		-
330'	feet from the S	outh	line and	3301	fe	et from the	Ragt	line	
Ground Level Elev	1 -5			Pool				Dedicated Acreage:	
	San	Andres			Wildcat			40	Acres
another. (65-2). If the answer to	3-29 (e) NMSA 19 question one is '	35 Comp.) 'no,' have the	rom any pool ne interests o ves.'' Type o	of all the coof Consoli	wners been dation	production consolidate erests belo	ed by communi	. ("Owner" means t mself or for himself a itization agreement or	nd
					Land Descrip	otion			
									
		SECTIO	ON B						
							,	CERTIFICATION	
	!						I hereby	garrifu sharal 1 f	-
		l					in SECTI	certify that the inform	nation
	ļ	-						ON A above is true a	
	ļ			ĺ				he best of my knowle	dge and
	1						belief.		
							 		
	!			İ			Name	01/1-1	
							_//L	X Wille	10
	i						Position		
	1			j			·	perator	
				ļ				eters Drlg.	Co.
	1						Date Ju	ne 8, 1960	
·									
	i	į		ļ					
	i						I hereby o	ertify that the well lo	
				l I			shown or	the plat :- CCCTIC:	cation
	i			1			plant 1	the plat in SECTION	B was
	-			!			protted fro	m field notes of actua	al
	i			[j	surveys m	ade by me or under my	,
	i	1		l I			supervisio	n, and that the same	is true
		{		1			and correc	t to the best of my kn	owledge
				+	-	~	and belief.		5-
				1		i			
	1			ļ			D 3		
								tune 8, 1960	
	1			!			Registe red	Professional Engine	er
						Q330'	and/or Lan	d Surveyor	. ~
						<u></u>	Mins	no of Theat	$\langle f \rangle$
330 660 990) 1320 1650 198	0 2310 2640	2000	1500	1000 5	00 0	Certificate	No.	
 					.550	0	\perp	¹⁰⁰ 3069/	

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.

OIL CONSERVATION	Non-grange
Vo. Cerios (conived	6
10. 00	
	· · · · · · · · · · · · · · · · · · ·
OPERATOR	7.
SANAIN	1
PROKATION	
STATE LAND OF THE	
U. S. G. S.	-
TRANSPORTER	1
FILE	
BUREAU OF MINES	