

N. M. O. C. C. COPY
UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)Form 9-531
Budget Estimate
5. LEASE DESIGNATION AND SERIAL NO.
034932-A
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME ---
2. NAME OF OPERATOR Tesoro Petroleum Corporation	8. FARM OR LEASE NAME Bright Federal
3. ADDRESS OF OPERATOR 8520 Crownhill Boulevard, San Antonio, Texas 78209	9. WELL NO. #1-23
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1650' FSL and 330' FWL, Section 23, T-10-S, R-25-E	10. FIELD AND POOL, OR WILDCAT Bitter Lake-San Andres
14. PERMIT NO. ---	11. SEC., T., R., M., OR LK. AND SURVEY OR AREA Sec. 23, T10S, R25E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3553' GL	12. COUNTY OR PARISH Chaves
	13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☒CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Reason for abandonment: Well is no longer commercially productive.

Operator proposes to set 30-sack cement plug from TD of 1031' to a depth approximately 50' above the bottom of the casing which was set at 947' KB. Remainder of casing will then be filled with natural mud and a 10-sack plug spotted at the surface. A 4" OD x 4' marker will then be set in the top and the well properly identified.

RECEIVED

FEB 17 1971

C. O. C.
ARTESIA, NEW MEXICORECEIVED
FEB 16 1971
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

R. H. Denman

TITLE Manager of Production
Engineering

DATE Feb. 12, 1971

(This space for Federal or State office use)

APPROVED BY

CONDITION OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side