


N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

DeKalb Agricultural Assn., Inc. 806 Lubbock Natl. Bldg, Lubbock, Texas

Mary Ann Cannon

Company or Operator

Well No. 1

NW 1/4 NE 1/4 SW 1/4

Address

T. 10-South

R. 25-East

N. M. P. M.

Wildcat

Field,

Chaves

County.

Well is 2970

feet south of the North line and

3630

feet west of the East line of

Section 27

If State land the oil and gas lease is No. Not

Assignment No.

If patented land the owner is Mary Ann Cannon

Address Roswell, New Mexico

If Government land the permittee is Not

Address

The Lessee is DeKalb Agricultural Assn., Inc.

Address Lubbock, Texas

Drilling commenced April 5

1947

Drilling was completed

April 6

1947

Name of drilling contractor Mc's Drilling Co.

Address Denver City, Texas

Elevation above sea level at top of casing 3500 feet.

The information given is to be kept confidential until Not 19

OIL SANDS OR ZONES

No. 1, from None to

No. 4, from to

No. 2, from to

No. 5, from to

No. 3, from to

No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 120 to 473 feet. No rate- water 75' from Surface

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
	None								

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
7-7/8"	None	Not	None	--	10.5 / Gal	252 sacks eoegel

PLUGS AND ADAPTERS

Heaving plug—Material None Length Depth Set

Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	None					

Results of shooting or chemical treatment None

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 473 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing Lost Hole 4-6-47 19

The production of the first 24 hours was barrels of fluid of which % was oil;

emulsion; % water; and % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

B. L. McFarland Driller Driller

Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 12

day of September 1947

Notary Public

My Commission expires June, 1949

Lubbock Co. Texas

Lubbock, Texas

Place

September 12, 1947

Date

Name P. A. McClure

Position Supt.

Representing DeKalb Agricultural Assn., Inc.

Company or Operator

Address Lubbock, Texas

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
-0-	120	120	Sand and shale
120	473	353	Sand
		ABANDONED	