

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico RECEIVED

WELL RECORD

MAR 3 1960

WESTLA	ND OIL DE	VELOPMENT CO	DRPORATION			J. F. WAGNER	
ll No				i, of Sec	1 <b>8</b> , T		25-E , NMPM
٧	Ildcat			Pooi,	Chaves	•	Count
							<b>Eas</b> t lii
							<b>29</b> , 19 <b>6</b> 0
ne of Dril							
iress		•					
vation abo	ve sea level at	Top of Tubing He	ad 3531	K.B.	The info	ormation given is to	be kept confidential unt
NOT NE	cessary		19				
			on	SANDS OR Z	ONES		
1, from	Non Comm	ercial to		No. 4	, from	to	
2, from		to		No. 5	, from	to	
			IMPOR	TANT WATER	& SANUS		
lude data	on rate of war	ter inflow and elev	etion to which w	vater rose in hol	le.		
		ter inflow and elev				feet Flowed	at low rate when
1, from	510		to	560			
1, from 2, from	510		to	560		feet. mud wel	ght was below 10
1, from 2, from 3, from	510		toto	560		feet. mud well pounds.	ght was below 1
1, from 2, from 3, from	510		tototo	560		feet. mud well pounds.	ght was below 1
. 1, from	510		tototo	560	)RD	feet. mud well pounds.	at low rate when ght was below 10
1, from 2, from 3, from 4, from	WEIGHT PER FOO	new or	tototo	560		feet. mud well pounds.	ght was below 1
1, from 2, from 3, from 4, from	WEIGHT PER POO	NEW OR USED	tototototo	CASING RECO	CUT AND PULLED FROM	feet. mud well feet. pounds. feet.  feet.  PERFORATIONS  None	purpose Shut-off water
1, from 2, from 3, from 4, from	WEIGHT PER FOO	NEW OR USED	tototototo	CASING RECO	CUT AND PULLED FROM	feet. mud we in feet. pounds. feet. perforations	purpose Shut-off water
1, from 2, from 3, from 4, from	WEIGHT PER POO	NEW OR USED	tototototo	CASING RECO	CUT AND PULLED FROM	feet. mud well feet. pounds. feet.  feet.  PERFORATIONS  None	PURPOSE Shut-off water
1, from 2, from 3, from 4, from	WEIGHT PER POO	NEW OR USED	tototototo	CASING RECO	CUT AND PULLED FROM None None	feet. mud well feet. pounds. feet.  feet.  PERFORATIONS  None	purpose Shut-off water
1, from 2, from 3, from 4, from  8IZE 0 3/41 7'	WEIGHT PER FOO 40#	VSED USED USED Hew	totototototo	CASING RECO	CUT AND PULLED FROM	feet. mud well feet. pounds. feet.  feet.  PERFORATIONS  None	purpose Shut-off water
1, from 2, from 3, from 4, from  8IZE 0 3/41 7'!	WEIGHT PER FOO  40#  20#  SIZE OF CASING	VHERE SET	AMOUNT 166 683  MUDDING NO. BACKS OF CEMENT	CASING BECO  KIND OF SHOE  Guide  Guide  AND CEMENT  METHOD USED	CUT AND PULLED FROM None None	feet. mud well feet. pounds. feet.  PERFORATIONS None  MUD RAVITY	PURPOSE  Shut-off water.
1, from 2, from 3, from 4, from  8IZE 0 3/4	WEIGHT PER FOO	NEW OR USED USED USed New	tototo	CASING RECO  KIND OF SHOE  Guide  Guide  AND CEMENT	CUT AND PULLED FROM None None TING RECORD	feet. mud well feet. pounds. feet.  feet.  PERFORATIONS  None  MUD	PURPOSE  Shut-off water  Protect fresi water.

Depth Cleaned Out.....

## I ORD OF DRILL-STEM AND SPECIAL TES

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Rotary to	ols were us	ed from						feet tofeet.
Cable too	ls were use	d from	feet t	0	feet, an	d from		feet tofeet.
				PRODUC	TION			
Put to Pr	oducing	D & /	1	19				
OIL WE	LL: The	productio	n during the first 24 ho	urs was		barı	rels of lia	uid of which
012 (12								% was sediment. A.P.I.
		•				% water	; and	
	Grav	vi <b>ty</b>	· · · · · · · · · · · · · · · · · · ·	•••••••••••••••••••••••••••••••••••••••		į		
GAS WE	LL: The	productio	n during the first 24 ho	urs was	N	A.C.F. ph	us	barrels of
	liqui	id Hydroca	arbon. Shut in Pressure	lbs.				
Length o	f Time Sh	ut in					. ,	
-					PORMANO	THE WATER	I GEOGE	RAPHICAL SECTION OF STATE):
FLE.	MSE IND	CALL D		-	CAMPLET	/11 ((1111	Luzioux	Northwestern New Mexico
T. Anhy	Southeastern New Mexico  Anhy			Devonian			Т.	Ojo Alamo
T. Salt	Salt T. Silurian			Silurian				Kirtland-Fruitland
B. Salt			т.	Montoya			т.	Farmington
			T.	Simpson	•			Pictured Cliffs
			T.	McKee Ellenburger				Menefee Point Lookout
~			T.	Gr. Wash				Mancos
T. San	Andres		т.	Granite			_	Dakota
			T.	***************************************	••••••			Morrison
			T.				_	Penn
			T. T.				_	
•			T.	***************************************				
T. Miss.			т.	••••••	<del>-</del>		Т.	
			* 1	FORMATIO	N RECO	RD		
From	To	Thickness in Feet	Formati	on	From	То	Thicknes in Feet	
0 10 70 160 210 420 540 610 786 900 1290	19 70 160 210 420 540 610 786 900 1290 1363	10 60 .90 50 210 120 70 176 114 390 73	Soil Caliche Limey Sand Shale Sand & Gravel Gravel Sand Very dense dol Dolomite Hard Dolomite Sandy Dolomite			AA IS	COMA ARTES Second	EVATION COMMISSION  STRICT OFFICE  TURNISHED
			ATTACH SEPAR.  that the information gvailable records.					of the well and all work done on it so far
as can b	e uetermin	en itom a	vanadie records.		Febru	ry 29,	1960	
Come	u os O=	LEC'	TLAND QIL DEVEL	COMENT COMP	•			& Gas Bldg., Wichita Falls,T
Company	y or Opera	wr	LAND WHEN DE SEL	METALITI LAND.				
Name			Cen 5/2		Position	or Title	Petro	eum Engineer