


AREA 640 ACRES  
LOCATE WELL CORRECTLY

E. P. CAMPBELL

(Company or Operator)

ALLISON (CITIES SERVICE)

(Lease)

Well No. 1 in NE  $\frac{1}{4}$  of NE  $\frac{1}{4}$  of Sec. 15, T. 14 South, R. 25 East, NMPM.

Undesignated Pool, Chaves County.

Well is 200 feet from North line and 200 feet from East line

of Section 15. If State Land the Oil and Gas Lease No. is \_\_\_\_\_

Drilling Commenced April 15, 1960 Drilling was Completed July 15, 1960

Name of Drilling Contractor E. P. Campbell

Address 1603 Broadway, Lubbock, Texas

Elevation above sea level at Top of Tubing Head 3575' GL  
Not Confidential The information given is to be kept confidential until \_\_\_\_\_, 19\_\_\_\_.

OIL SANDS OR ZONES

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_

No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 100 to 150 feet. water level 100'

No. 2, from 655 to 7-- feet.

No. 3, from \_\_\_\_\_ to \_\_\_\_\_ feet.

No. 4, from \_\_\_\_\_ to \_\_\_\_\_ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
5-1/2"	Originally in place		690'				surface string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
8-1/4"	5-1/2"	690	150	pump & plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Set packer @ 1020 feet, swabbed dry, treated with 250 gallons mud acid, swabbed dry, no show.

Result of Production Stimulation \_\_\_\_\_

Depth Cleaned Out 1165'

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 715 feet to 1165 feet, and from feet to feet.  
Cable tools were used from 0 feet to 715 feet, and from feet to feet.

PRODUCTION

PLUGGED & ABANDONED July 15, 1960

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.			T. Devonian.		T. Ojo Alamo.
T. Salt.			T. Silurian.		T. Kirtland-Fruitland.
B. Salt.			T. Montoya.		T. Farmington.
T. Yates.			T. Simpson.		T. Pictured Cliffs.
T. 7 Rivers.			T. McKee.		T. Menefee.
T. Queen.			T. Ellenburger.		T. Point Lookout.
T. Grayburg.			T. Gr. Wash.		T. Mancos.
T. San Andres.	690'		T. Granite.		T. Dakota.
T. Glorieta.			T.		T. Morrison.
T. Drinkard.			T.		T. Penn.
T. Tubbs.			T.		T.
T. Abo.			T.		T.
T. Penn.			T.		T.
T. Miss.			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
			Plugged 1165 to surface with 75 sacks cement.  This well was originally drilled by Cities Service Oil Company and re-entered and cleaned out to 1165 feet by Mr. E. P. Campbell of Lubbock, Texas.  Formation record originally furnished by Cities Service Oil Company				
OIL CONSERVATION COMMISSION ARTESIA DISTRICT OFFICE							
No Copies Received				2			
DISTRIBUTION							
RECEIVED							
SANTA FE				1			
PRODUCTION OFFICE							
STATE LAND OFFICE							
U. S. G. S.				2			
TRANSPORTER							
FILE				1			

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far  
as can be determined from available records.

Company or Operator. E. P. Campbell Address. 1603 Broadway, Lubbock, Texas  
Name. Position or Title. Geologist