

DUPLICATE


FORM C-105

OCT 21 1947

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.



AREA 640 ACRES
LOCATE WELL CORRECTLY

Continental Oil Company

Box CC, Hobbs, New Mexico

Company or Operator

Royce Lankford

Well No.

1

in

SE/4

of Sec.

2

T. 14-S

Lease

26-E

N. M. P. M. (wildcat)

Field,

Chaves

County.

Well is 4620

feet south of the North line and 1980

feet west of the East line of

Sec. 2-143-26E

If State land the oil and gas lease is No.

Assignment No.

If patented land the owner is

Royce Lankford

Address

Hagerman, New Mexico

If Government land the permittee is

Address

Pense City, Oklahoma

The Lessee is

Continental Oil Company

Address

Pense City, Oklahoma

Drilling commenced

July 6

19

47

Drilling was completed

October 2

19

47

Name of drilling contractor

McQueen and Clevenger

Address

Fort Worth, Texas

Elevation above sea level at top of casing

3396

feet.

The information given is to be kept confidential until

19

OIL SANDS OR ZONES

No. 1, from

to

No. 4, from

to

No. 2, from

to

No. 5, from

to

No. 3, from

to

No. 6, from

to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from

to

feet.

No. 2, from

to

feet.

No. 3, from

to

feet.

No. 4, from

to

feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
13 3/8	48#	8 rd	Sals	200'5"	TP				
9 5/8	36#	8 rd	Sals	1325'0"	Guide				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
13 3/8	200'		250	HOWCOO		
9 5/8	1318'		800	HOWCOO		

PLUGS AND ADAPTERS

Heaving plug—Material..... Length..... Depth Set.....

Adapters — Material..... Size.....

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment.....

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 8099 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing....., 19.....

The production of the first 24 hours was dry hole barrels of fluid of which % was oil; %

emulsion; % water; and % sediment. Gravity, Be.....

If gas well, cu. ft. per 24 hours..... Gallons gasoline per 1,000 cu. ft. of gas.....

Rock pressure, lbs. per sq. in.....

EMPLOYEES

D. I. West

Driller

Percy Wirt

Driller

A. J. Cartright

Driller

Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 26th

Hobbs, New Mexico

10-28-47

Place

Date

day of October, 19 47

Name

Position District Superintendent

Representing Continental Oil Company

Company or Operator

My Commission expires

5-17-49

Address

Box CC, Hobbs, New Mexico