NEW XICO OIL CONSERVATION COMM JON

Santa Fe, New Mexico

Form C-101 Revised (12/1/55) RECEIVED

NOTICE OF INTENTION TO DRILL

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Roles and Regula-tions of the Commission. If State Land submit 6 Copies Attach Form G-128 in triplicate to flast Shoopies of form G-101 Regulations of the Commission. December 21, 1960 Roswell, New Mexico (Date) (Place)

OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

Gentlemen:

30-005- +006

You are hereby no	tified that it is our	intention to commen-	e the Drilling	of a well to be known as	Develo-duave #1
		K. (). MILLER		
		(Con	pany or Operator)		-

Levers-State	e No. E-4937		Well No	<u> </u>	in	The	well is
1650	(Lease)	North	·····, · · · · · · · · ·		line and	1) feet fro	om the
East		Jine of Section	" 3 2	, 7S	R 26E	., NMPM.	
(GIVE LOCATION FRO	OM SECTION LINE)	Wi	.ldcat /	Pool.	Chaves		County
(GIVE LOCATION PRO	OM BECTION LINE,	***************************************			E-4937		-

D	С	В	А
E	F	G	н
Ĺ	к	J	I
м	N	о	Р

E) .	Wildcat /	Pool,	-4937	County
If Stat	te Land the Oil and Gas Lease is	No	-4931	•••••
If pate	ented land the owner is			•••••
Addre	ss opose to drill well with drilling e	duinment as fol	Cable Tool	8
-	opose to unit went with uniting e			
	tatus of plugging bond is			
Drillin	ng Contractor K. G.	Miller	1 a	
		A		
We in	atend to complete this well in the	e	I	
forma	tion at an approximate depth of			feet

CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
122"	10"	40	Used	100'	Set
10"	8-5/8"	30	Used	300'	Set
8*	6-5/8"	24	Used	6501	Circulate
	4-1/2"		Used	TD	50 sacks

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) I intend to mud surface string by shut-off at approximately 650 feet, then, if production, will bridge and circulate cement, as approved by James Wright of New Mexico State Engineer's Office.

Sincerely yours,

Approved	JAN	\$ 21	
Except as follows:		τ,	•

* * ****	\mathcal{A}	/ 1999	4. Mailla	
 B	ĸ.	Q.	(Company or Operator)	

OF CONTRACTOR CONTRACTOR
OIL CONSERVATION COMMISSION
By ML Children Tar Frence Ter
By A COLOR COLOR TO THE

By Owner, Position	3303	Tierra	Berrenda	Drive,	XAXAX
Name	K. G.	Communicati Miller	ons regarding w	ell to	
	3303 Rosw	Tierra ell, Ne	Berrenda W Mexico	Drive.	_

مسر	Form/cE
NEW MEXICO OIL CO	NSERVATION COMMISSION
	Acreage Dedication Plat DEC 2 / 1960
Section A.	Date 12 D. F. T. DERO
Operator Unit Letter Section Let	ase Fivery E 4937.
Located 1650 Feet From north Line.	1650 Feet From as at
Name of Producing FormationA	dicated acreage outlined on the plat below?
2. If the answer to question one is "no," hav	ve the interests of all the owners been
consolidated by communitization agreement "yes," Type of Consolidation	or otherwise? Yes No . If answer is
3. If the answer to question two is "no," lis below:	st all the owners and their respective interests
Owner	Land Description
Ka Waller	SW 4- ME + Sect 32-75-26E
- floren	
	REBEIVED
Section.B	
	This is to ATC ITY that the
	information in Section A
650	above is true and complete to the best of my knowledge
	and belief.
	+ K. A. Miller
ــلقر ا	+ /650' $$ (Operator)
Location	·
	E.G. MILLER 3303 Tierra Berrende Dr. Reswell, Hew Maxice
32	Address
	This is to certify that the
	well location shown on the plat in Section B was plotted
	from field notes of actual
	surveys made by me or under my supervision and that the
	same is true and correct to the best of my knowledge and
	belief.
	Date Surveyed <u>Dec. 20, 1960</u>
	Registered Professional
	Engineer and/or Land Surveyor.
0 330 660 990 1320 1650 1980 2310 2640 2000 1500	1000 500 Certificate No. 164
(See instructions for comple	eting this form on the reverse side)

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

	RICT OFFICE	
o. Conies Receiv 🕯	N PTICOM	
DIS RI	NUTION	
	NO	
- 16/26X	7	
A: 117. 11	1	
OKATION CARICE		
TATE LAND OFFICE	/	
J. S. G. S.	2	
RANSPORTER		
FILE	1	
BUREAU OF MINES		

* "Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.) January 4, 1961

K. G. Miller 3303 Tierra Berrenda Drive Roswell, New Mexico

> Re: Levers State Well No. 1, Unit G, Sec. 32-7S-26E, Chaves County, New Mexico

Dear Sir:

This will again acknowledge receipt of form C-101 (Notice of Intention to Drill) on the above-captioned well. We are returning this form to you for the second time, and request make new forms and submit them to this office. Your proposal for 100 feet of 10-inch casing and 300 feet of 8 5/8-inch casing are satisfactory, however, the 650 feet of 6 5/8-inch casing should be circulated with cement. If the well is productive, you must run a production string cemented with at least 50 sacks cement.

Please re-submit form C-101 to this office as soon as possible. We will retain form C-128 until we receive form C-101.

Very truly yours,

OIL CONSERVATION COMMISSION

M. L. Armstrong Supervisor, District No. 2

MLA/bh

Enc.

Januar, 4, 1961

14 S. 3111ar 1903 Herra Berrande Drive Roswell, 198 Serico

det Levers State Well Sc. 1, Saft G, Sec. 32-70-265, Shaves County, Sew Nexico

计内括算 网络树

This will spain acknowledge receipt of form C-ICL (Hotics of Intention to Drill) on the above-captioned well. We are coburning this form to you for the second time, and request make new forms and submit them to this office. four proposal for iCL feet of 10-inch casing and 300 feet of 8 5/3-inch casing are satisfactory, however, the 650 feet of 6 5/8-inch casing should be circulated with semant. If the well is productive, you must run a production string comented with at least 50 sacks coment.

Please re-submit form 0-101 to this office as soon as possible. We will recain form 0-128 until we receive form 0-101.

Very traly yours,

CLEARNESS OF AVSECTO ATO

L. Assetrony
Supervisor, District Po. 2

ric (All)

• onsi

December 27, 1960

K. G. Miller 3303 Tierra Berrenda Drive Roswell, New Mexico

> Re: Levers State Well No. 1, Unit G, Sec. 32-75-26E, Chaves County, New Mexico

Dear Sir:

This will acknowledge receipt of form C-101 (Notice of Intention to Drill) on the above-captioned well. We are returning this form so that you can correct your proposed casing program. It will be necessary for you to obtain your surface casing program from the State Engineer's Office, P. O. Box 810, Roswell, New Mexico. (This well is located in the water basin.) I believe they will want 50 sacks of cement behind the 300 feet of 8 5/8-inch casing. If the well is productive we will ask you to run at least enough pipe to reach 50 feet into the San Andres lime, cementing with at least 50 sacks.

I am forwarding your plugging bond application to our Santa Fe office for approval. Please correct and return form C-101 to this office as soon as possible. This form will be approved when the above corrections have been made and we have received notice of bond approval from our Santa Fe office.

Very truly yours,

OIL CONSERVATION COMMISSION

M. L. Armstrong Supervisor, District No. 2

MLA/bh

cc: State Engineer's Office, Roswell, N. M.

December 27, 1950

4. G. Miller 3303 Tierre berrenda Drive Roswell, Xew Nexico

Re: Levers State Well No. 1, Unit (., Sec. 32-75-26E, Chaves County, I.w Moxico

late new?

This will addrowledge receipt of four 0-101 (hothes of Thermition to Drill) on the above-captioned well. We are cotorning this form so that you can connect your proposed than prometer. It will be necessary for you to obtain your newfrage casing program from the State Engineer's Office, P. C. Sux Shop Acowell, Now Maxico. (This well is located in the water basin.) I believe they will want 50 sacks of cement behind the 300 feet of 1 (V-inch cesing. If the well is productive we will ask you to num at least enough pipe to reach 50 feet into the SER Acates Line, cementing with at least 50 sacks.)

I an forwarding your plugging bond application to our Santa de office for approval. Please correct and return tota C-101 to this office as soon as possible. This form will be approved what the stove corrections have been made and we have received notice of bond approval from our Santa Fe office.

Vory trais yours,

OIL CONSIGNATION COMMENSION

N. L. Armstrang Supervisor, District Mo. 2

では人意した

oo: Shate Ingineer's Office, Roswell, L. S.