

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESTA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>K. G. MILLER</u>		Lease <u>LEVERS STATE</u>		Well # <u>1</u>	
Location of Well	Unit <u>G</u>	Section <u>32</u>	Township <u>73</u>	Range <u>26E.</u>	County <u>CHAVEZ</u>
Drilling Contractor	<u>CO. TOOLS</u>		Type of Equipment <u>CABLE TOOLS</u>		
<u>APPROVED CASING PROGRAM</u>					
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<u>12 1/2</u>	<u>10</u>	<u>40</u>	<u>USED</u>	<u>100</u>	<u>set.</u>
<u>10"</u>	<u>8 5/8</u>	<u>30</u>	<u>USED</u>	<u>300</u>	<u>set.</u>
<u>8"</u>	<u>6 5/8"</u>	<u>24</u>	<u>USED</u>	<u>650</u>	<u>CIRC.</u>
Casing Data: <u>4 1/2"</u> <u>USED</u> <u>T.D.</u> <u>50 SACKS.</u>					
Surface <u> </u> joints of <u> </u> inch <u> </u> # Grade <u> </u>					
(Approved) (Rejected)					
Inspected by <u> </u> date <u> </u>					
Cementing Program					
Size of hole <u> </u> Size of Casing <u> </u> Sacks cement required <u> </u>					
Type of Shoe used <u> </u> Float collar used <u> </u> Btm 3 jts welded <u> </u>					
TD of hole <u> </u> Set <u> </u> Feet of <u> </u> Inch <u> </u> # Grade <u> </u>					
New-used csg. @ <u> </u> with <u> </u> sacks neat cement around shoe					
+ <u> </u> sax <u> </u> additives <u> </u>					
Plug down @ <u> </u> (AM) (PM) Date <u>12-14-61</u>					
Cement circulated <u> </u> No. of Sacks <u> </u>					
Cemented by <u> </u> Witnessed by <u>MOSE ARMSTRONG</u>					
Temp. Survey ran @ <u> </u> (AM) (PM) Date <u> </u> top cement @ <u> </u>					
Casing test @ <u> </u> (AM) (PM) Date <u> </u>					
Method Used <u> </u> Witnessed by <u> </u>					
Checked for shut off @ <u> </u> (AM) (PM) Date <u> </u>					
Method used <u> </u> Witnessed by <u> </u>					
Remarks: <u> </u>					