

APPROVED **JAN 19 1962**  
(Orig. Sgd.) **WILLIAM H. FELD MILLER**  
**ACTING DISTRICT ENGINEER**

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYLand Office \_\_\_\_\_  
Lease No. **ND0109547**  
Unit \_\_\_\_\_

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	<b>X</b>
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. **1** is located **330** ft. from **S** line and **990** ft. from **W** line of sec. **18**  
**SW 1/4** Section **18** **10 South 26 East** **NMPH**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Wildcat (Strat)** **Chaves** **New Mexico**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **3840** ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Spotted 50' cement plug from 371' (TD) to 321' with 5 sacks.
2. Spotted 45' cement plug from 45' to surface with 5 sacks.
3. Erected permanent marker of 4" pipe.
4. Filled pits & cleaned location.

RECEIVED

JAN 15 1962

U. S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Ervin Nichols**  
Address **2000 North Mississippi**  
**Roswell, New Mexico**By **N. Dale Nichols**  
Title **Geologist**