

Santa Fe

Land Office

LC-062057A

Lease No.

None

Unit

(SUBMIT IN TRIPLICATE)

APPROVED subject to like approval
by the New Mexico State Water Engineer.
Date: October 27, 1959UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

District Engineer

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) 30-005-00190

October 26, 1959

Well No. 1 is located 1980 ft. from N line and 660 ft. from E line of sec. 34
NW/4 Sec. 34 13-S 27-E N. M. P. M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Chaves New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The objective of this well is to test the following prospective pay zones at the depths indicated: Queen sand at or about 900 ft.; San Andres at or about 2100 ft.; Chlorietta at or about 2700 ft.; Devonian at or about 3500 ft. The casing program for this well will be as follows: Surface casing 200 ft. 13-3/8" 40# H-40, protection string 2500 ft. 9-5/8" 32.4# H-40 or J-55, 400 ft. 9-5/8" 36# H-40 or J-55, 2900 ft. total protection string; oil string 400 ft. 5-1/2" 17# LT&C J-55, 6600 ft. 3-1/2" 15.5# ST&C or LT&C J-55, 1500 ft. 5-1/2" 17# ST&C or LT&C J-55, 8500 ft. total oil string.

All casing will be cemented by pump and plug method with adequate cement to insure sound pressure seal. Surface casing will be circulated with cement back to the surface.

This well will be drilled with rotary tools using mud circulation until protection string is set consisting of saturated salt water with drilling soap compound and native (See attached sheet)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DAVID FASKENAddress 608 First National Bank Bldg.Midland, TexasBy Richard S. BrooksTitle Attorney

DETAILS OF WORK

mud as directed by Operator. Below protection string casing drilling will be with air circulation.

Electric logs will be run to total depth. All shows of oil or gas will be fully tested.

DETAILS OF WORK

Electric logs will be run to total depth. All shows of oil or gas will be fully tested.
mud as directed by Operator. Below protection string casing drilling will be with air
circulation.

NEW MEXICO OIL CONSERVATION COMMISSION
Well Location and Acreage Dedication Plat

Section A.

Date _____

Operator David Fasken Lease Honolulu Federal
Well No. 1 Unit Letter E Section 34 Township 13 South Range 27 East NMPM
Located 1980 Feet From North Line, 660 Feet From West Line
County Chaves G. L. Elevation 3495 Dedicated Acreage 40 Acres
Name of Producing Formation _____ Pool Wildcat


1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes ☒ No ☐.
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes ☐ No ☐. If answer is "yes," Type of Consolidation _____
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner

Land Description

<u>Owner</u>	<u>Land Description</u>

Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

David Fasken
(Operator)

Richard S. Brooks
(Representative)
608 First Natl Bank Bldg.
Address
Midland, Texas

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed October 23, 1959

W. W. Shearn
Registered Professional
Engineer and/or Land Surveyor.

Certificate No. 1559

(See instructions for completing this form on the reverse side)