Form 9-881 a (Feb. 1951) 26								
			٠.٠.	(3ED)	7			
13		(i)	ا در د استار	- 1 7-	il			
	· (, ; ; , , , , , , , , , , , , , , , , ,]j]/41 				
	•	1/10		<u>. </u>				

(SUBMIT IN TRIPLICATE)

RECEIVED

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

FEB 8 1960

D. C. C. NOTICES AND REPORTS ON WELLS 30-005-00191

SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. TICE OF INTENTION TO CHANCE PLANS. TICE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT		X	SUBSEQUENT REPORT OF WATER SHUT-OFF	
SUBSCOUNT REPORT OF ALTERING CASING. WITCE OF INTENTION TO RELDRILL OR REPAIR WELL. SUBSCOUNT REPORT OF ALTERING CASING. WITCE OF INTENTION TO SHOOT OR ACIDIZE. SUBSCOUNT REPORT OF RELDRILLING OR REPAIR. SUBSCOUNT REPORT OF ALBANDONMENT. SUPPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) TEDERARY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) TEDERARY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) TEDERARY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) FEBRUARY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) FEBRUARY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) FEBRUARY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) FEBRUARY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) FEBRUARY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) FEBRUARY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABNOVE BY CHECK MARK NATURE OF REPORT OF READANDOMENT. SUPPLEMENTARY WELL HISTORY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABMONDMENT. SUPPLEMENTARY WELL HISTORY. (INDICATE ABANDOMENT. SUPPLEMENTARY WELL HISTORY. (INDICATE ABMONDMENT. SUPPLEMENTARY WELL HISTORY. (INDICATE ABMONDMENT. SUPPLEMENTARY WELL HISTORY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABMONDMENT. SUPPLEMENTARY WELL HISTORY. (INDICATE ABMONDMENT. SUPPLEMENTARY WELL HISTORY. (INDICATE ABMONDMENT. SUPPLEMENTARY WELL HISTORY. SUPPLEMENTARY WELL HISTORY. (INDICATE ABMONDMENT. SUPPLEMENTARY WELL HISTORY. (INDICATE A	TICE OF INTENTION TO DRILL		SUBSPOUENT REPORT OF SHOOTING OR ACIDIZING	
SUBSEQUENT REPORT OF RE-DRILLING OR REPAR WELL SUBSEQUENT REPORT OF RE-DRILLING OF REPAR WELL SUBSEQUENT REPORT OF R	TICE OF INTENTION TO CHANGE PLANS		SUBSECUENT REPORT OF ALTERING CASING	
SUBSEQUENT REPORT OF ABANDONMENT. STREE OF INTENTION TO SHOOT OR ACIDIZE. STREE OF INTENTION TO PULL OR AITH CASING. STREE OF INTENTION TO DULL OR AITH CASING. SPECIAL SUPPLEMENTARY WILL HISTORY. SPECIAL SUPPLEMENTARY. SPECIAL SUPPLEMENTARY WILL HISTORY. SPECIAL SUPPLEMENTARY. SPE	TICE OF INTENTION TO TEST WATER SHUT-OFF		DE DOULING OF PEPAIR	
SW/SW See. 9 13-5 (Range) (Agrice of intention to pull or alter casing. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Tebruary. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Tebruary. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA (INDICAT	TICE OF INTENTION TO RE-DRILL OR REPAIR WELL.		SUBSECUENT REPORT OF ABANDONMENT	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Indicate Above By CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)	TICE OF INTENTION TO SHOOT OR ACIDIZE		JODGE GOLDEN	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Indicate Above By CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Indicate	OTICE OF INTENTION TO PULL OR ALTER CASING			
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Indicate Ind	OTICE OF INTENTION TO ABANDON WELL			
Sw/Sw See. 9 13-8 (County or Subdivision) (Meridian) (Meridian) (Meridian) (Meridian) (Sub or Turky) (Meridian) (Sub or Turky) (Meridian) (Sub or Turky) (Meridian) (Subdivision) (Meridian) (M	(INDICATE ABOVE BY CHEC			
(4) Sec. and Sec. No.) (1) Sec. and Sec. No.) (1) Characteristics (2) Characteristics (1) Characteristics (2) Characteristics (2) Characteristics (2) Characteristics (3) Characteristics (2) Characteristics (2) Characteristics (3) Characteristics (4) Characteristics (4) Characteristics (4) Characteristics (5)		-	February 3	, 19 6.
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) Will drill 8-5/8" hele to from 100 to 150 feet, set 7" pipe below the gravel; coment same by return circulation to top. Will drill 6-3/4" hele to the top of the Queen sand expected at 750 feet, then core shead to the bettom of the queen. If well is commercial, will ream hele to bettom, run 4 casing coment and gum perforate. Botice of intention to change plans will be filed after coring if commercial. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company			and the state of t	
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) Will drill 8-5/8" hele to from 100 to 150 feet, set 7" pipe below the gravel; coment same by return circulation to top. Will drill 6-3/4" hele to the top of the Queen sand expected at 750 feet, then core shead to the bettom of the queen. If well is commercial, will ream hele to bettom, run 4" casing coment and gum perforate. Botice of intention to change plans will be filed after coring if commercial. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company	Understans tod Che	Connty or	Subdivision) (State or Territory)	
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work) Will drill 8-5/8" hele to from 100 to 150 feet, set 7" pipe below the gravel; cement same by return circulation to top. Will drill 6-3/4" hele to the top of the Queen sand expected at 750 feet, then core shead to the bettem of the queen. If well is commercial, will ream hele to bettem, run him casing cement and gum perferate. Botice of intention to change plans will be filed after cering if commercial. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company	(Field) CAT	(Onme) of	·	
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) Will drill 8-5/8" hele to from 100 to 150 feet, set 7" pipe below the gravel; cement same by return circulation to top. Will drill 6-3/4" hele to the top of the Queen sand expected at 750 feet, then core shead to the bettem of the queen. If well is commercial, will ream hele to bettem, run 4% casing cement and gun perforate. Retice of intention to change plans will be filed after cering if commercial. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Steinberger Brilling Company	William 1 1 1 Ann above	sea leve	el is 3593S ft.	
will drill 8-5/8" hele to from 100 to 150 feet, set 7" pipe below the gravel; sement same by return circulation to top. Will drill 6-5/8" hele to from 100 to 150 feet, set 7" pipe below the gravel; sement same by return circulation to top. Will drill 6-3/4" hele to the top of the Queen sand expected at 750 feet, then core ahead to the bettem of the queen. If well is commercial, will ream hele to bettem, run 4; casing coment and gun perferate. Wettee of intention to change plans will be filed after coring if commercial. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Steinberger Brilling Company	1 -4' of the derrick noor above	2CB 1C 1C		
Will drill 8-5/8" hele to from 100 to 150 feet, set 7" pipe below the gravel; coment same by return circulation to top. Will drill 6-3/5" hele to the top of the Queen sand expected at 750 feet, then core shead to the bettem of the queen. If well is commercial, will ream hele to bettem, run 41" casing coment and gun perferate. Rotice of intention to change plans will be filed after coring if commercial. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company	ne elevation of the defrict most and			
Will drill 8-5/8" hele to from 100 to 150 feet, set 7" pipe below the gravel; coment same by return circulation to top. Will drill 6-3/5" hele to the top of the Queen sand expected at 750 feet, then core shead to the bettem of the queen. If well is commercial, will ream hele to bettem, run 41" casing coment and gun perferate. Rotice of intention to change plans will be filed after coring if commercial. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company	•	DETAIL	S OF WORK	
Will drill 8-5/8" hele to from 100 to 150 feet, set 7" pipe below the gravel; coment same by return circulation to top. Will drill 6-3/5" hele to the top of the Queen sand expected at 750 feet, then core shead to the bettem of the queen. If well is commercial, will ream hele to bettem, run 41" casing coment and gun perferate. Rotice of intention to change plans will be filed after coring if commercial. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company	•	DETAIL	S OF WORK	ng jobs, cement
Hotice of intention to change plans will be filed after coring if commercial. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company	itate names of and expected depths to objective sands ing points	DETAIL ; show sizes , and all ot	S OF WORK 9, weights, and lengths of proposed casings; indicate muddir her important proposed work)	
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company	will drill 6-3/6" hele tate names of and expected depths to objective sands ing points. Will drill 6-5/8" hele the gravel; cement at 750 feet, then core	DETAIL ; show sizes, and all other to from to the same	S OF WORK of weights, and lengths of proposed casings; indicate mudding the important proposed work) om 100 to 150 feet, set 7° o by return circulation to to the of the Queen sand expete the bettem of the queen.	pipe op. cted
AddressBex 1137	Will drill 8-5/8" hele ing points; Will drill 8-5/8" hele ing points; Will drill 6-3/4" hele at 750 feet, them core If well is commercial, coment and gun perforat	to the ahead	s OF WORK of weights, and lengths of proposed casings; indicate muddir her important proposed work) om 100 to 150 feet, set 7° o by return circulation to to e top of the Queen sand expete the bettem of the queen.	pipe op. cted
Address Box 1137	will drill 8-5/8" hele ing points; Will drill 8-5/8" hele ing points; Will drill 6-3/5" hele at 750 feet, then core If well is commercial, coment and gun perferat Sotice of intention to	to from the same to the same to the same will to the same same same same same same same sam	s of Work s, weights, and lengths of proposed casings; indicate muddir her important proposed work) om 100 to 150 feet, set 7° o by return circulation to to e top of the Queen sand expete the bettem of the queen. ream hele to bettem, run bin o plans will be filed after	pipe op. cted casing
	will drill 8-5/8" hele to below the gravel; coment at 750 feet, then core in comental, coment and gun perforat setice of intention to commercial.	to from the same to the same to the same will to the same same same same same same same sam	s of Work s, weights, and lengths of proposed casings; indicate muddir her important proposed work) om 100 to 150 feet, set 7° o by return circulation to to e top of the Queen sand expete the bettem of the queen. ream hele to bettem, run bin o plans will be filed after	pipe op. cted casing
	will drill 8-5/8" hole ing points. Will drill 8-5/8" hole ing points. Will drill 6-3/4" hole at 750 feet, then core in commercial, commercial, commercial, commercial gun perforat in commercial. I would be commercial. I would be commercial. I would be commercial. I would be commercial.	perall show sizes and all other than the the change of the change approval in	s OF WORK of weights, and lengths of proposed casings; indicate muddir her important proposed work) on 100 to 150 feet, set 7* o by return circulation to to e top of the Queen sand expete the bettem of the queen. ream hele to bettem, run 4; o plans will be filed after writing by the Geological Survey before operations may be	pipe op. cted casing
HOSVOIL - DOE MAIL	will drill 8-5/8" hele ing points, below the gravel; comen will drill 6-3/4" hele at 750 feet, then core if well is commercial, coment and gun perferat sering if commercial. I understand that this plan of work must receive a company	to free to the ahead will consume the consumer to the consumer	s OF WORK of weights, and lengths of proposed casings; indicate muddir her important proposed work) on 100 to 150 feet, set 7* o by return circulation to to e top of the Queen sand expete the bettem of the queen. ream hele to bettem, run 4; o plans will be filed after writing by the Geological Survey before operations may be	pipe op. cted casing
	will drill 6-5/8" hele below the gravel; comen will drill 6-3/4" hele at 750 feet, them core if well is commercial, coment and gun perferat sering if commercial. I understand that this plan of work must receive a sering if company steinberger by Address	to free to the ahead will obang	s OF WORK of weights, and lengths of proposed casings; indicate muddir her important proposed work) om 100 to 150 feet, set 7* o by return circulation to to e top of the Queen sand expete the bettem of the queen. ream hele to bettem, run 4* o plans will be filed after writing by the Geological Survey before operations may be ag Company	pipe op. cted casing

FORM C-128 Revised 5/1/57

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

. _ _ _

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE											
					SECTIO	N A					
Operator Delilian Co			Lease					Well No.			
Steinberger Drilling Co. Unit Letter Section Township			10	NM 01038				i	1		
Unit Letter	Secti 9	on	Township 13-		Rang	e 27-E	1	County Cha	T A Q		
Actual Footage Lo		of Well:									
672.5			outh	line and	660.2	:	feet	from the	West	16	ne
Ground Level Elev		Producing Fo	rmation		Pool						ted Acreage:
3503.5	İ	Quee	n			Unde	sig	nated			40 Acres
									· · · · · · · · · · · · · · · · · · ·	L	
											mer" means the person
				from any poo	l and to ap	propriate	the p	roduction e	ither for hin	nself or	for himself and
another. (65-			•								
2. If the answer to	o ques	tion one is "	no,'' have t	the interests	of all the o	wners be	en cor	nsolidated	by communi	tization	agreement or other-
wise? YES 3. If the answer to							•	. 1 1			
Owner	o ques	LION TWO IS	30, 11St a1	the owners	· · · · · · · · · · · · · · · · · · ·				•		
Owner						Land Des	cripti	on			
											
					<u>-</u>				——————————————————————————————————————		
· · · · · · · · · · · · · · · · · · ·			SECTI	ON B		,				CERTI	FICATION
i		}		ĺ		}		ł	1,,,,		
		ì				į					hat the information
		i		;		1					oove is true and com- of my knowledge and
İ		!				<u> </u>		1	belief	12 /	-
		ļ								17	-den
		1				} 			Name	2122	7
		<u> </u>				<u>.</u>				Co-Ow	ner
						Ţ — ·			Position		
		i				! }			Steint	erge	r Drilling Co
		ĺ				i			Company		_
		!				ļ			Date	\mathbf{r} . 3	1960
		1				!			Date		
		<u> </u>				! !			<u> </u>		
		<u> </u>		2		<u>i</u>					
		1	1		_						
		! <i>F</i>	135	AZTA	ਝ	į I		1	I hereby c	ertify th	nat the well location
		! 				! 		1			in SECTION B was
		! 				İ		ĺ	plotted fro	om field	notes of actual
		i				!				-	me or under my
		!				ļ 1					that the same is true
		1				! 					best of my knowledge
		T				<u> </u>		1	and belief	:•	
	_	<u>.</u>				! !					
EL =3:	5035					Ì		l	Date Surv	eyed	
•		j				İ		- 1	7-0	<u>6-2</u>	- 1960 ssional Engineer
اوما						!		ľ	Registere	d Profes	ssional Engineer
N N		!				1			and or La	nd Surve	eyor .
3		1				<u></u>			Bu "	Paris	egeneing to
									Certificate	<u>uiyn</u> No	us or faces.
0 330 660 9	90 /3	izo 1650 198	IO 2310 26	640 200c) <i>150</i> 0	1000	50	20 0	1	v	

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.