

(3)

UNITED STATES DEPARTMENT OF JUSTICE

WASHINGTON, D. C. 20535


MEMORANDUM FOR THE ATTORNEY GENERAL

RE: [Illegible]

DATE: [Illegible]

Enclosed for the Attorney General are two copies of a letterhead memorandum (LHM) dated and captioned as above. The LHM was prepared by the [Illegible] and contains information regarding the [Illegible] of the [Illegible] and the [Illegible] of the [Illegible]. The LHM also contains a copy of a letterhead memorandum (LHM) dated and captioned as above, which was prepared by the [Illegible] and contains information regarding the [Illegible] of the [Illegible] and the [Illegible] of the [Illegible].

4-331a

Budget Estimate
Appropriation

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No.

Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 3,

Well No. 1 is located 600 ft. from ^N_S line and 60 ft from ^E_W line of sec.

T. 14 S. R. 21 E.

T. 14 S.

R. 21 E.

S. 14 N.

T. 14 S.

County of Substitution

T. 14 S.

The elevation of the derrick floor above sea level is 3451 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding logs, cementing points, and all other important proposed work)

Vincent & Welch, Inc., No. 1 Federal Cassidy. T.D. 9330'. No commercial shows of oil or gas encountered. Cement plugs were placed at 1000'-2395' 2 1/4" regular, 1500'-1595' 2 1/4" regular, 1500'-1595' 2 1/4" regular, 1500'-1595' 2 1/4" regular. 4" pipe was set 2 feet above ground level. Steel pipe was welded on top of 4" pipe. The hole was left full of sand 1 inch thick. 100 cc. of oil, 100 cc. of gas, and 100 cc. of water.

Work was completed on November 25, 1911.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Vincent & Welch, Inc.,

Address 201 V. J. Tower Bldg.

Midland, Texas

By

Title

Vincent & Welch, Inc.
District Geologist