

RECEIVED

SEP 19 1950


OIL CONSERVATION COMMISSION
HOBBS-OFFICE

FORM C-105

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

AREA 640 ACRES
LOCATE WELL CORRECTLY

DeKalb Agricultural Association, Inc. **Lubbock, Texas**
Company or Operator Address
Compton-State Well No. **2XA** in **NE/4, NE/4** of Sec. **15**, T. **11-S**
Lease
R. **27-E**, N. M. P. M., **Wildcat** Field, **Chaves** County.
Well is **660** feet south of the North line and **660** feet west of the East line of **Section 15**
If State land the oil and gas lease is No. **B-8443** Assignment No. **9**
If patented land the owner is **Not** Address **---**
If Government land the permittee is **Not** Address **---**
The Lessee is **DeKalb Agricultural Association, Inc.** Address **Lubbock, Texas**
Drilling commenced **June 15** 19**50** Drilling was completed **September 15** 19**50**
Name of drilling contractor **George P. Livermore, Inc.** Address **Lubbock, Texas**
Elevation above sea level at top of casing **3710** feet.
The information given is to be kept confidential until **Not** 19**---**

OIL SANDS OR ZONES

No. 1, from **6540** to **6570** No. 4, from **---** to **---**
No. 2, from **---** to **---** No. 5, from **---** to **---**
No. 3, from **---** to **---** No. 6, from **---** to **---**

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **100** to **180** feet **Fresh W.L. 40'**
No. 2, from **2440** to **2510** feet **Sulfur W.L. 1670'**
No. 3, from **6762** to **6800** feet **Sulfur W.L. 2260'**
No. 4, from **6977** to **7018** feet **Sulfur W.L. 2980**

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8-5/8"	24	8	National	1319	Baker	None	Not		Surface Casing
									Cement circu'
									with 500 sa

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4	8-5/8"	1319	500	Halliburton	10.5	Cemented to surface of ground

PLUGS AND ADAPTERS

Heaving plug—Material **See Remarks, etc. on** Length **Attached Sheet** Depth Set **---**
Adapters — Material **---** Size **---**

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	None					

Results of shooting or chemical treatment **---**

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **7120** feet, and from **---** feet to **---** feet
Cable tools were used from **---** feet to **---** feet, and from **---** feet to **---** feet

PRODUCTION

Put to producing **Not** 19**---**
The production of the first 24 hours was **---** barrels of fluid of which **---**% was oil; **---**% emulsion; **---**% water; and **---**% sediment. Gravity, Be **---**
If gas well, cu. ft. per 24 hours **---** Gallons gasoline per 1,000 cu. ft. of gas **---**
Rock pressure, lbs. per sq. in. **---**

EMPLOYEES

R. D. Greene Driller **---** Driller
W. N. Tucker Driller **---** Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **18** **Lubbock, Texas** **September 18, 1950**
day of **September**, 19**50** Name **---**
Colalia Tucker Position **Superintendent**
Notary Public Representing **DeKalb Agricultural Assn., Inc.**
Company or Operator
My Commission expires **June, 1951** Address **306 Lubbock National Building**
Lubbock, Texas

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	100	100	Gypsum and sand
100	550	450	Gypsum and sand
550	770	220	Shale and anhydrite
770	950	180	Shale, sand and anhydrite
950	1300	350	Shale and anhydrite
1300	1800	500	Dolomite and anhydrite
1800	2060	260	Dolomite
2060	2330	270	Lime and dolomite
2330	2430	100	Dolomite
2430	2690	260	Sand, dolomite and anhydrite
2690	3780	1090	Dolomite, shale and sand
3780	4810	1030	Dolomite, anhydrite and sand
4810	5200	390	Shale
5200	5640	440	Shale and dolomite
5640	6510	870	Lime and shale
6510	6580	70	Shale and chert
6580	6680	100	Shale and lime
6680	6730	50	Lime
6730	7090	320	Dolomite and chert
7090	7120	70	Dolomite and sand
			<u>Total Depth</u>