

NEW MEXICO OIL CONSERVATION COMMISSION  
DRAWER DD  
ARTESIA, NEW MEXICO

PLUGGING  
FIELD REPORT FOR ~~CEMENTING~~ OF WELLS

Operator <u>HERSCHEL L. CAPELAN M.D.</u>		Lease <u>STATE OF N. MEX.</u>		Well # <u>I</u>	
Location of Well	Unit <u>NW 5W L</u>	Section <u>27</u>	Township <u>11S</u>	Range <u>27E</u>	County <u>CHAVES</u>
<del>Drilling</del> Contractor <u>PLUGGING</u>	<u>CAP FULTON</u>		Type of Equipment <u>PULLING UNIT</u>		
<u>APPROVED CASING <sup>IN HOLE</sup> PROGRAM</u>					
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
	<u>8 5/8"</u>	<u>2.4 #</u>	<u>NEW</u>	<u>150</u>	<u>CIRCULATED</u>
	<u>5 1/2" *</u>	<u>15.5 #</u>	<u>NEW</u>	<u>975</u>	<u>CIRCULATED</u>
			<u>* perforations</u>	<u>924 to 938</u>	
Casing Data: <u>T.D. 1017' R.B. 960'</u>					
Surface _____ joints of _____ inch _____ # Grade _____ (Approved) (Rejected) _____					
Inspected by _____ date _____					
Cementing Program					
Size of hole _____ Size of Casing _____ Sacks cement required _____					
Type of Shoe used _____ Float collar used _____ Btm 3 jts welded _____					
TD of hole _____ Set _____ Feet of _____ Inch _____ # Grade _____					
New-used csg. @ _____ with _____ sacks neat cement around shoe					
+ _____ sax _____ additives _____					
Plug down @ _____ (AM) (PM) Date _____					
Cement circulated _____ No. of Sacks _____					
Cemented by _____ Witnessed by _____					
Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____					
Casing test @ _____ (AM) (PM) Date _____					
Method Used _____ Witnessed by _____					
Checked for shut off @ _____ (AM) (PM) Date _____					
Method used _____ Witnessed by _____					
Remarks: _____					

No. 1 25 sks at T.D. First Plug in @ 4:10 PM 1-18-63  
No. 2 20 sks at 300' Plug in @ 6:30 PM 1-18-63  
No. 3 5 sks at surface  
with mud between plugs.  
OK to sign  
C-103  
2-14-63  
H.L.